INVEST IN THE FUTURE

French manufacturer
since 1964

Celebrating

60

years of innovation

1964 - 2024

Collision Repair

Solutions Réparation Carrosserie

Karosseriereparatur

Attrezzature Riparazione Carrozzerie

Reparación de Carrocería

2024B



SPOT WELDING - DENT PULLER - MIG-MAG/GMAW-FCAW - PLASMA CUTTING -
INDUCTION - RIVETING - LIFT - BODYSHOP TOOLS

INVEST IN THE FUTURE

A solid manufacturing group

900 people

€ 130 000 000

C1+
Credit Rating
Banque de France

55 000 m²
2 factories

INVEST IN THE FUTURE

French manufacturer since 1964

A family company



Nicolas & Bruno Bouygues



Welding, Plasma cutting & Induction heating



Collision repair



Chargers, Boosters & Starters

A worldwide coverage

125 countries



GYS FRANCE
Laval

GYS GERMANY
Aachen

GYS U.K.
Rugby

GYS CHINA
Shanghaï

GYS ITALIA
Venezia

GYS IBERICA
Madrid

www.gys.fr

visit with

DENT PULLING

GYSPOT	6
GYSPOT PRO	7
GYSPOT ALU	8
GYSPOT COMBI	9
ACCESSORIES & CONSUMABLES	10
GYSPOT ARCPULL	12
COMBI ARCPULL	13
ACCESSORIES & CONSUMABLES	16
FAST EASY TOOLS	18
ACCESSORIES LEVELLING BARS	20
COMPLETE WORKSTATIONS	24

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	38
DRAW ALIGNER	40
FRAME STRAIGHTENING	42

PAINTLESS DENT REPAIR

POWERDUCTION AUTO DENT REPAIR	46
GLUE PULLING REPAIR	50

SPOT WELDING

TECHNOLOGY	54
PORTASPOT / GYSPOT 32D-X / 100R-CX	56
GYSPOT BP GENIUS	58
GYSPOT PTI-S7 / PTI PREMIUM PRO	60
GYSPOT PTI GENIUS	62
GYSPOT PTI NEO	64
GYSPOT PTI MASTER / PTI EXPERT	66
G ARMS	68
ACCESSORIES & CONSUMABLES	69
X ARMS / C ARMS	70

RIVETING

GYSPRESS 10T	73
GYSPRESS PREMIUM 10T PP	75
WORKSTATION	76
ADAPTERS	78
DIES BOXES & RIVETS	80
ACCESSORIES	83

MIG WELDING

GYS AUTO	86
E GYS AUTO	88
P GYS AUTO	90
AUTOPULSE	92
TORCHES & CONSUMABLES	96

PLASMA

EASYCUT K	101
EASYCUT	102
CUTTER	103

INDUCTION HEATING

GYSDUCTION	106
COMBIDUCTION	107
POWERDUCTION	108
ACCESSORIES & CONSUMABLES	112

TRUCK TOOLS & MOBILE LIFTS

TROLLEY IW1	115
MULTITOOL TRUCK	115
SPOT LIFT	116
QUICKLIFT / AIR JACKS	118
ERGO LIFT	119
MANUAL DOOR LIFT / MANUAL WHEEL LIFT	120

ACCESSORIES

WELDING HELMETS	122
FUME EXTRACTION	125
WINDSCREEN REPAIR	123
BUMPER REPAIR	128
HAND TOOLS	130
PNEUMATIC TOOLS	134
WORKING LIGHTS	136
SANDING & DUST EXTRACTION	138
WORKING SUPPORTS	140
ELECTRIC VEHICLES	144
SAFETY PROTECTION	146



DENT PULLING

STEEL / ACIER / STAHL

GYSPOT 6
GYSPOT PRO 7

ALU

GYSPOT ALU 8

ALU + STEEL / ACIER / STAHL

GYSPOT COMBI 9
ACCESSORIES & CONSUMABLES 10

DRAWN ARC
ALU + STEEL / ACIER / STAHL

GYSPOT ARCPULL 12
COMBI ARCPULL 13
ACCESSORIES & CONSUMABLES 16

FAST DENT PULLING 18
LEVELLING BARS 20

COMPLETE WORKSTATIONS 24

DENT PULLING
STEEL
ACIER - STAHL

OPTIONS

Consommables - Consumables
p.10



Chariots - Trolleys
p.24



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten



FIXED GUN

FIXED GUN

GUN WITH CONNECTOR

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



EXPERT ★★★ SYNERGIC & MANUAL CONTROL

Welding current adjusment
Welding time adjusment






GYSPOT 26.02

2600 A | ×1 AUTOMATIC


230 V • 1 ~

052208

included



Automatic quick gun, 1.8 m, 70 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)


GYSPOT 27.02

2600 A | ×1 MANUAL


230 V • 1 ~

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705) + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

GYSPOT 34.02 & 34.04


3500 A | ×1 MANUAL

230 V • 1 ~	**GYSPOT 34.02** 065741
400 V • 2 ~	**GYSPOT 34.04** 067943

included



Manual quick gun, 2 m, 50 mm² + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

GYSPOT 39.02 & 39.04

3800 A | ×1 AUTOMATIC

230 V • 1 ~	**GYSPOT 39.02** 052215
400 V • 2 ~	**GYSPOT 39.04** 052222

included



Automatic quick gun, 2 m, 70 mm² (057517) + Hammer (057272)




Earth cable 2 m, 70 mm² | SPOTTER BOX STANDARD (053915) (Details p.10)

GYSPOT PRO 230 & PRO 400


3800 A | ×2 AUTOMATIC MANUAL

230 V • 1 ~	**GYSPOT PRO 230** 052178
400 V • 2 ~	**GYSPOT PRO 400** 052185

included



Automatic quick gun, 3 m, 50 mm² (057500) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)




Earth cable 2 m, 70 mm² | SPOTTER BOX PRO (050075) (Details p.10)

GYSPOT EXPERT 200, 230 & 400


3800-4500 A | ×2 AUTOMATIC MANUAL

230 V • 1 ~ 3800 A	**GYSPOT EXPERT 230** 066885
200-240 V • 1 ~ 4350 › 5100 A	**GYSPOT EXPERT 200** 058842
400 V • 2 ~ 4500 A	**GYSPOT EXPERT 400** 058859

included



Automatic quick gun, 3 m, 70 mm² (059207) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable Thick 3 mm 2 m, 70 mm² | SPOTTER BOX PRO (050075) (Details p.10)

QUICK GUNS



PATENTS REGISTERED NUMBERS
001830845-0001
EUROPEAN TRADEMARK & DESIGN

AUTOMATIC



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207

MANUAL



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400, EXPERT 200/230/400, COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm²
for 27.02
058705

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04

Mandrels for gun - Mandrins pour pistolets - Pistole & Anschlußstücke, Zubehör



QUICK GUN
057531



D1
048959

Nut - Écrou
053199



Microswitch
053267

		CE NORM. 62135	50/60 Hz		I2 max A	U2 V	AM A	I RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT 26.02		230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02		230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	■	—	—	■	—	40 x 25 x 31 / 18
	GYSPOT 34.02		230V	2 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04		400V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 24
MADE IN FRANCE	GYSPOT 39.02		230V	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04		400V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 25.2
	GYSPOT PRO 230		230V	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400		400V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.4
	GYSPOT EXPERT 200		200-240V	8 m	4350 › 5100	7,2-8,7	30(D)	3100 › 3600	25 › 36	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230		230V	8 m	3800	7,4	16	2800	20	OK	OK	■	■	■	■	■	■	■	49 x 37 x 31 / 30.6
	GYSPOT EXPERT 400		400V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 32.9

GYSPOT ALU

DENT PULLING
ALU

Youtube

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Alu



Goujons - Studs

NEW





FIXED GUN

GYSPOT ALU 66

13000 A ×1 AUTOMATIC
230 V • 1 ~ AD

080188

included — for Ø 4 mm




Automatic alu gun
3 m, 25 mm²

+ 

ALU BOX STANDARD (050020)
(Details p.11)

AD ANTI-DUST



GYSPOT ALU PRO FV

13000 A ×1 AUTOMATIC
110 › 230 V • 1 ~ FV

021990

included — for Ø 4 mm




Automatic alu gun
3 m, 25 mm²

+ 

ALU BOX STANDARD (050020)
(Details p.11)

FV FLEXIBLE VOLTAGE



ALU GUN



PATENTS REGISTERED NUMBERS
002446450-0001
EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

3 m, Ø 25 mm²

included SPOT ALU FV
& COMBISPOT 230


054066



(x 3)
065635

66 mF CAPACITOR DISCHARGE WELDING

Ø 4mm



with connectors
for COMBISPOT
230

Joint rings for mandrel Ø 4/5/6 × 2
060814

OPTIONS

Consumables - Consommables
p.11



ALU accessories - Accessoires ALU
p.19



Trolleys - Chariots
p.24



GYSPOT COMBI

DENT PULLING
ALU+STEEL
ACIER - STAHL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Steel / Acier / Stahl



Alu



- Stars - Étoiles
- Rings - Anneaux
- Wavy wires - Fils ondulés
- Impact shrinking - Rabattage d'impact
- Tempering - Rétreinte
- Rivets - Rivets
- Rings - Rondelles
- Studs - Goujons



GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

3800 A Acier / Steel / Stahl
13000 A Alu
230 V • 1 ~

×2

AUTOMATIC
MANUAL
AUTOMATIC

021266

included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

+ 

Automatic alu gun, 3 m, 25 mm²



Earth cable
2 m, 70 mm²

+ 

SPOTTER BOX PRO (050075)
(Details p.10)

+ 

ALU BOX STANDARD (050020)
(Details p.11)

	CE NORM. 62135	50/60 Hz		$I_{2\,max}$ A	U_2 V	AM A	RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN			LxWxH cm / kg
MADE IN GYS CHINA	**GYSPOT ALU 66**	230 V	6 m	**13 000**	50 › 200	5	—	0.52	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	27 x 20.5 x 27 / 13.5
MADE IN FRANCE	**GYSPOT ALU PRO FV**	110 › 230 V	6 m	**13 000**	50 › 200	5	—	0.65	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	49 x 38 x 29 / 13.4
	GYSPOT COMBI 230 E.PRO	230 V	8 m	**3800 (steel) 13000 (alu)**	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	**Included** Spotter box + Alu box	54 x 76 x 34 / 47.5

GYSPOT ACCESSORIES & CONSUMABLES

STEEL / ACIER / STAHL



DENT BOX
CONSUMABLES / BAR / EASY




SPOTTER BOX
STANDARD / 2600 / 2700



SPOTTER BOX
PRO




Star - Étoile - Ausbeulstern



Ring - Rondelle - Unterlegscheiben



Tempering - Rétreinte - Temperieren




Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten




Wavy wire - Fil ondulé - Wellendraht



Rings - Anneaux - Zugösen



Studs - Goujons - Gewindebolzen



Rivets - Rivets - Nieten

Nails - Clous

Stitch welding - Molette

Rubber pad
062399

hexagon	Earth plate small	chuck for inertia hammer	copper coating star	electrode ø 16 for 8 x 16	ø 8 x 16	earth hook	carbon heating electrode	electrode warming point ø 16	Ball electrode warming point Ø16	for spot welding machine only M8	wavy wire	magnetic positioner
		×1	×20	× 1	×100	×1	×5	×1	×1	×100	×50	×1
		049482	052239	049574	049444	056718	049468	049567	059726	050303	049727	049772

elec-trode	straight rings	twisted rings	lifting rod	electrode for threaded studs rivets ø 5 - M5, M6	threaded M5 x 18 x 0.8	self-threading ø 5 x 18	ø 5 x 12	electrode ø 16, 3 x 4,50	ø 3 x 3.25	ø 3 x 4.50	electrode ø2 - M4	ø2	for spot welding machine only electrode wheel ø16	flat n°27	Earth plate large	magnetic	Steel gun earth adapter Ø 25 mm²
×1	×100	×50	×3 180, 300, 500 mm	×1	×100	×100	×100	×1	×100	×100	×1	×100	×1	×1	×1	×1	×1
050655	050648	050631	050792	049598	049383	049420	049413	049604	049345	049352	049277	041561	050310	049673	052529	049666	051997

DENT BOX

BEST SELLER **CONSUMABLES** 051515					×20									×25						×50	×25			
BAR 050037 ideal PROLINER														×1	×25					×1	×50			×1 180mm
EASY 053632 included EASYLINER	×1	×1	×1	×20	×1	×50	×1	×1	×1					×1	×25					×1	×50			×1 180mm

SPOTTER BOX

PRO 050075 included PRO, EXPERT & COMBI 230	×1	×1	×1	×20	×1	×50	×1	×1	×1															
STANDARD 053915	×1	×1	×1	×20	×1	×50	×1	×1	×1											×1	×50	×50	×50	×1 ×100 ×100
2600 052277 ideal GYSPOT 2600				×20	×1	×50	×1																	
2700 053922 ideal GYSPOT 2700				×20	×1	×50	×1	×1																

ELECTRODE FOR MAGNETIC EARTH (x1)
050013

THREADED ROD FOR MAGNETIC EARTH (x5)
055438

SINGLE HOOK (x1)
051218

Curved lifting rod 280 mm
064706


Steel Ring sharpener
- Affuteur d'anneaux acier
- Stahl Zugösenschneider
072565



072299
Pneumatic punch and die sharpener for steel rings
Poinçon et matrice affuteur pneumatique pour anneaux acier


SLIDE HAMMERS - Marteaux inertie - Ausbeulhammer

COMPLETE
057272



1.1 kg
049802
included (x1) 049482
included (x20) 052239

COMPLETE KIT
051225



2.5 kg
049819

Pulling handle 3 claws
- Poignée de tirage 3 dents
- Handzugkralle 3-fach
057326



057302

Pulling handle with hook
- Poignée de tirage avec crochet
057319



082021


Nails - Clous - Nägel
041813



1.1 kg

Ø 2, M4 (x1) 049277
Ø 2 (x100) 041561
MIG/MAG nozzle for Nail welding 041523

Washers - Rondelles - Ringe
051201



1.7 kg

Ø 16, 8x16 (x1) 049574
8x16 (x100) 049444
(x1) 051218

Slide hammer kit - Kit marteau à inertie - Ausbeulhammerset
051928



6 kg

ALU



ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

Joint rings for mandrel Ø 4/5/6
× 2
060814

mandrel for ALU GUN			alu magnesium screws 12 mm				alu silicium screws 12 mm				screwable rings	fast pulling rings	lifting rod
ø 4	ø 5	ø 6	ø 4 - M4	ø 4 - M4	ø 5	ø 6	ø 4 - M4	ø 4 - M4	ø 5	ø 6	ø4	x5	×3 : 180, 300, 500 mm
x2	x1	x1	x200	x1000	x100	x100	x200	x1000	x100	x100	x5		
049000	048157	048164	050273	050129	048140	048133	050280	050136	048126	048003	050297	058712	050792

ALU BOX

LIGHT Ø 4 051522			ø 4 ×200				ø 4 ×200						
STANDARD Ø 4 050020 included GYSPOT ALU & COMBI 230			ø 4 ×200				ø 4 ×200				×5		×1
Ø 5 & 6 048195		×1	×1		ø 5 ×100 + ø 6 ×100				ø 5 ×100 + ø 6 ×100			×5	

DENT PULLING

DRAWN ARC ALU + STEEL

ACIER - STAHL

Youtube

FV FLEXIBLE VOLTAGE
85 V — 265 V
10 m

SR SECONDARY REGULATION
I (A) STABLE

AD ANTI-DUST

MANUAL & SYNERGIC CONTROL

SYNERGIC



PRO ★★★

EXPERT Control



MANUAL



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching (I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

7 languages
FR, EN, DE, SP, IT, NL & RU





GUN WITH CONNECTOR


SYNERGIC DIGITAL GUNS

★★★★

UNIQUE
Linear Motor

DRAWN ARC PROCESS
Gas protection









Full control



Consumables for Gun



x2
059627



x1
059610

GYSPOT ARCPULL 200 CAR BODY REPAIR

100 › 230 V • 1 ~

200 A — ×1 MANUAL

FV SR AD

057470

included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429



x1
059610

+ Lifting rod 180 mm
(x1) 082915

OPTIONS details p.24

Weld 810
for ARCPULL 200
037489



GYSPOT COMBI ARCPULL

230 V • 1 ~

ARCPULL	EXPERT
200 A	3800 A
Alu	Acier / Steel / Stahl
×1	×1
MANUAL	MANUAL

069824

OPTION : AUTOMATIC

Arcpull accessories included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429



x1
059610

+ Lifting rod 180 mm
(x1) 082915

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

Earth cable
2 m, 70 mm²

+



SPOTTER BOX PRO (050075)
(Details p.10)

MADE IN FRANCE — CE NORM. 60974-1	50/60 Hz	A	SYNERGIC	MANUAL	IRMS (A)	Acier/Steel	Alu	V	A	kW			LxWxH cm / kg
GYSPOT ARCPULL 200 CAR BODY REPAIR	110 › 230 V	10 › 100 (110 V) 10 › 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 › 24 V (110 V) 20.4 › 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL	230 V	Alu 10 › 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 › 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5


DENT PULLING

DRAWN ARC ALU + STEEL


ACIER - STAHL

Youtube


SPECIAL TEARING RIVETS
Spécial arrachage de rivets - Spezial-Zugnieten




PFC POWER FACTOR CORRECTION



SR SECONDARY REGULATION



AD ANTI-DUST



SYNERGIC



EXPERT Control



- Rings - Anneaux - Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching(I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

MANUAL



7 languages
FR, EN, DE, SP, IT, NL & RU



Ø max Alu/Fe : **8 mm**



Ø max Alu : **10 mm** Fe : **13 mm**


PRO




SYNERGIC DIGITAL GUNS

DRAWN ARC PROCESS
Gas protection

UNIQUE Linear Motor







3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL



Consumables for Gun



x2
059627



x1
059610

GYSPOT ARCPULL 350 CAR BODY REPAIR

208 › 240 V • 1 ~

350 A ×1 MANUAL

PFC SR AD

082953

included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi)
059429



x1
059610

+



ALU RING bag 2 mm (AlSpec x100)
065703

+



Lifting rod 180 mm (x1) 082915

OPTIONS details p.24

Weld 810
for ARCPULL 350
037489



GYSPOT ARCPULL 700 CAR BODY REPAIR

380 › 480 V • 3 ~

680 A ×1 MANUAL

SR IP 23

OPTIONS details p.24

Weld 910
for ARCPULL 700
070967



068315

included



Manual synergic gun
5 m, 50 mm²

+



Double earth clamps
700 A, 3 m, 50 mm²
068605



Arc Pull Rivet Box 700

+



ALU RING BOX
1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

+

Lifting rod 180 mm (x1) 082915

+




Gas protection (x1)
068346

+



Ground studs holder
Ø 6 (x1)
075368
Ø 8 (x1)
075375
Ø 10 (x1)
075382



+



Threaded holder
Ø 5 (x1)
076174
Ø 6 (x1)
068391

MADE IN FRANCE	CE NORM. 60974-1	50/60 Hz		A	SYNERGIC	Acier/Steel	Alu	TECHNOLOGY Power Factor Correction	TECHNOLOGY Flexible Voltage	V	A	kW			LxWxH cm / kg
GYSPOT ARCPULL 350 CAR BODY REPAIR		208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control		■	—	20.4 › 34 V	16	1 1.9	OK	OK	48 x 36 x 30 / 17.4
GYSPOT ARCPULL 700 CAR BODY REPAIR		3x 400 V 3x 480 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control		—	—	22 › 44 V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	OK	OK	60 x 43 x 46 / 27.8

GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL



	×1 059634	×1 059641	mandrel Ø2mm ×1 064065	nail Ø2mm ×50mm ×100 041561	Ø2mm ×100 064034	mandrel Ø4mm ×2 049000	studs M4 ×16mm ×100 059603	inox - stainless steel Ø 4 ×50mm ×100 064607	mandrel Ø5mm ×1 048157	studs M5 ×18mm ×100 049383	self-threading studs M5 ×12mm ×100 049413	self-threading studs M5 ×18mm ×100 049420	mandrel Ø6mm ×1 048164	studs M6 ×20mm ×100 063969	studs internal M4 ×20mm ×200 063990	mandrel Ø7.1mm ×1 064041	studs internal M5 ×20mm ×200 064003	mandrel Ø8mm ×1 064058	studs M8 ×20mm ×100 063976				
STEEL STUDS BOX 200 & 350 059443	×1	×1				×1	×100		×1	×100	×100	×100											

ALU



	×1 059634	×1 059641	mandrel Ø4mm ×2 049000	studs M4 **AlMg3** ×16 mm ×100 059573	mandrel Ø5mm ×1 048157	studs M5 **AlMg3** ×16mm ×100 059580	mandrel Ø6mm ×1 048164	studs M6 **AlMg3** ×16mm ×100 059597	studs internal M4 ×20mm ×200 064010	mandrel Ø7.1mm ×1 064041	studs internal M5 **AlMg3** ×20mm ×200 064027	mandrel Ø8mm ×1 064058	studs M8 **AlMg3** ×16 mm ×100 063983										
ALU STUDS BOX 200 & 350 059436	×1	×1	×1	×100	×1	×100	×1	×100															



ALU RING BOX
1mm / 1.5 mm

	straight rings					twisted rings				
	Al-Special			AlMg3		AlMgSi		Al-Special		AlMg3 - x 50		AlMgSi - x 50	
	n°1 1 mm ×100 059535	n°4 1.5mm ×100 059559	n°8 2mm ×100 065703	n°2 1mm ×100 059498	n°5 1.5mm ×100 059511	n°3 1 mm ×100 059450	n°6 1.5mm ×100 059474	n°1 1mm ×50 059542	n°4 1.5mm ×50 059566	n°2 1mm ×50 059504	n°5 1.5mm ×50 059528	n°3 1mm ×50 059467	n°6 1.5mm ×50 059481
box **ALU RING BOX 1 mm** 059412	1mm ×50			1mm ×50		1mm ×50		1mm ×20		1mm ×20		1mm ×20	
box **ALU RING BOX 1.5 mm** 059429		1.5mm ×50			1.5mm ×50		1.5mm ×50		1.5mm ×20		1.5mm ×20		1.5mm ×20
sachet - bag **ALU RING BOX 2 mm** 065703			2mm ×100										



Ring holder (x1)
059610


Tension mandrel for M4 (x1)
050327




Earth clamp
Croco T400.70
043787




Double earth clamp
25 mm², 3 m, 350 A
070714



Joint rings for mandrel Ø 4/5/6
× 2
060814





STUDS HOLDER BOX 350

DIFFICULT ACCESS BOX 350

	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641	Mandrel - Mandrin Ø2mm ×1 064065	Ø4mm ×2 049000	Ø5mm ×1 048157	Ø6mm ×1 048164	Ø7.1mm ×1 064041	Ø8mm ×1 064058	Long barrel - Canon long Opened - Ouvert x 1 070806	Closed - Fermé x 1 070790	Long mandrel - Mandrin long M4 x 1 070752	M5 x 1 070769	M6 x 1 070776	M8 x 1 070783	25 mm², 3 m, 350 A x 1 070714
STUDS HOLDER BOX 350 064591	×1	×1	×1	×1	×1	×1	×1	×1							×1
ARCPULL DIFFICULT ACCESS BOX 350 070813	×1	×1							×1	×1	×1	×1	×1	×1	×1

(Barrel not included in 070813 - Coiffe non incluse dans 070813)

Difficult access :




Porte-clou Ø3 - Nail holder Ø3
072251



Clou - Nail Ø3x100 (x100)
072244

To be used with : Earth clamp Croco T400.70 043787








	Stainless steel nail Tige inox Ø 4 x 50 mm x 100 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox —	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641	(Barrel not included in the box - Coiffe non incluse dans le coffret)	mandrel Ø4mm ×2 049000	Rivet extraction insert - Buse d'extraction 24kN Ø 4 x 1 064683	Long barrel - Canon long + mandrin M4 x 1 067721	+ mandrin M5 x 1 070738	Stainless steel nail Tige inox Ø 5 x 50 mm x 100 070745	Rivet extraction insert - Buse d'extraction 50kN Ø 5 x 1 066151
ARCPULL RIVET BOX 1 350 - 24kN 064584	×100	×1	×1	×1		×1	×1				
ARCPULL RIVET BOX 2 350 - 50 kN 073388			×1	×1				×1	×100	×1	

Extraction with GYSPRESS & adapters

details p.76




GYSPRESS + adapter **24kN for Ø 4**

GYSPRESS + adapter **50kN for Ø 4 & 5**

GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES



	Stainless steel nail - Tige inox Ø 5 x 50 mm x 100 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 x 1 070738	Rivet extraction insert - Buse d'extraction 50 Kn Ø 5 x 1 066151	Mandrel support - Support porte-goujon x 1 071377	(Barrel not included in the box - Coiffe non incluse dans le coffret) Nozzle + pad - Buse + patin x 1 059641		Ring holder x 1 059610	Rod for pulling rings - Fourche pour anneau x 1 071384	Vis de butée x 1
ARCPULL RIVET BOX 700 068452	×100	×1		×1	×1	×2	×1	×1	×1



Gas protection (x1)
068346

Ground studs holders

Ø 6	x 1	075368
Ø 8	x 1	075375
Ø 10	x 1	075382

Threaded holders

Ø 5	x 1	076174
Ø 6	x 1	068391
Ø 8	x 1	068407




Double earth clamp
50 mm², 3 m, 700 A
068605

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT
39.02/04,
PRO 230/400,
EXPERT 230/400,
COMBISPOT 230



051690

MANUSPOT =
050679



Tools set & support
for DENT 600, 800, 1000, 1600,
Workstation & Dentstation




EASYGUN
051317



MANULINER
050471

3 m
Ø 35 mm2

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN




4 positions
4 Positionen



051584
380 g



Rings
- Anneaux
- Anschweißösen
051652



Wavy wires
- Fils ondulés
- Wellendraht
051669



Tempering
- Rétreinte
- Glättwerkzeug
051676



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Option
Gun adapter
- Adaptateur pistolet
052499




Box of 3 electrodes for accessories
050822



FAST & EASY



RINGMATIC
052154



included

(x 50)

ALU

ARC PULLER PREMIUM

065161




Included
Alu 3
065178

Included
Alu 4
065185



Pads - Patins
(x2)
069008






Option
Steel
079830

ULTRA RESISTANT
No deformation





ARC PULLER PREMIUM PRO

072572




Pads - Patins
(x4)
074958

Included
Alu 3
065178

Included
Alu 4
065185

ALU PULLER



4 positions


= 051003



Included
Alu 1
050938

Included
Alu 2
050945

Patins
- Pads (x2)
060807



STRAIGHT LINE LAMP
- Lampe ligne droite - Dentline-laser

056770





FAST PULLING RINGS
- Anneaux de tirage rapide

058743 =



x5
058712

goujons alu
- alu screws
ø 4, 5 & 6 mm

Alu 1
050938

Alu 2
050945



Marteau à inertie 380 g
050051

ALU HAMMERS
- Marteaux alu

020986



MANULINER/GUN

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN

056831



Gun adapter
- Adaptateur pistolet
included
052499



Pads - Patins (x2)
060807

DENT AXE PULLER

080508







Direct impact electrodes (x5)
050839

QUICK SPOT AIR GUN V2

057340









Gun adapter -
Adaptateur pistolet
052826

MANU PULLER

079502



Included
Alu 3
065178

Included
Steel
079830

Included
Alu 4
065185

Heat gun
- Décapeur thermique
- Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min



Affichage digital
Digital display

066311

Gas hot air gun - Pistolet à air chaud autonome à gaz



Bouteille de gaz incluse, gas cylinder included

060777

Blow torch - Lampe à souder - Lötlampe



052741

Novacet + (Butane/propane/propylene)
380 ml/220 g



040441

Brushes
- Brosses
- Bürsten
- Brosses
- Cepillos



Inox
- Stainless -
Edelstahl

044258

Thermal marking pencil - Crayon marqueur thermique


121°C /
250°F



052765

Freezer spray - Spray refroidisseur

-50 °C
400 ml



(x 12)
048898

Heat barrier spray - Spray barriere thermique



054325

Infrared Thermometer - Thermomètre infrarouge

-50 / +600 °C
-58 / +1112°F

Adjustable emissivity :
0.10 ~ 1.00



079922

PULLING BARS

3 PRODUCT LINES

1 STANDARD

2 ★ PREMIUM ★



SLIDE & LOCK

3 ★★★ PREMIUM PRO ★★★



QUICK HOOK



EASY REMOVABLE PULLING SYSTEM




SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
1.6 kg
79 x 12 x 17 cm / 1.9 kg


PATENTS REGISTERED NUMBERS 001652108-0002 EUROPEAN TRADEMARK & DESIGN



Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
2.5 kg
77 x 12 x 13 cm / 3.2 kg


Licensed by BETAG.Innovation



Levelling bar
- Barre de débosselage
- Zugbrücke


050693
3.4 kg
87 x 17 x 19 cm / 4 kg

Licensed by BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
5.1 kg
87 x 17 x 18 cm / 5.9 kg



SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET



PULLING SYSTEM

only for **059313**



LIGHTWEIGHT

Léger



GRIP 360

360° pads with grip
Patins à frein orientables à 360°




X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres

PREMIUM


Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
1.6 kg
100 x 16 x 17 cm / 2.2 kg




Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
2.8 kg
79 x 30 x 13 cm / 3.2 kg




Premium scissoring bar
- Barre de tirage Premium
- Premium Scherenzugbrücke

058996
3.1 kg
87 x 16 x 18 cm / 3.9 kg




Premium 1200 scissoring bar
- Barre de tirage 1200 renforcée Premium
- Premium Scherenzugbrücke 1200

059313
5.6 kg
127 x 26 x 9 cm / 6.2 kg



OPTIONS

Reinforced bar 1200 mm - Barre renforcée
051171



Double pads support
- Support double patin
- Doppelfüße

050723



STANDARD

NEW

1 tooth hook
Ø M10 / M14
082021

STANDARD
PREMIUM (LONG FEET NEEDED)

4 tooth claw
Ø M10 / M14
049758

6 tooth claw
Ø M10 / M14
049734

8 tooth claw
Ø M10 / M14
049741

Ring-Pulling
068995

8 tooth claw for pulling chain
Ø M10 / M14
067745

PREMIUM

2 teeth hook
PREMIUM
Ø M14
059382

3 teeth hook
PREMIUM
Ø M14
059658

x1 059320 — 150
x2 061293 — 220
x2 059351 — 150
x2 059375 — 220
x1 072688 — 270

069268

059399

SUPER ERGONOMIC

BREVET GYS — PATENT PENDING — GYS PATENT



QUICK HOOK

2 teeth hook
PREMIUM PRO
072664

3 teeth hook
PREMIUM PRO
072671

082007

080539

4 tooth claw
PREMIUM PRO
072640

6 tooth claw
PREMIUM PRO
072657

8 tooth claw
PULLING CHAIN
080546

EASY REMOVABLE PULLING SYSTEM



Pull with screwdriver

071650
51 x 21 x 11 cm / 0.9 kg
QUICK HOOK

072633
79 x 61 x 11 cm / 5.2 kg
QUICK HOOK

072312
51 x 21 x 11 cm /1.6 kg
QUICK HOOK

SLIDE & LOCK


Removable system : pads and pulling systems
Système de patins et chariots de tirage amovibles



PREMIUM PRO


Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel

072619
1.6 kg
87 x 17 x 18 cm / 2.3 kg




Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
120 x 26 x 8 cm / 4.4 kg
3.8 kg




Premium Pro Levelling bar 900mm / Double feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

080102
3.8 kg



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
103 x 30 x 13 cm / 5.2 kg
4.5 kg



Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm

072626
124 x 7 x 7 cm / 3.1 kg





GRIP 360 **GRIP 360+**

360° pads with grip
Patins à frein orientables à 360°



STRENGTHENED (DOUBLE) BAR
Improved mechanical resistance
Résistance mécanique renforcée

X-CROSS
Possibility of crossing the bars
Possibilité de croiser les barres





MULTIPLE PULLING SYSTEM
Additional removable pulling systems
Chariots de tirage amovible supplémentaire

OPTIONS

Single foot
- Pied simple
- Fuß

x2 061293

x1 059320



Double foot levelling bar
- Pied double patin
- Doppelfuss




x2 059351


x1 072688

x2 059375

PREMIUM BAR SMART HAND

for Premium & Premium Pro
072480









DENT PULLING
WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility


SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓

CHARIOTS / TROLLEYS


Dent 600
44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000
44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848




Universal 800
60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810
77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910
89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967



Dent 1600
70 x 69 x 161 cm
/ 35,8 kg
103 x 66 x 22 cm
/ 38,7 kg
072596




Dent 1600 WD
71 x 70 x 161 cm
/ 49,5 kg
103 x 66 x 22 cm
/ 52,4 kg
072169



Dentstation Pro WD
90 x 71 x 161 cm
/ 65 kg
120 x 80 x 28 cm
/ 68,5 kg
072800





4 m³ support for Dent 1600 / 1600 WD & Dentstation Pro WD
059665



Cable support for Spot 800, 1600 & Denstation
052284



Protection cover - Housse de protection - Schutzhaube

for Universal 800
062733

for Spot 1600 & Dent 1600
048881

for Dentstation Pro
059870

EASYLINER

ALL IN 1 BOX



EASYLINER 39.02 | EASYLINER PRO 230

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
053618 : 058521	072398

ALL IN 1 BOX

INCLUDED ACCESSORIES



DENT 1000
072848



Dent box easy
053632



Levelling bar double action
053564

PROLINER



PROLINER 39.02
PROLINER 39.04 | PROLINER PRO 230
PROLINER PRO 400 | PROLINER ALU PRO FV | PROLINER ARCPULL 200

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
035775	035799
39.04	PRO 400
035782	035805

INCLUDED ACCESSORIES



UNIVERSAL 800
051331
+ Cable support
052284



Dent box easy
050037



Levelling bar double action
053564

ALU



GYSPOT
(guns & consumables included)

ALU PRO FV	ARCPULL 200
035836	065260



UNIVERSAL 800
051331
+ Cable support
052284



Weld 810
037489
+ Cable support
052284




Alu puller
051003



Arc puller premium
065161

SPEEDLINER STANDARD



PRO 230, 400

EXPERT 200, 230, 400

COMBI 230 E.PRO

ARCPULL 200
+ PRO 230, 400

ARCPULL 200
+ EXPERT 200, 230, 400

ALU PRO FV

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
074446	074460
PRO 400	**EXPERT 230**
074453	074477
	EXPERT 400
	074484

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO
074491



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
074507	074521
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
074514	074538
	ARCPULL 200 + EXPERT 400
	074545

ALU



GYSPOT
(guns & consumables included)

ALU PRO FV
074552

INCLUDED ACCESSORIES



DENT 1600
072596




Cable support
052284



Levelling bar 850 mm
050693

052451



Multihook heads
049758+049734




Levelling bar
050686



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515
3 lifting rods 050792



Ringmatic
052154



Alu puller
051003



Cable support
052284



Arc puller premium
065161



Cable support
052284 + 4 m² support
059665

Steel Speedliner without generator (excluded Ringmatic) : **035058**

INCLUDED ACCESSORIES



DENT 1600
072596



Cable support
052284



Levelling bar 850 mm
050693



Alu hammers
020986



Set of pencil punches with 6 teflon tips
052888



Multihook heads
049758



Alu puller
051003



Stainless stell brush
044258
Alu Box Ø5 & 6
048195



Infrared Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PREMIUM



PRO 230, 400




EXPERT 200, 230, 400



COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
073883	073906
PRO 400	**EXPERT 230**
073890	073920
	EXPERT 400
	073944

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
073968	074569



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
073975	073913
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
073982	073937
	ARCPULL 200 + EXPERT 400
	073951

ALU



GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
073999	083042

077317
(without HOT AIR GUN)

INCLUDED ACCESSORIES



DENT 1600 WD
072169

Cable support
052284

Premium levelling bar 720 mm
059306



Hook head
049758
+ 059658
+ 059382




Premium levelling lever
059290



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515 +3 lifting rods 050792



Manual pulling handle
057289
Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284



Arc puller premium
065161



Cable support
052284
4 m³ support
059665

INCLUDED ACCESSORIES



DENT 1600 WD
072169
Cable support
052284



Alu Ring Box 1 mm
059412
Premium 2-teeth hook
059382



Arc puller premium
065161



Premium levelling bar 720 mm
059306



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Set of pencil punches
with 6 teflon tips
052888



3 lifting rods
050792



Stainless
stell brush
044258



4 m³ support
059665

SPEEDLINER PREMIUM PRO



PRO 230, 400



EXPERT 200, 400
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 400
080201	080218

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350
080232	083028

EXPERT 200 + ARCPULL 200
080553



GYSPOT
(guns & consumables included)

COMBI ARCPULL
080225

ALU



GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
080256	083035

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Premium Pro levelling bar 900 mm
071643



Premium Pro levelling bar
072619



Ringmatic
052154




Manuspot
050679



Premium Pro teeth hook
072671 + 072664 + 072640



Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515



Magnetic earth
049666



Cable support
052284
4 m³ support
059665
Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Alu Ring Box 1 mm



072664



4 m³ support
059665



Premium Pro levelling bar 900 mm
071643



Set of pencil punches with 6 teflon tips
052888



Arc Puller Premium Pro
072572



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless stell brush
044258



3 lifting rods
050792

DENTSTATION STANDARD



39.02, 39.04



PRO 230, 400



EXPERT 200, 230, 400




COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200
078161	078208	078321
39.04	**PRO 400**	**EXPERT 230**
078185	078260	078369
		EXPERT 400
		078444

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO
078529



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078222	078338
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
078284	078384
	ARCPULL 200 + EXPERT 400
	078468

INCLUDED ACCESSORIES



Dentstation Pro WD
072809
Fixing kit
051362



Double pads
050723



Levelling bar 850 mm
050693

Scissoring bar
050716



Multihook heads
049758
+049734
+049741



Levelling lever
050686




Strengthened bar 1200 mm
051171
Extensions (x2)
052451



Magnetic earth
049666



Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings
(x5)
058712
+ Alu puller
051003

Cable
support
052284



Arc puller premium
065161



Cable support
052284
+ 4 m² support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM




PRO 230, 400




EXPERT 200, 230, 400




COMBI 230 E.PRO
COMBI ARCPULL



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL





GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
078239	078345
PRO 400	**EXPERT 230**
078291	078406
	EXPERT 400
	078482

ALU + STEEL / ACIER / STAHL





GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
078543	078567



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078253	078352
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
078314	078420
	ARCPULL 200 + EXPERT 400
	078505


INCLUDED ACCESSORIES



Dentstation Pro WD
072800
Fixing kit
051362



Manuspot
050679



Premium levelling bar 720 mm
059306



Premium levelling lever
059290



Hook head
049734
+ 059658
+ 059382



Premium scissoring bar 720 mm
058996




Premium scissoring bar 1200 mm
059313



Magnetic earth
049666



Premium double pads support 150 mm (x2)
059351
+ 220 mm (x2)
059375



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings (x5)
058712
Alu puller
051003
Cable support
052284



Cable support
052284
4 m³ support
059665
Flanges (x 2)
062146
Arc puller premium
065161



Arc puller premium
065161



Cable support
052284
4 m³ support
059665
Flanges (x 2)
062146

DENTSTATION PREMIUM PRO



EXPERT 230, 400



COMBI ARCPULL



EXPERT 400
+ ARCPULL 200, 350



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

EXPERT 230	EXPERT 400
080133	080140

ALU + STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)



1 BOX GYSPOT (guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350	COMBI ARCPULL
080164	083004	080157

ALU



1 BOX GYSPOT (guns & consumables included)

ARCPULL 200	ARCPULL 350
080461	083011

INCLUDED ACCESSORIES



1 BOX Dentstation Pro WD 072800



Premium pro levelling bar 900mm
071643



Premium pro levelling lever
072619
Premium pro bar 1184 mm
072626



Manuspot
050679




(x2) 059375 + (x2) 072688



072664 + 072671 + 072640 + 072657



071650 + 072312



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm



Magnetic earth
049666
Ringmatic
052154
Manual pulling handle
057289

1 BOX STEEL ACCESSORIES PACK V2 080126

+



Cable support
052284



4 m³ support
059665




Arc Puller Premium Pro
072572

1 BOX ALU ACCESSORIES PACK 073838

INCLUDED ACCESSORIES



1 BOX Dentstation Pro WD 072800



Premium pro levelling bar 900mm
071643

(x2) 059375



072664 + 072640 + 071650



Alu Ring Box 1 mm
059412



Alu hammers
020986



Arc Puller Premium Pro
072572



Set of pencil punches with 6 teflon tips
052888



3 lifting rods
050792



Stainless steel brush
044258
Infrared Thermometer
079922
Hot air gun 650°C
066311



4 m³ support
059665

1 BOX ARCPULL ACCESSORIES PACK 080485

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	38
DRAW ALIGNER	40
FRAME STRAIGHTENING	42

INVEST IN THE FUTURE



DRAW ALIGNER

UNIQUE SYSTEM
PATENT PENDING
BREVET GYS — GYS PATENT

Designed for
- TIME SAVING
- DURABILITY
- MAXIMUM GRIP

4 pads :
Seal protection, Perfect stability

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità




Quick & easy set up



Ground anchor by suction
Fast installation

Ancrage au sol par aspiration : installation rapide
Verankerung durch Vakuumbildung – schnell einsatzfähig
Ancoraggio a terra: installazione rapida





Low noise

Smart maintenance



No glue
No tools


Pads - Patins
(x2)
069008


Plate seal
- Joint de plaque
079571

Youtube


AIRFIX DRAW ALIGNER
Air 5-8 bars
077379
080669


Option
XL mast for
Airfix Draw Aligner
- Mât XL - XL-Mast
083714


Ergonomic















350 kg
Uniform pulling force
Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme




Precision
All directions



Down-pulling
Rocker panel
- Bas de caisse
- Schweller
- Sottoporta




Up-pulling
Upper-parts
- Parties hautes
- Oberteile




Options


Welding sheets kit
- Kit plaques à souder
083493

NEW




25 mm (x1 included) — x5 083509
38 mm (x1 included) — x5 083516
50 mm (x1 included) — x5 083523
75 mm (x1 included) — x5 083530


12 tooth claw
- Griffe 12 dents
082229



DRAW ALIGNER


PULLING SYSTEMS


Youtube



DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475







OPTION




Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED

Wedge for rocker panel - Câle pour bas de caisse



Pads kit for rocker panel - Kit patins pour bas de caisse






OPTION

Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581






OPTION

12 tooth claw for pulling chain
082229









Youtube

DRAW ALIGNER PRO

069244







OPTION


Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED


Plate under the wheel - Câle sous roue **076693**
Compatible with Draw Aligner & Draw Aligner Pro



Wedge for rocker panel - Câle pour bas de caisse




Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS

Pads kit for rocker panel - Kit patins pour bas de caisse
071278







ELECTRO POWER - Zug-Druckpresse

with accessories :
057425

MADE IN ITALIA



INCLUDED

Accessories kit :
425x620x150 mm
Accessories kit
Total weight: 20 kg

057418




Standard kit :
425x620x210 mm
Standard kit
Total weight: 18 kg

057401


Li-Ion battery
058514

OPTION

Pince écarteur
079496



- PULLING POWER: 5 Ton.
- PUSHING POWER: 5 Ton.
- PISTON
- STROKE: 130 mm




ANCHOR BAR - Barre d'ancrage - Türspanner

MADE IN TAÏWAN

053045




053052





INERTIA HAMMER KIT - Kit marteau à inertie - Ausziehhammer kit

Inertia hammer kit
- Kit marteau à inertie
- Ausziehhammer kit
051928



POWER-PULLER 4T

059740




HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345





BASIC 10T
052338





OPTION



Hydraulic oil 1L -
Huile hydraulique 1L
053397

PRO 4T
057432



PRO 10T
057449



MEASURING TOOLS - Mesures - Vermessung

BODYMETER, Mechanical measurements


052130






GYSMETER, Electronic measurements

052093



SWIVEL CLAMP
- Pince pivotante

060968



PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge

Manual-locking pull clamp - Mini pince de tirage a blocage manuel
- Mini Klemme von Auflage in Handblockieren
056855




Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zuglemme
052642



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zuglemme
060944




Right angle pull clamp - Pince de tirage à angle droit - Zuglemme 90° Winkel
052666




PULL HOOK - Crochet de tirage - Ziehwerkzeuge

Boomerang pulling hook set - Kit crochet de tirage « boomerang »
- Zughaken Set «Boomerang»
052659




ARCH HOOKS - Passage de roue

Small arch hook - Crochet passage de roue petite dimension
060975




Large arch hook - Crochet passage de roue grande dimension
060982




PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge


Chain joint double grab hook - Raccord de chaine double crochet
061156




Chain joint for two clamps - Raccord de chaine pour deux pinces
061163




Body chain 10 mm - Chaine de tirage 10 mm
061255






12 tooth claw for pulling chain
082229




WIDE PULL CLAMPS - Pinces de tirage larges

2-way - 2 directions
061217




Multi-way - Multidirections
061224




SMALL PULL CLAMPS - Pinces de tirage faible largeur


Long nose clamp - Pince bec de canard
060951



Small mouth pull clamp - Pince de tirage faible largeur
061231




Box clamp - Pince contournement de rebord
061170




MULTIPLE PULL CLAMP
- Pince de tirage multiple

Load spred multi clamp - Pince multiple répartition de charge
060999




45 MM SCISSORS CLAMP
- Pince ciseaux largeur 45 mm

061187




90 DEGREE CORNER CLAMP
- Pince de tirage pour angle 90°

059757




C TYPE CLAMP
- Pince de tirage type C

061200



SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



The best from Autorobot
www.autorobot.com/pdf/714B_ENG.pdf
MADE IN FINLAND


MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE
- Satellite - Satellite Basisbügel-Set

052710





2 KIT MAC PHERSON (A)
- Mac Pherson Kit - Befestigungskit- Federbein (McPherson)

052703






3 BARRE POUR TIRER/POUSSER
- Push/Pull Bar
- Zug/Druck-Stangenset

052673






4 SATELLITE (B)
- Bügelverlängerung

052680





5 SANGLE DE SÉCURITÉ
- Safety Strap - Sicherungsgurt

044036





6 DOUBLE PINCE SATELLITE (C)
- Double Clamp Satellite
- Satellite Doppelklemme

052697





PINCE DE TIRAGE MULTI-USAGE
- Versatile pulling clamp
- Multifunktions-Zugklemme

053571

Autorobot






WELDING SHEETS KIT WITH CLAMP
- Kit plaques à souder et pince

083493

NEW



25 mm	38 mm	50 mm	75 mm
(x1 included)	(x1 included)	(x1 included)	(x1 included)
x5 083509	x5 083516	x5 083523	x5 083530



PAINTLESS DENT REPAIR + GLUE PULLING REPAIR

DENT PULLING INDUCTOR
- Inducteur débosselage - Dellenmatrix

GYSDUCTION AUTO + Dent pulling inductor 054776 = **GYSDUCTION AUTO DENT REPAIR** 054981

Youtube

MADE IN FRANCE






	AM		Freq.	INTEGRATED TECHNOLOGY			Cable (m)			
50 Hz	A	W	kHz	**PFC**	**FV**	Liquid Cooling		Inductor	LxWxH cm / kg	LxWxH cm / kg
230 V, 1~	16	2 400	35→120	▪	▪	—	2	2.5	52 x 30 x 37 / 9.4	37 x 21 x 37 / 7.5

DENT PULLING INDUCTOR
- Inspection carrosserie
- Ausbeul Induktor

Planche flexible pour inspection de la carrosserie - Ausbeul-Matrix
Ø 800 mm
059122






OPTION
Freezer spray
- Spray refroidisseur
-50 °C
400 ml

(x 12)
048898

PAINTLESS DENT REPAIR MAGNETIC KIT
- Kit magnétique de débosselage sans peinture
- Magnetisches Ausbeul-Kit

053168 EXELTOOLS



DENT PULLING KIT (PAINTLESS)
- Kit débosselage sans peinture - Dellenausbeulhebel-Set



33 parts

051959


AIR CUSHION KIT
- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz



051942


PAINTLESS DENT REPAIR LAMPS
- Lampes de débosselage
- Ausbeullampe

ULTRA LIGHT CARBON X40 PW EXELTOOLS
053175



PAINTLESS DENT REPAIR LAMPS
- Lampes de débosselage
- Ausbeullampe


083936



SET OF 6 PENCIL PUNCHES
- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen

052888

MADE IN FRANCE




PNEUMATIC INERTIA HAMMER
- Marteau inertie pneumatique - Unterdruck-Schlaghammer

051904



PUMP AIR SUCTION SLIDE HAMMER
- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer

048683



PAINTLESS DENT REPAIR

GLUE PULLER PRO (Acier/Alu • Steel/Alu)







Glue Puller PRO
058699

Glue Puller PRO EXPORT
230 V 059160

x6
050952
Ø 16
Ø 21
Ø 32

250 W
110-240 V
052901

x10
050976

050983

BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebepads



048089



048119



048072




048102




048096



082892



082908



OPTIONS


Pulling handle 3 claws - Poignée de tirage 3 dents - Handzugkralle 3-fach
057326




057302



Slide hammer 380 g
- Marteau à inertie 380 g
- Gleithammer 380 g
050051



Slide hammer 500 g
- Marteau à inertie 500 g
- Gleithammer 500 g
057906



Steel-Acier-Stahl
1.6 kg

Set of 2 knives to cut glued reinforcements
- Jeu de 2 couteaux pour découpe de renforts colles
- 2-er Set Messer zur Klebepadentfernung
057913






GYSMART GLUE PULLING KIT



GYSMART GLUE PULLING KIT PLUS



Workstation
054233

Set of pencil punches with 6 teflon tips
052888

Infraded thermo-meter
079922

Heat Gun
066311

Levelling bar
050693

6 Gripping multihook head
049734

3 Lifting rods 150/300/500 mm
050792

Set of 3 conical plastic multipads
048096
048072
048089
048119
048102



Slide hammer
057906



Set of 6 glue tips
050952



Glue Puller PRO
058699



Glue Puller PRO Export
059160



33PC Paintless dent repair kit
051959

PDR Light ultra light carbon X40PW
053175



Mini puller
050921

Aluminium clamp 2
050945

	Workstation 054233	Set of pencil punches with 6 teflon tips 052888	Infraded thermo-meter 079922 / Heat Gun 066311	Levelling bar 050693 / 6 Gripping multihook head 049734	3 Lifting rods 150/300/500 mm 050792	Set of 3 conical plastic multipads 048096 048072 048089 048119 048102	Slide hammer 057906	Set of 6 glue tips 050952	Glue Puller PRO 058699	Glue Puller PRO Export 059160	33PC Paintless dent repair kit 051959 / PDR Light ultra light carbon X40PW 053175	Mini puller 050921 / Aluminium clamp 2 050945
GYSMART GLUE PULLING KIT 076051					✓							
GYSMART GLUE PULLING KIT EXPORT 076105				✓						✓		
GYSMART GLUE PULLING KIT PLUS 076082					✓						✓	
GYSMART GLUE PULLING KIT PLUS EXPORT 076129				✓						✓		

GLUE PULLING REPAIR

Youtube

GPR HAIL IMPACT TABS

Barrettes pour impacts de grêle
081024




GPR I-BAR MINI

080324



GPR BAR TABS

080331



GPR FLEXIBLE TABS







GPR Plastic hooks
- Anneaux plastiques
080393


x 10

GPR M4 steel hooks
- Anneaux acier M4
080409

x 5


GPR FLAT TABS

Patins plats
080430



GPR 3D TABS

Barrettes 3D
080416







GPR 3D CURVE TABS

Barrettes 3D incurvées
080423






Flexible



GPR UNIVERSAL TABS


Barrettes universelles
080447



GPR FOLD TABS

Barrettes pour plis
080522





GLUE GUN 400W - Pistolet à colle chaude 400W


082144



GPR Glue sticks
- Bâtons de colle
080454



GPR Glue sticks for stripped sheets
- Bâtons de colle pour tôles décapées
081017



Workstation Premium -
Servante Premium
076143



(p. 136)

GPR PRO KIT

080317





1	**GPR I-bar mini**	
	51 mm	x 1
2	**GPR Flexible tabs**	
	64 x 20 mm	x 1
	64 x 38 mm	x 1
	64 x 51 mm	x 1
3	**GPR Long tabs**	
	152 x 38 mm	x 1
	152 x 51 mm	x 1
4	**GPR Plastic hooks**	x 10
5	**GPR Bar tab**	x 1
6	**GPR 3D tabs**	
	12 mm	x 1
	22 mm	x 1
7	**GPR 3D curved tabs**	
	51 x 38 mm	x 1
	101 x 38 mm	x 1
8	**GPR M4 steel hooks**	x 5
9	**GPR Universal tabs**	
	Flat 38 x 22 mm	x 1
	Flat 51 x 22 mm	x 1
	Open angle 38 x 22 mm	x 1
	Closed angle 38 x 22 mm	x 1
	Straight angle 27 x 22 mm	x 1
	Dome Ø 22 mm	x 1
	Dome Ø 26 mm	x 1
	Dome Ø 40 mm	x 1
10	**GPR Flat tabs**	
	Ø 13 mm	x 1
	Ø 23 mm	x 1
	Ø 27 mm	x 1
	Ø 32 mm	x 1
	Ø 38 mm	x 1
	Ø 52 mm	x 1
11	**GPR Bars for folds**	
	35 mm	x 1
	50 mm	x 1
	90 mm	x 1
	140 mm	x 1
	Flexible 135 mm	x 1
	140 x 30 mm	x 1
12	**GPR Glue sticks**	x 10

Isopropyl alcohol 99.9% + spray - Alcool isopropyloque 99,9% + vaporisateur
082236



1 L — 600 ml

Heat gun - Décapeur thermique
066311



I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

Gas hot air gun
- Pistolet à air chaud autonome à gaz
060777



Blow torch - Lampe à souder
052741



Novacet +
Butane/Propane/Propylène
040441



380 ml (220 g)

Infrared thermometer
- Thermomètre infrarouge
079922



Adjustable emissivity :
0.10~1.00

Set of 6 pencil punches - Kit de 6 coins de frappe
052888



(p. 47)


3 plastic wedges
- 3 cales plastiques
051294



Lifting rod 180 mm
- Tige de tirage 180 mm
082915



Pulling hand 3 claws - Poignée de tirage 3 dents
057326




(p. 48)

4 tooth claw
Ø M10 / M14
049758




Slide hammer 500g
- Marteau à inertie 500g
057906



(p. 48)

Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



(p. 10)

Glue Lifter
057364



(p. 48)

Arc Puller Premium
065161



(p. 19)

Arc Puller Premium Pro
072572



(p. 19)

Premium Pro Levelling bar 900 mm
071643



(p. 22)

Airfix Draw Aligner
077379



(p. 39)



RESISTANCE SPOT WELDING

RANGES 54

PRESENT MACHINES

PORTASPOT / 100 R.CX / BP.LX 56
BP GENIUS 58
PTI-S7 / PTI PREMIUM PRO 60
PTI GENIUS 62

NEW MACHINES WITH COLOUR SCREEN

PTI NEO 64
PTI MASTER / PTI EXPERT 66

ARMS & CONSUMABLES

G ARMS 68
ACCESSORIES & CONSUMABLES 69
X ARMS / C ARMS 70

CAR MANUFACTURER REQUIREMENTS


EXIGENCES CONSTRUCTEUR - ANFORDERUNGEN DES AUTOMOBILHERSTELLERS - REQUISITI DEL PRODUTTORE DI AUTOMOBILI

An example of new generation car body
- Exemple de carrosserie nouvelle génération
- Beispiel einer Karosserie der neuen Generation
- Esempio di carrozzeria di nuova generazione




- HSS - HLE
- VHSS - THLE
- UHSS - UHLE
- Bore - Boron
- Aluminium

MIG/MAG PLUG WELDING - Bouchonnage MIG/MAG



UHSS + UHSS (2.5 + 2.5 mm)




1300 kg

Non-compliant with car manufacturer requirements
- Non conforme aux exigences constructeur

VS

Youtube

RESISTANCE SPOT WELDING - Soudure par résistance



UHSS + UHSS (2.5 + 2.5 mm)



3300 kg

Same mechanical resistance as original
- Même résistance mécanique qu'un point d'origine



INVERTER machine

MANUFACTURER APPROVALS / COMPLIANCE

HOMOLOGATIONS PRODUITS - PRODUKT HOMOLOGATIONEN - PRODOTTI APPROVATI

		Volkswagen Group	Stellantis	Nissan	Renault	Dacia	Tesla	GM	Suzuki	Tata	Geely	Kia	Mercedes / smart / EvoBus	Volvo	Jaguar / Land Rover	Ford USA	Honda USA	Nio	Lynk & Co	Polestar	Hyundai	BYD
DENT PULLER	GYSPOT 26.02/27.02		●			●	●															
	GYSPOT 34.02/04, 36.02/04, 39.02/04, PRO230/400, EXPERT 200/230/400		●			●	●	●		●	●	●		●			●	●	●	●	●	●
	Workstations		●			●	●	●		●	●	●		●			●	●	●	●	●	●
	GYSPOT ALU FV		●				●	●						●					●	●	●	
	GYSPOT ARCPULL 200		●															●	●			
RESISTANCE SPOT WELDER	GYSPOT BP-LX		●		●	●	●	●	●			●		●	●							
	GYSPOT BP GENIUS		●		●	●	●	●		●					●							
	GYSPOT PTI-s7			●	●	●	●	●	●	●	●	●	6 m	●	●	●	●	●	●	●	●	●
	GYSPOT PTI PREMIUM PRO							●							●			●	●	●		
	GYSPOT PTI GENIUS							●							●			●	●	●		
	GYSPOT PTI NEO, MASTER														●				●			
	GYSPOT PTI EXPERT														●	●			●			
	VAS 821 101 - Spot Welder	●																				
RIVETING	GYSPRESS							● 10T								● 10TPP			● 10TPP	●		●	●
MIG / MAG	E1 GYS AUTO		●	●		●		●	●			●	●	●	●							
	E2, E3 GYS AUTO		●	●		●		●	●						●							
	P1, P2, P3 GYS AUTO													●								
	AUTOPULSE 220-M1													●				●	●	●		
	AUTOPULSE 220-M2													●								
	AUTOPULSE 220-M3		●							●				●			●	●				
	AUTOPULSE 320-T1													●	●		●					
	AUTOPULSE 320-T3		●											●	●		●	●				
	VAS 821 005 - Pulse MIG	●																				
	VAS 821 00580 023	●																				
PLASMA	EASYCUT 40																	●				●
	CUTTER K25, K35			●					●													
	EASYCUT 30FV, CUTTER 45CT			●					●			●		●						●	●	
	GYSDUCTION AUTO			●				●	●							●						

Homologated by car manufacturers | Meets the specifications of car manufacturers

EMITECH · TÜVRheinland CERTIFIED ISO 9001 · CESVI FRANCE · FOCWA · ktd · Thatcham Quality Assured

RESISTANCE SPOT WELDING RANGES

Monochrome Screen Generation











	PTI s-7	BP GENIUS	PTI PREMIUM PRO	PTI GENIUS
Machine type - Type de machine	Transformer inside	Cable	Transformer inside	Transformer inside
Arm - Bras	C	G	G	G
Max welding current - Courant de soudage max	14500 A	13000 A	14500 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.9 kg	6.5 kg	10.3 kg	11.3 kg
Electrode with over-opening - Électrode avec sur-ouverture	—	Pneumatic	—	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	20 pts/min	10 pts/min	20 pts/min
Automatique mode - Mode automatique	•	•	•	•
Cooling system - Système de refroidissement	30 litres	30 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★★	★★★★	★★★★	★★★★★
Clamp cable length - Longueur faisceau pince	4 m or 6 m	2.5 m	6 m	6 m
Gyro - Gyro	(Option)	• Ball bearing Gyro	•	• Ball bearing Gyro
Mains cable length - Longueur câble secteur	8 m	8 m	8 m	8 m
Balancing arm - Avec potence	•	•	•	• Electric, adjustable height
Disconnectable clamp - Pince déconnectable	•	—	•	—
Single sided gun - Pistolet monopoint	(Option)	•	(Option)	(Option)
Software update - Mise à jour logicielle	SD card	SD card	SD card	SD card

3.5" Colour Screen Generation










	PTI NEO	PTI MASTER	PTI EXPERT
Machine type - Type de machine	Transformer inside	Transformer inside	Transformer inside
Arm - Bras	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.7 kg	10.3 kg	11.8 kg
Electrode with over-opening - Électrode avec sur-ouverture	—	Mechanical	Mechanical
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min
Automatique mode - Mode automatique	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m
Gyro - Gyro	—	—	•
Mains cable length - Longueur câble secteur	8 m	8 m	8 m
Balancing arm - Avec potence	—	—	•
Disconnectable clamp - Pince déconnectable	—	—	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)
Software update - Mise à jour logicielle	USB	USB	USB

RESISTANCE
SPOT WELDING

PORTASPOT 230
6 300 A 120 daN
Air cooled




230V
022256





Youtube

ARMS Ø 23 mm

 l = 110 mm PX1 (included) 047945	 l = 220 mm PX2 047938	 l = 220 mm PX3 047921
 l = 350 mm PX4 047914	 R2 138 Ref 051614 PX5 048690	

ELECTRODES

EX40 Short electrode 40 mm 047884	EX60 Medium electrode 60 mm 047891	EX80 Long electrode 80 mm 047907

CAPS & ACCESSORIES

Caps type F (x 6) 049970	Caps remover 050846
Blade - Lame 052857  	Cap grinder - Affuteur de caps 048966 

	AM	RMS	MAX		Uo	Cable		100% CU	
50/60 Hz	A	A	A	mm	V	m	Ø mm²		LxWxH cm / kg
1 x 230 V	**16(D)**	**6 300**	8 900	2+2	2.45	2.5	3x2,5 H05VVF	OK	41 x 18 x 22 / 11.3

GYSPOT 100R-CX
10 000 A 550 daN (X) 350 daN (C)
For mild steel,HSS, UHSS

Air cooled


Traceability software
Save spot welding configuration and export data




3 x 400V
022317



OPTIONS 100R-CX


RC4
8 bar/120 daN, for 100R-CX
052253
051614


X5
8 bar/200 daN
050549
114 180
049253

	included
 Monopoint/Spot 049291	▪
 Inertia hammer 049482 + 049802	▪
 Spotter box pro 050075	▪
Top support box	▪
 Contact grease 050440	▪
 Caps remover 050846	▪
 Cable support	▪ × 2
 RX1 051034	▪
 RX3 051058	▪
 RC1 051065	▪
 106 mm RC2 051072	▪
 RC3 051089	▪

GYSPOT BP-LX
13 000 A
550 daN
For mild steel, HSS, UHSS | Boron steel



Double pressure
Ø 10 mm
6.5 kg (included X1)


Liquid cooled

BODYPROTECT Unique electro-magnetic field protection 2013/35/UE by GYS

Traceability software
Save spot welding configuration and export data

019652

Youtube


210 cm
122 cm



	019652	058804
	400 V	
Gyspot BP-LX		
 Monopoint/ Spot 049291	▪	▪
 Spotter box pro (p.10) 050075	▪	▪
 Inertia hammer 049482 + 049802	▪	▪
 X1 050501	▪	▪
 X4A (**x2**) + X4B + X4C + X2 020733		▪
 Liquid cooling (10l) 052246		▪ (x3)

OPTIONS


050068
x10 (x20 : 052239)
x18 (x6 : 049987)
x6 (x6 : 049994)
x18 (x6 : 049970)


Caps type A box 048935
x40 (x6 : 049987)
Caps type F box 077119
x40 (x6 : 049970)

Cooling liquid - Liquide de refroidissement - Kühlmittel - Enfriamiento líquido - Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover for BP
050853


SD CARD
050914


Mandrels for gun


S1 < nov 2010
048171

S2 > nov 2010
048188

MADE IN FRANCE CE NORM. 62135		AM	Spots/min (max)	RMS	mm		Uo	Cables				100% CU	
	50/60 Hz	A D curve	2.5+2.5	A			V						LxWxH cm / kg
GYSPOT 100R.CX	3 x 400 V	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	**2** **6** **10**	**10 000**	2.5+2.5+2.5	1.5 + 3	16	2.5 m, air Ø 200 mm²	2.5 m, air Ø 200 mm²	2.5 m, air Ø 150 mm²	8 m, 4 x 6 H07RNF	OK	61 x 79 x 71 / 137
GYSPOT BP.LX	3 x 400 V	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	**2** **6** **10**	**13 000**	2.5+2.5+2.5	1.5 + 3	16	2.5 m, **liquid**	—	2.5 m, air	8 m, 4 x 6 H07RNF	OK	65 x 80 x 205 / 164.5

RESITANCE SPOT WELDING

BP GENIUS

MADE IN FRANCE



G-clamp front body + protection
078765



ULTRA LIGHT & COMPACT
6.5 kg
(Gyro & G1 included)


550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE
Ø 10 mm

6.5 kg
(Gyro & G1 included)

Youtube

FAST OPEN XL



EASY




GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)
073449





SD CARD
050914

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI
050853





10-14 kg
059696

GYSPOT
BP GENIUS

13 000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

BODYPROTECT
Unique electro-magnetic field protection by GYS

Traceability software
Save spot welding configuration and export data

	023550	023451	082250
Gyspot BP GENIUS	220 V	400 V	
Monopoint/Spot 049291	▪	▪	▪
Spotter box pro (p.10) 050075	▪	▪	▪
Inertia hammer 049482 + 049802	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm support	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898			▪
Liquid cooling (10L) 052246			▪ (x3)
Caps type A box 048935			▪
Protection cover 050853			▪



MADE IN FRANCE	62135	RMS	AM	Spots max	Uo	mm		Cables			100 % CU		
	50/60 Hz	A	A D curve	2.5+2.5 mm	V							cm	kg
GYSPOT BP GENIUS 400V	3 x 400 V	**13 000**	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	171
GYSPOT BP GENIUS 220V	3 x 200 V	**10 500**	**60** (21-25 kVA) **80** (28-33 kVA) **100** (35-41 kVA)	**2** **6** **10**	15	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6AWG (500W)	OK	65 x 80 x 205	178
	208 V	**11 000**			15.5								
	230 V	**12 000**			17								
	240 V	**12 500**			18								

RESISTANCE
SPOT WELDING

GYSPOT PTI-s7

14 500 A
550 daN

For mild steel, HSS, UHSS | Boron steel



FUSE 20 A
Double pressure
Ø 10 mm
9.9 kg (included C1)

TRANSFORMER INSIDE
Liquid cooled

Traceability software
Save spot welding configuration and export data



Convert PTI S-7 to Premium Pro C ARMS ▶ G ARMS

Kit Renov PTI Premium Pro

220V 072367



400V 072541





	6M 022195	4M 020894 / 6M 020900	4M 067998
	220 V	400 V	
Gyspot PTI-s7			
Contact grease 050440	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
C1 021402	▪	▪	▪
C2 + C3 + C4 060821			▪
C6 022409			▪
Gyro 360° 051720			▪
Complete gun kit 067318			▪
Liquid cooling (10L) 052246			▪ (x3)

GYSPOT PTI PREMIUM PRO

14500 A
550 daN

For mild steel, HSS, UHSS | Boron steel



FUSE 25 A
Double pressure
Ø 10 mm
10.3 kg (included G1)

TRANSFORMER INSIDE
Liquid cooled

Traceability software
Save spot welding configuration and export data




GYRO INCLUDED



PERFECT ELECTRICAL CONNECTION



AUTO





	6M 072206	6M 072183	6M 082243
	220 V	400 V	
Gyspot PTI Premium Pro			
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898			▪
Liquid cooling (10L) 052246			▪ (x3)
Caps type A box 048935			▪
Protection cover 050853			▪

OPTIONS



GYRO 360° for PTI S-7
051720



Kit gun for PTI S-7
067318
200 mm² 1.6 m
300 mm² 1m

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246



Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI
050853





10-14 kg
059696


OPTIONS

Kit gun for PTI Premium Pro
067226



300 mm² 1.8m
300 mm² 1m

G11
for PTI Premium Pro
071766



MADE IN FRANCE	50/60 Hz		I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables			cm	kg
GYSPOT PTI-s7	3 x 400 V		**14 500**	**20** (14 kVA)	**10**	7.3	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4x4 mm² H07RNF	65 x 80 x 230	105.3
GYSPOT PTI-s7 220 V	3 x	200 V	**12 500**	**40** (14-16 kVA)	**10**	6.5	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4xAWG8 (S00W)	65 x 80 x 230	115.7
		208 V	**13 000**			6.7							
		230 V	**14 500**			7.4							
		240 V	**14 500**			7.7							

MADE IN FRANCE	50/60 Hz		I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables			cm	kg
GYSPOT PTI PREMIUM PRO 400V	3 x 400 V		**14 500**	**25** (14 kVA)	**10**	7.4	2.5+2.0+2.0	1.5 + 3.0	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm²	8 m, 4x4 mm² H07RNF	65 x 100 x 230	109
GYSPOT PTI PREMIUM PRO 220V	3 x	200 V	**12 500**	**50** (17-21 kVA)	**10**	6.5	2.5+2.0+2.0	1.5 + 3.0	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm²	8 m, 4xAWG8 (S00W)	65 x 100 x 230	119
		208 V	**13 000**			6.7							
		230 V	**14 500**			7.4							
		240 V	**14 500**			7.7							

RESISTANCE SPOT WELDING

PTI GENIUS

Youtube

MADE IN FRANCE

550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE


Ø 10 mm

11.3 kg
(Gyro & G1 included)

G ARMS

G-clamp front body + protection
078765


FAST OPEN XL




GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



TRANSFORMER INSIDE



Control command
- Contrôle de commande

Motorised cable support
- Potence électrique
- Elektrisch verstellbarer Kabelsupport





OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



073449

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)



SD CARD
050914



Kit WIFI Compatibility : Gyspot Inverter PTI-GENIUS
070691





Cooling liquid
2 L 082212
5 L 062511
10 L 052246



for PTI GENIUS
077126

GYSPOT
PTI GENIUS

14 500 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

	024878	082267	024854	024892
Gyspot PTI-GENIUS	400 V		220 V	480 V
Caps remover 050846	•	•	•	•
Arm support	•	•	•	•
G1 022768	•	•	•	•
G2 + G3 + G4 022898		•		
Liquid cooling (10L) 052246		• (x3)		
Caps type A box 048935		•		
Protection cover 077126		•		

Included
Cable support
ULTRA RESISTANT

Control Commande

ELECTRIC MOTOR


Electrode storage - Rangement pour électrodes

6 m



High stability - Grande stabilité

Ergonomic



MADE IN FRANCE	62135	50/60 Hz	A	A D curve	Spots/min (max)	Uo V	mm		Cables		cm	kg
			RMS	AM								
GYSPOT PTI GENIUS 400V		3 x 400 V	14 500	25 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4x4 mm² H07RNF	71 x 90 x 200	127.7
GYSPOT PTI GENIUS 220 V		3 x 200	12 500	50 (17-21 kVA)	20	6.6	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG8 (500W)	71 x 90 x 200	136.2
		3 x 208	13 000			6.9						
		3 x 230	14 500			7.3						
		3 x 240	14 500			7.9						
GYSPOT PTI GENIUS 480V		3 x 480 V	14 500	20 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG12 (500W)	71 x 90 x 200	128.7


OPTIONS

Kit gun
067226



300 mm² 1.8 m

300 mm² 1m



RESISTANCE SPOT WELDING

PTI NEO

NEW


MADE IN FRANCE

3.5" colour screen
Easy navigation interface

Manual Mode
Direct entry of welding current, time and pressure -
Entrée directe du courant et temps de soudage et de la pression



Automatic Mode
Automatic detection of the welding parameters
- Détection automatique des paramètres de soudage



Synergic Mode
User defined welding parameters
- Programmation par l'utilisateur



Car Manufacturer Mode
Specific Car Manufacturer pre-programmed welding parameters
- Points de soudure constructeur préprogrammés




Traceability software
Save spot welding configuration and export data



G ARMS


EASY OPENNING



PERFECT ELECTRICAL CONNECTION



AUTOMATIC HYDRAULIC CONNECTION



OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)

073449



EASY USB UPDATE

USB key 16 Gb
062344

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246



Protection cover
- Housse de protection
- Schutzhaube

062733



GYSPOT
PTI NEO

13000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled : 5 litres

Automatic Mode
Automatic detection of the welding parameters

3.5" colour screen
Easy navigation interface

Traceability software
Save spot welding configuration and export data

G ARMS



9.7 kg
VERY LIGHT

OPTION

NEW

QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823





EASY CONNECTION



	024779	084834	077362	084841
	Gyspot PTI-NEO		400V		208-240V	
Caps remover 050846	▪	▪	▪	▪
G1 022768	▪	▪	▪	▪
G2 + G4		▪		▪
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX



HSS ✓
UHSS ✓
Boron ✓

NEW 05/2024

78.5 x 58.5 x 64 cm


6 units/palette

G arms storage



G1, G2, G3 storage

OPTION



G11
8 bar/550 daN
071766

LIQUID COOLING
5 Litres


MADE IN FRANCE	CE NORM. 62135	RMS 50/60 Hz	RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables					
								(option)		(option)	(option)		cm	kg
GYSPOT PTI NEO 400V		3 x 400 V	**13 000**	**20**	**10**	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4x4 mm² H07RNF	63 x 76 x 127	57
GYSPOT PTI NEO 208-240V		3 x 200 V	**10 900**	**30**	**10**	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4xAWG8 (S00W)	63 x 76 x 127	62
		3 x 208 V	**11 300**			6.9								
		3 x 230 V	**12 500**			7.7								
		3 x 240 V	**13 000**			8								

RESISTANCE SPOT WELDING

PTI MASTER
PTI EXPERT

MADE IN FRANCE

FAST OPEN XL




GYRO INTEGRATED





G ARMS EASY OPENNING



PERFECT ELECTRICAL CONNECTION



AUTOMATIC HYDRAULIC CONNECTION



TRANSFORMER INSIDE


MASTER 10.3 kg
(G1 included)

EXPERT 11.8 kg
(Gyro + G1 included)

LIQUID COOLED
Refroidissement liquide

OPTIONS

G-clamp front body + protection
078765



QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823



Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

Protection cover for PTI MASTER
062733



Protection cover for PTI EXPERT
050853





10-14 kg
059696

TRANSFORMER INSIDE | For mild steel, HSS, UHSS / Boron steel | Automatic Mode | 3.5" colour screen | Traceability software

GYSPOT PTI MASTER
13000 A
550 daN
Liquid cooled : 5 litres

GYSPOT PTI EXPERT
14500 A
550 daN
Liquid cooled : 30 litres

GYSPOT PTI MASTER 400V
13 000 A | 400 V • 3 phase
083264

GYSPOT PTI EXPERT 400V
14 500 A | 400 V • 3 phase
083943

GYSPOT PTI MASTER 208-240V
13 000 A | 208-240 V • 3 phase
083257

GYSPOT PTI EXPERT 208-240V
14 500 A | 208-240 V • 3 phase
083950





MADE IN FRANCE / CE NORM. 62135	50/60 Hz	I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables				cm	kg
GYSPOT PTI MASTER 400V	3 x 400 V	13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4x4 mm² H07RNF	63 x 76 x 127	58
GYSPOT PTI MASTER 208-240V	3 x 200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4xAWG8 (SOOW)	63 x 76 x 127	63
	3 x 208 V	11 300			6.9								
	3 x 230 V	12 500			7.7								
	3 x 240 V	13 000			8								
GYSPOT PTI EXPERT 400V	3 x 400 V	14 500	25	10	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4x4 mm² H07RNF	65 x 100 x 230	109
GYSPOT PTI EXPERT 208-240V	3 x 200 V	12 500	50	10	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4xAWG8 (SOOW)	65 x 100 x 230	119
	3 x 208 V	13 000			6.7								
	3 x 230 V	14 500			7.4								
	3 x 240 V	14 500			7.7								


G ARMS

FOR GYSPOT BP GENIUS, PTI PREMIUM PRO & PTI GENIUS


G Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel


Reversible for G1, G3, G4, G5, G8, G10 & G12




Kit de maintenance connecteurs pince G - Connectors maintenance kit for G clamp
067295




G2
8 bar/300 daN
022775



G6
8 bar/550 daN
022812




G7
4 bar/150 daN
022829



G11
8 bar/550 daN
for PTI PREMIUM PRO, NEO, MASTER & EXPERT
071766




G arms protections
067288




G4
8 bar/550 daN
022799

Option for G4

G4-SA (Small Access)
064478
(for arms < 01/2021)







G5
8 bar/550 daN
022805

Option for G5

G5/G10-SA
(Small Access)
067660







G8
8 bar/550 daN
022836

Option for G8


G8-SA (Small Access)
067677






G1
8 bar/550 daN
022768


Option for G1 & G3



G3
8 bar/550 daN
022782


G1/G3-SA (Small Access)
067653
(for arms > 02/2021)






G10
8 bar/400 daN
067165

5 kg
20% saved




G12
8 bar/300daN
075238



G14
8 bar/550 daN
080942

Option for G10 & G12

G5/G10/G12-SA
(Small Access)
067660



G › X UNIQUE SYSTEM


BREVETÉ / PATENTED n° US 11,618,097

AUTOMATIC WELDING FOR X1, X2 & X6

Youtube

G9 | 8 bar/550 daN
not for PTI PREMIUM PRO


G9 with X1 Included
022881




X1
050501

Option for G9

X2
050518



G9 with X6 Included
072275



X6
050587

90284 + 55121
for BP-G < Oct. 2019

Option SD card 050914

Option PCB 97449C

G ARMS PANELS

G2 + G3 + G4	G2 + G3 + G5
022898	063297

KIT SMALL ACCESS GENIUS for PTI GENIUS

077072

included **SA** 073579

+ **G1/G3-SA** (Small Access) 134
+ **G5/G10/G12-SA** (Small Access) 220
+ **G4-SA** (Small Access) 156
+ **G8-SA** (Small Access) 368

ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G

Type A
C or X clamp
Ø 13 mm (x6)
049987

Type B
C or X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

Type D
C or X clamp
Ø 13 mm (x10)
058507

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

TYPE G
Ø 13 mm (x10)
059672

Caps inclinés - Beveled
X2, X4,C11 arms
Ø 13 mm (x6)
049994



Caps type A box
048935
x40

Caps type F box
077119
x40

073449





Contact grease
Graisse contact
050440



Caps remover
050846




Anti-corrosion welding primer - Primaire de soudage anti-corrosion
076822



Spot / Monopoint
049291

050068



CAP GRINDER - Affuteur de caps

Lame - Blade
052857




048966





Optimal speed : 400–800 rpm



Youtube








GYRO 360°

for PTI
051720





STEEL SHEET TRACTION BENCH

- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



052420



052321
(included)

WELD TEST KIT - Valise test soudure HLE / THLE

- Schweißtestkit im Hartschalenkoffer

050433



Barre d'arrachage / Traction bar
+ **Acier doux / Mild steel** 0.65 (x25) + 1.0 (x25)
+ **Acier HSLA 360 - HLE** 0.8 (x25) + 1.5 (x25)
+ **Acier DP600 - THLE/UHLE** 1.0 (x25)
+ **Acier FB560 - THLE/UHLE** 2.5 (x25)

ANTI-ARC PROTECTION 12V

- Protection anti–arc 12 V
- Lichtbogenschutz 12 V- Protección anti-arco 12V

041318



PROTECTION COVER

- Housse de protection
- Schutzhaube



for BP & PTI
050853



for PTI GENIUS
077126

SHEETS SET

- Échantillons de tôles



Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ **Alu**
1 (x45) + 1.5 (x30) + 2 (x20)

055841

ELECTRODE FORCE SENSOR

- Capteur d'effort

052314



TANK DRAINING KIT - Kit de purge réservoir

- Kit zur Tankentleerung

058286



SD MEMORY CARD

- Carte mémoire SD



SD CARD
050914

KIT WIFI

for Gyspot Inverter PTI GENIUS
070691



COOLING LIQUID

- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L	082212
5 L	062511
10 L	052246



X ARMS

FOR GYSPOT 32D-X, 100R-CX, BP-LX

550 daN


6,5 kg including X1

DOUBLE PRESSURE


LIQUID COOLED REFROIDISSEMENT LIQUIDE

Ø 10 mm


MADE IN FRANCE




X Arms - Caps Ø13 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518




X4 8 bar/120 daN
050532




X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719





X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587

X4 (A, B & C) combinations







X11 3 bar/150 daN
051607

X ARMS PANELS

X4A (**x2**) + X5 + X2
022324



X4A (**x2**) + X4B + X4C + X2
020733



Remote control (BP)




Digital screen control
Change Mode & Parameters



X clamp control



C clamp control




C ARMS PANELS



C2
+ C3
+ C4
060821

ALL IN 1 BOX



C10 +
C3 +
C5 +
C6 +
C9
=
076495

C ARMS

FOR GYSPOT PTI

550 daN

Transformer inside

9,9 kg including C1

DOUBLE PRESSURE

AIR COOLED + LIQUID COOLED
DOUBLE REFROIDISSEMENT AIR + LIQUID


Ø 10 mm




Youtube

C Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel



PTI arm support kit
077577




BP arm support kit 080089




Arm lock pin
062405






C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C8 8 bar/550 daN
021440


X Arms - Caps Ø13 mm




C11 8 bar/550 daN
053649




C2 8 bar/550 daN
022386




C6 8 bar/300 daN
022409




C9 8 bar/550 daN
020078




C12 8 bar/550 daN
022997



C3 8 bar/550 daN
021419




C7 8 bar/550 daN
021433




5,7 kg
22% saved

C14 8 bar/400 daN
023543




C4 8 bar/550 daN
021426



C10 4 bar/150 daN
051638


Option for C7

C7-SA (Small Access)
067684



Option for C9 & C14

C9/C14-SA (Small Access)
067660





INVEST IN THE FUTURE

RIVETING

GYSPRESS 10T 73
GYSPRESS PREMIUM 10T PP 75
WORKSTATION 76

ADAPTERS 78
DIES BOXES & RIVETS 80

ACCESSORIES 83

Youtube

GYSPRESS 10T


6.5 bar	100 kN
10 t	

063303

070653







Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse - Regelung Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung

US version
070653



Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE 100% No air inclusion
maintenance free, no oil refill

GYSPRESS 10T COMPLETE PACKS


		 HR110 063310; XT11.21 - Extension for HR110 & HR210 058644; Standard 10T tool box 053694; 6 x 50 rivets RAP - Nieten SPR 048706; Strap-Sangle-Gurt; HR arm locker; Poignée-Handle-Griff	 HR210 + HR310 064089	 24kN adapter 063822	 Trolley+support 055391
GYSPRESS 10T 063303 / 070653	✓				
GYSPRESS 10T pack 1 066441		✓			
GYSPRESS 10T pack 2 082991			✓		
GYSPRESS 10T pack 3 064744		✓			✓

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg
GYSPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ ↷ −	39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1

BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL







	HR110 063310	HR210 063327	HR310 8T PP/10T/10T PP 063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓


included **XT31-78** (78 mm)
058637




KIT WITH HR210 + HR310
064089

XT31-40
Rallonges bras HR310 pour point millieu
- HR310 arm extension for middle point

Compatible 8T PP/10T/10T PP
x2
066335



OPTIONS



Riveting machine support for changing accessories (arms & dies)
- Support Riveteuse pour changements d'accessoires (bras & matrice)
- Supportständer

28 x 40 x 21,5 cm
45 x 39 x 20 cm / 7.2 kg
054158



Trolley - Chariot

74 x 51 x 81 cm
80 x 123 x 15 cm / 44 kg
054233



Trolley + Support
Chariot + Support


51 x 74 x 122 cm
51.2 kg
055391



Pressure sensor
- Capteur d'effort
062115



Hydraulic body wrenches (x 2)
067325



Temporary - Serre-tôles - fasteners manual mounting

(×10)
Ø 2,4 mm
069664



(×10)
Ø 4,0 mm
069671



(×10)
Ø 4,8 mm
069688



(×10)
Ø 6,4 mm
069695



GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS







HR210 + HR310
064089



24kN adapter
063822



Trolley+support
055391

GYSPRESS 10T PREMIUM PUSH PULL 077065	✓				
070660					
GYSPRESS 10T PPP pack 1 082519		✓			
GYSPRESS 10T PPP pack 2 082526			✓		
GYSPRESS 10T PPP pack 3 082533		✓			✓

GYSPRESS

PREMIUM
PUSH PULL

GYSPRESS PREMIUM 10T PUSH PULL


6.5 bar	100 kN
10 t	

077065
070660






UNIQUE
PUSH PULL SYSTEM by GYS



LARGE OPENING

MORE ACCESS



48.5 mm
(no dies)

23.5 mm
with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic selection
- Sélection Manuel/ Automatique

OPENING CONTROL





Pressure control
- Contrôle de la pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werkzeuggeschwindigkeit

US version
070660



Pressure gauge
Psi

HYDRAULIC SYSTEM
fermé - closed - geschlossen

UNIQUE
100%
No air inclusion
maintenance free, no oil refill

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	kg
GYSPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+––	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1

SYNERGIC
RIVETING WORKSTATION
PNEUMATIC HYDRAULIC

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE
100% No air inclusion
maintenance free, no oil refill

SYNERGIC RIVETS SETTINGS

Main panel



ACCESSIBILITY
16 languages

FR GB DE IT ES PR CZ NL SE RU CN JP VN FI TR


3 MODES

MANUAL
SYNERGIC
CAR MANUFACTURERS


CAR MANUFACTURERS COMPATIBILITY

✓ VW GROUP	✓ FERRARI
✓ MERCEDES-BENZ	✓ FORD
✓ BMW	✓ RENAULT ALPINE
✓ TESLA	✓ GM


CONNECTIVITY



TRACEABILITY
History data export



SOFTWARE UPDATE
Gyspress evolutions



Youtube

UNIQUE PUSH PULL SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection



Gyspress support



Arms support





REGULATED PRESSURE CONTROL

POWER 10t



Discharge lever
- Levier de décharge
- Auslösehebel



WORKSTATION GYSPRESS 10T PP CONTROL

6.5 bar	100 kN
10t	

063860


included



HR110
063310



XT11.21 - Extension for HR110 & HR210
058644



Standard 10T PushPull tool box
058361



6 x 50 rivets RAP - Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-Griff

MADE IN FRANCE		AIR BAR	PRESSURE CONTROL	SPEED CONTROL	LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+~−	74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

OPTIONS

Pressure gauge - Capteur d'effort
10T PP CONTROL
071759




Youtube

Hydraulic body wrenches
for GYSPRESS 10T, 10T PushPull, 10T PP CONTROL **(x 2)**
067325



BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES



Compatibility
- GYSPRESS 10T
- GYSPRESS 10T PUSH PULL
- GYSPRESS 10T PUSH PULL PREMIUM
- GYSPRESS 10T CONNECT

Youtube

BLIND RIVET ADAPTER 24 KN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm 063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8




INCLUDED
058446
for standard rivets :
Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

24 kN COMPACT 600 mm 077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD



INCLUDED
058446
for standard rivets :
Ø 4.5 x 1 081222
Ø 5.2 x 1 079939

OPTION
for extraction of self piercing rivet :
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY



SPECIFIC STORAGE



PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten

1. Stainless steel rod welding with GYSPOT Arcpull 350/700



2. Extraction of self piercing rivet with GYSPRESS adapters



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN 064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
×100	×1	×1	×1	×1	×1

BLIND RIVET ADAPTER 50 KN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard




Complete kit 065987



OPTIONS


Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm noze-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



included
- M5 066083
- M6 066090
- M8 066106
- M10 066113
- M12 066120
- M14 066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN 073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50Kn Ø 5 066151
×100	×1	×1	×1	×1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700 068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50Kn Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641		Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
×100	×1	×1	×1	×1	×2	×1	×1	×1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



+ demo metal sheet - plaque de démonstration

Blind rivet nuts - Écrous à sertir						
	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
+	× 10	× 10	× 10	× 10	× 10	× 5

Blind rivet bolts - Goujons à sertir			
	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250
+	× 10	× 10	× 10

Blind rivets - Rivets aveugles		
	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274
+	× 10	× 10

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen



2.0 < 6.5 mm 3 < 5,8 bar

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen




2.3 < 8.3 mm 5,3 < 8 bar

Application of Flow-form rivets
-Pose de rivets Flow-Form
- Setzen v. Fließformnieten



2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen



2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping - Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen



2.3 < 8.3 mm 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD



STANDARD 8T/10T
for 8T 10T
053694
Included **XT11-21** 058644

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×2	×4	
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2	key - clé	seals - joints	×1
Self-piercing rivets				Flow-form rivets		Extraction			Punching				
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6				



STANDARD 8T/10T PUSH PULL
for 8T PP 10T PP 10T CONTROL
058361
Included **XT31-60** - 60 mm extension for HR310 (use with ST1, T5, T7) 057135
+ **XT11-21** 058644

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×1	×2	×4	
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7	key - clé	seals - joints	×1
Self-piercing rivets				Flow-form rivets		Extraction			Punching					
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6					

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure



Ø 6.4 mm

KIT RMB PP05
for 10T PP 10T CONTROL
066366



×1	×1	×1	
ST3	T12	T13	
Punching			
Ø 6.7			

Ideal for UHSS, Boron - Idéal aciers durs, Boron

PATENTED BREVET GYS / GYS PATENT n° US 11,712,732

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

HIGH pressure



Ø 6.4 mm

KIT RMB 08 PREMIUM
for 10T 10T PP 10T CONTROL
066403



×1	×1	×1	
T14	T15	T16	
Punching			
Ø 6.7			

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM
for 10T 10T PP 10T CONTROL
071186



×1	×1	×1	
T17	T18	T19	
Punching			
Ø 6			

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM
for 10T 10T PP 10T CONTROL
071193



×1	×1	×1	
T20	T21	T22	
Punching			
Ø 8			

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM
for 10T 10T PP 10T CONTROL
080867



×1	×1	×1	
T23	T24	T25	
Punching			
Ø 10			

GM



RMB 11 for 10T
071087
RMB PP04 for 10T PP 10T CONTROL
071063
Included **XT31-60** - 60 mm extension for HR310

RMB 11 → / RMB PP04 →	×1 F1	×1 F2	×1 F6	×1 E9	×1 E11	×1 T1 / —	×1 T2 / —	×1 — / ST1	×1 — / T5	×1 — / T7	×1 T17	×3 T18	×1 T19	×1 D18	×2 D17	×2 key - clé	×4 seals - joints
	Flow-form rivets			Extraction		Punching											
	Ø 6			Ø 6 › 8		Ø 6											

FERRARI



RMB 06
for 8T 10T 8T PP 10T PP 10T CONTROL
059009

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×2	×4	
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13	key - clé	seals - joints	
Self-piercing rivets						Extraction						
Ø 3.9	Ø 4.75		Ø 3.9	Ø 4.75		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 4.75			

VW GROUP



RMB 03 for 8T 10T 8T PP 10T PP 10T CONTROL
054257

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×4	
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16	key - clé	seals - joints
Self-piercing rivets					Solid rivets			Extraction									Punching									
Ø 3.2 › 3.5	Ø 5 › 5.3	Ø 3.9	Ø 4.75		Ø 4	Ø 6		Ø 3.2				Ø 5.3	Ø 3.9 › 5.3	Ø 3.2		Ø 5.3	Ø 8	Ø 4.8	Ø 4 › 8	Ø 4	Ø 8	Ø 6				

NIO



RMB PP08 for 10T 10T PP 10T CONTROL
072404
Included **XT31-60** - 60 mm extension for HR310

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×3	×1	×2	×1	×2	×4	
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18	key - clé	seals - joints
Self-piercing rivets		Flow-form rivets			Extraction				Punching									
Ø 5.3	Ø 5.3	Ø 6			Ø 5.3		Ø 6		Ø 6									

MERCEDES-BENZ



RMB 07 for 10T
064454

RMB 07 →	×1 F1	×1 F2	×1 F3	×1 F4	×1 F5	×1 —	×1 —	×1 —	×1 E9	×1 E10	×1 E11	×1 T1	×1 T2	×1 T3	×1 T4	×2 clé -key
	Flow-form rivets					Extraction						Punching				
	Ø 6 - A1/2/3 S0/1/2/3/4/5/6	S28/38/48/58/68		S08/18		Ø 5.3 › 8	Ø 6	Ø 8	Ø 6 › 8	Ø 8	Ø 6	Ø 6		Ø 8		

Included **XT31-60** - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135



RMB PP01 for 8T PP 10T PP 10T CONTROL
058378

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	
F1	F2	F3	F4	F5	E9	E10	E11	ST1	ST2	T5	T7	T8	T10	clé -key	
Flow-form rivets					Extraction			Punching							
Ø 6 - A1/2/3, S0/1/2/3/4/5/6		S28/38/48 /58/68		S08/18	Ø 6 › 8	Ø 8	Ø 6	Ø 6	Ø 8	Ø 6	Ø 6	Ø 8	Ø 8		

Included **XT31-60** - 60 mm extension for HR3

FORD



RMB PP02 for 10T 8T PP 10T PP 10T CONTROL
058835

RMB PP02 →	×1 B1	×1 G1	×1 G2	×1 G3	×1 G4	×1 G5	×1 G6	×1 E7	×1 E12	×2 key - clé	×4 seals - joints
	Self-piercing rivets							Extraction			
	Ø 5 › 5.3							Ø 5 › 5.3			

Included **XT31-60** - 60 mm extension for HR3 (use with E7 & E12) 057135

JAGUAR / LAND ROVER



RMB 02
for 8T 10T 8T PP 10T PP 10T CONTROL
054271

×1	×1	×1	×1	×2	×1	×1	×2	×4	
B1	B2	B3	S8	D17	E1	E6	clé -key	seals - joints	
Self-piercing rivets				Extraction					
Ø 5 › 5.3	Ø 5.3	Ø 4.8	Ø 4.75	—	Ø 3.3 › 4.8	Ø 3.3 › 4.8			

BMW



RMB 01
for 8T 10T 8T PP 10T PP 10T CONTROL
054240

×1	×1	×1	×1	×1	×1	×2	×4	
A1	A2	B1	B2	E1	E2	key - clé	seals - joints	
Self-piercing rivets				Extraction				
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 3.3 › 4.8	Ø 3.9 › 5.3			



RMB 12 for 10T
071094
RMB PP07 for 10T PP 10T CONTROL
071070

RMB 12 → / RMB PP07 →	×1 B1	×1 B3	×1 I1	×1 I2	×1 I3	×1 F1	×1 F2	×1 F6	×1 E3	×1 E13	×1 T1 / —	×1 T2 / —	×1 — / ST1	×1 — / T5	×1 — / T7	×1 T17	×3 T18	×1 T19	×1 D18	×2 D17	×2 key - clé	×4 seals - joints
	Self-piercing rivets					Flow-form rivets			Extraction		Punching											
	Ø 5 › 5.3					Ø 6			Ø 3.3 › 4.8	Ø 9	Ø 6											

Included **XT31-60** - 60 mm extension for HR310

PORSCHE



RMB 10 for 10T
069299
RMB PP06 for 10T PP 10T CONTROL
069305

RMB 10 → / RMB PP06 →	×1 B3	×1 F2	×1 E9	×1 E11	×1 T1 / —	×1 T2 / —	×1 — / T5	×1 — / ST1	×1 — / T7	×1 T17	×3 T18	×1 T19	×2 D17	×2 key - clé	×4 seals - joints
	Flow-form rivets		Extraction		Punching										
	Ø 6		Ø 6 › 8		Ø 6										

Included **XT31-60** - 60 mm extension for HR310

TESLA



RMB 09 for 8T 10T 8T PP 10T PP 10T CONTROL
059931

×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×4	
B1	H1	H2	H3	H4	H5	H6	H7	H8	key - clé	seals - joints	
Self-piercing rivets											
Ø 5 › 5.3	Ø 5.3										



RMB 13 for 10T
071100
RMB PP03 for 8T PP 10T PP 10T CONTROL
059092

RMB 13 → / RMB PP03 →	×1 B1	×1 S7	×1 S8	×1 F3	×1 F4	×1 F5	×2 D17	×1 E2	×1 E3	×1 E9	×1 E10	×1 — / ST2	×1 — / T8	×1 — / T10	×1 T3	×1 T4	×2 key - clé	×4 seals
	Self-piercing rivets			Flow-form rivets			Extraction					Punching						
	Ø 5 › 5.3	Ø 4.75		S28/38/48/58/68		S08/18	—	Ø 3.9 › 5.3	Ø 5.3 › 8	Ø 6 › 8	Ø 8	Ø 8			Ø 8			

Included **XT31-60** - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

DIES - Matrices - Matrizen

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen



Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen



Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten



Extraction of rivets
- Extraction de rivets
- Niet-Auspressen



Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen



Ø 8



×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759


A1+A2	B1+B2
054295	054301

NEW




×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
D15	D16	D17	D18	E1			E2	E3	E6	E7	E9	E10	E11	E12	E13	F1	F2	F3	F4	F45
056077	056084	055681	071155	055865	054288	055766		057005	057142	057159	058606	058613	058620	058828	059085	055773	055780	055797	055803	083547

E1+E2	F1+F2
054318	054714



×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
F5	F6	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902

Ø 6 Ø 6 Ø 6 Ø 8 Ø 6.7



×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1			T2	T3	T4	T5	T7	T8	T10	T12	T13
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078		057104	055827	055834	058019	058033	058040	058064	066373	066380


T1+T2
054707

PATENTED BREVET GYS / GYS PATENT n° US 11,712,732

Ø 6.7 Ø 6 Ø 8 Ø 10



×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1
T14	T15		T16	T17	T18		T19	T20	T21		T22	T23	T24		T25
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854



SELF PIERCING RIVETS (SPR)
- Rivets autoperçants (RAP) - Stanznieten



Steel - Acier - Stahl

Complete box
048706

Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

SPECIAL CENTER PUNCH
- Pointeau centreur
- Spezialkörner

048379



HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel → 6.4 mm
Alu → 7.8 mm

HR21

max 21 000 N (6 bar)

055407



MADE IN ITALY



included (x3)
058446



For standard rivets
Ø 4.0
51508



For Magnarive rivets
Ø 4.5
51507



Option HR21 extension
100 mm
063105

CORDLESS RIVETER - Riveteuse sur batterie
- Akku-Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



TWO ER20

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg

064461



2 x

20V/2Ah Li-ion battery

HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

HR14

max 14 000 N

057241



Made in Taiwan

HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

HR9

max 9 000 N

057234



Made in Taiwan

MANUAL TOOL FOR BLIND RIVETS
- Riveteuse manuelle - Manueller Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8/6./6.4
Alu	Ø 3.2/4.0/4.8/6./6.4

061323

Made in Taiwan



HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse
hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmutterngerät

Sealing nuts
- Ecrous à sertir
- Blindnietmuttern



RIV 998



For sealing nuts from M3 to M12
Pour la pose d'écrous à sertir M3 à M12

max 19 000 N (6 bar)
included accessories for sealing nuts :
- livré avec accessoires pour écrous à sertir:

✓ M3 ✓ M4
✓ M5 ✓ M6
✓ M8 ✓ M10
✓ M12

MADE IN ITALY

055414





MIG-MAG
GMAW-FCAW

TRADITIONAL

GYS AUTO 86

INVERTER

E GYS AUTO 88

NEW P GYS AUTO 90


AUTOPULSE 92

ACCESSORIES & CONSUMABLES 96

MIG/MAG TRADITIONAL SYNERGIC

15 → 200 A
Ideal 0,6 mm

Capacitor
M1GYS AUTO, M3GYS AUTO
> PERFECT WELD





SYNERGIC EASY TO USE
Auto adaptative wire speed
- Réglage automatique de la vitesse
-Automatische Einstellung der Drahtgeschwindigkeit

M1 GYS AUTO

15 ◢ 160 A — Capacitor
230 V • 1 ~ — 6 m
032903
208/240 V • 1 ~ — 2 m
032088
with accessories

T1 GYS AUTO DV


15 ◢ 200 A
400 V • 3 ~ / 230 V • 3 ~
032927
with accessories
3 m

M3 GYS AUTO

15 ◢ 160 A — Capacitor
230 V • 1 ~
032880
6 m







2 x 4 m³ (20L)



Protection gas
Argon+CO_2(Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
CO_2PUR (Steel)

OPTIONS

Spool Gun Torch
- Torche motorisée Spool Gun
- Spool Gun Brenner



041486
Ø 100
Ideal for
· Steel / Acier / Stahl
· Stainless steel / Inox
· Alu
4 m
included 045699

SPOOL GUN + Support for M3 GYS AUTO
038554



059276



15L/min
(FR) 041998
(UK) 040274
(NL) 040267
(IT) 038691



OPTIMAPRO
30L/min
(FR) 043619
(UK) 043626
(DE) 043633
(NL) 043640



30L/min
(FR) 041622
(UK) 041646
(DE) 041219
(NL) 041615
(IT) 038707



MB 15 (150 A)
041226
x3 — x5 (M6-Ø 0,6) x5 (M6-Ø 0,8) x5 (Alu - M6-Ø 0,8) — x3



041332



041806



M3GYS : Protection cover
- Housse de protection
- Schutzhaube
052260

MADE IN FRANCE	MADE IN GYS CHINA	CE NORM. 60974/1	50/60 Hz	AM	A	Reg	Ø mm 100 (spoolgun)	200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (I2 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica		LxWxH cm / kg	Protected & compatible power generator (+/-15%)
	▪	M1 GYS AUTO	230 V 1~	16	15 → 160	6	option	▪	▪		90	140A@15%	0.6 → 1	0.6/0.8	0.8	78 x 38 x 67 / 56	4,5 kVA
▪			208/240 V 1~													37 x 79 x 67 / 57.5	
▪		T1 GYS AUTO DV	230 V 3~/400 V 3~	10	15 → 200	7	option	▪	▪		110	150A@25%	0.6 → 1	0.6/0.8	0.8	37 x 78 x 67 / 62	5.2 kVA
▪		M3 GYS AUTO	230 V 1~	16	15 → 160	6	▪	▪	▪		90	140A@15%	0.6 → 1	0.6/0.8 0.8/1.0	2 x 0.8	74 x 40 x 85 / 77.5	4,5 kVA

MIG/MAG INVERTER SYNERGIC

Lastest generation colour screen 3.5"

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

- MANUAL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAY

FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES

gys.fr

EASY USB UPDATE

USB key 16 Gb
062344

E1 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754

075122

E2 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 / Ø 1.2 072138

075139

E3 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 / Ø 1.2 072138

075160



E1 GYS AUTO **200 A** • ×1



E2 GYS AUTO **200 A** • ×2



E3 GYS AUTO **200 A** • ×3

MADE IN FRANCE	CE NORM. 60974/1		50/60 Hz	AM A		min→max A	Ø mm 200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (12 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
▪	E1 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪	▪		145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	E2 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪	▪		145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	E3 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪			145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA

MIG/MAG
PULSE SYNERGIC

NEW

16 languages
- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

Lastest generation colour screen 3.5"

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES
- **EASY**
  - SYNERGIC STANDARD
  - SYNERGIC PULSE
- **EXPERT**
  - MANUAL
  - SYNERGIC STANDARD
  - SYNERGIC PULSE

SYNERGIES
- **STEEL** - ACIER
- **ALU**
- **STAINLESS STEEL** - INOX
- **BRAZING** - BRASAGE
- +40 SYNERGIES

TORCH
- **2T**
- **4T**
- **SPOT**
- **SPOT DELAY**

FONCTIONS
- **TRACEABILITY**
- **PORTABILITY**
- +500 JOBS can be saved

UPDATES



EASY USB UPDATE

USB key 16 Gb
062344

10→220 A
Ideal 0.6 mm

P1 GYS AUTO
10◢220 A | 230V 1~ | PFC

with accessories :
- 3 m, 25 mm²
- Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 — 072138

080584

P1 GYS AUTO 208-240V
10◢220 A | 208>240V 1~ | PFC

with accessories :
- 3 m, 25 mm²
- Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 — 072138

080911

4 m³ (20L)

NEW



P1 GYS AUTO **220 A** • ×1

P2 GYS AUTO
10◢220 A | 230V 1~ | PFC

with accessories :
- 3 m 25 mm²
- Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 — 072138
- CuSi 150 A, 3 m, air Ø 1.0 — 072121

083134

P2 GYS AUTO 208-240V
10◢220 A | 208>240V 1~ | PFC

with accessories :
- 3 m 25 mm²
- Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 — 072138
- CuSi 150 A, 3 m, air Ø 1.0 — 072121

083189

Helmet not included

2 x 4 m³ (20L)

NEW 06/2024



P2 GYS AUTO **220 A** • ×2

P3 GYS AUTO
10◢220 A | 230V 1~ | PFC

with accessories :
- 3 m 25 mm²
- Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 — 072138
- CuSi 150 A, 3 m, air Ø 1.0 — 072121
- Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 — 063754

080591

P3 GYS AUTO 208-240V
10◢220 A | 208>240V 1~ | PFC

with accessories :
- 3 m 25 mm²
- Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 — 072138
- CuSi 150 A, 3 m, air Ø 1.0 — 072121
- Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 — 063754

080928

Cable support P2/P3
077300



Helmet not included

2 x 4 m³ (20L)

NEW



P3 GYS AUTO **220 A** • ×3

MADE IN FRANCE	CE NORM 60974/1		50/60 Hz	A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica			LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
▪	P1 GYS AUTO		230 V 1 ~	16	6 m	10→220	▪	▪	1 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2			78 x 45 x 80 / 45	9KVA
▪	P1 GYS AUTO 208-240V		208 › 240 V 1 ~	16						150	220 A @ 20 %					78 x 45 x 80 / –	9KVA
▪	P2 GYS AUTO		230 V 1 ~	16	6 m	10→220	▪	▪	2 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0		86 x 63 x 93 / 58	9KVA
▪	P2 GYS AUTO 208-240V		208 › 240 V 1 ~	16						150	220 A @ 20 %					86 x 63 x 93 / –	9KVA
▪	P3 GYS AUTO		230 V 1 ~	16	6 m	10→220	▪	—	3 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0	Steel Type B 0.6/0.8	86 x 63 x 93 / 62	9KVA
▪	P3 GYS AUTO 208-240V		208 › 240 V 1 ~	16						150	220 A @ 20 %					86 x 63 x 93 / –	9KVA

MIG/MAG

DOUBLE PULSE SYNERGIC

Youtube

ACCESSIBILITY

3 interface levels

- EASY
- EXPERT
- ADVANCED

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

Latest generation colour screen 5"
800 x 480 (WVGA)

EASY

EXPERT
Pre-gas / Hot Start / Upslope / Downslope / Crater filler / Post-gas

ADVANCED
Arc length adjustments



3 INTERFACE LEVELS


500+ JOBS can be saved



TRACEABILITY



PORTABILITY



MODES

DYNAMIC STANDARD
PULSE
PULSE IN PULSE
MANUAL
COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS

DSP

65+ SYNERGIES

Find all the synergies:
Retrouvez toutes les synergies :
Finde alle Synergien :

STEEL
Cu Si 3 / Cu Al 8
ALU

UPDATES

EASY USB UPDATE

gys.fr

USB key 16 Gb
062344

OPTIONS

PUSH PULL TORCH 24 V
Motor inside
MB 25
4 m
046283

MB 15 / MB 25 (250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)

x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche
053939

Protection cover
- Housse de protection
- Schutzhaube
052260

AUTOPULSE 220-M1				AUTOPULSE 220-M2			
1	Ø 200 / 300		PP	1	Ø 200 / 300		PP
–	–	–	–	2	Ø 200 / 300		–

µC ELECTRONIC

AUTOPULSE 220-M1

10 ◢ 220 A | 230V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

065024

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1

AUTOPULSE 220-M2

10 ◢ 220 A | 230V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 150 A, 3 m, air Ø 1.0 072121 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069855

AUTOPULSE 220-M2 208-240V

10 ◢ 220 A | 208>240V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 150 A, 3 m, air Ø 1.0 072121 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069862

2 x 4 m³ (20L)

10 m³ (50L)

1 x

2 x



PFC POWER FACTOR CORRECTION
185 V — 265 V
110 V 230 V
45 m

220 A • ×1

220 A • ×2

MADE IN FRANCE	CE NORM. EN60974-1	50 / 60 Hz		AM	A	Ø	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Original equipement / Equipement d'origine / Originalausstattung / Equipamiento de fabrica: ELECTRONIC CONTROL	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (I2 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M1		230 V - 1 ~	8 m		16	0.6→1.2	10→220	–		OPTION	■	■	Air	ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 65.5	10 kVA
AUTOPULSE 220-M2		230 V - 1 ~	8 m		16	0.6→1.2	10→220	–		OPTION	■	■	Air	ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150	220 A @ 20%	74 x 41 x 93 / 78.8	10 kVA
AUTOPULSE 220-M2 208-240V		208>240 V - 1 ~															74 x 40 x 93 / 79.8	

MIG/MAG


DOUBLE PULSE SYNERGIC

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1



PFC POWER FACTOR CORRECTION
185 V 265 V
110 V 230 V
45 m

AUTOPULSE 220-M3



1	Ø 200		PP
2	Ø 200		–
3	Ø 200		–

µc ELECTRONIC

TESLA APPROVED EQUIPMENT

AUTOPULSE 220-M3

10 ◢ 220 A | 230 V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

036703

AUTOPULSE 220-M3 208-240V

10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

062481

OPTIONS

PUSH PULL TORCH 24 V

MB 25
4 m
046283





MB 15 / MB 25 (250 A)
077089



Torch gas flow-meter
- Débimètre de bout de torche
053939



Protection cover
- Housse de protection
- Schutzhaube
052260



220 A • ×3

MADE IN FRANCE	EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Cooling system	Equipement d'origine Original equipement Originalausstattung Equipamiento de fabrica ELECTRONIC CONTROL		EN60974-1 (40°C) IA (60%)	X% (I2 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M3		230 V - 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V		208>240 V - 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA



1	Ø 200 / 300		PP
2	–	–	–
3	–	–	–

µc ELECTRONIC

AUTOPULSE 320-T1

15 ◢ 320 A | 400 V 3~

with accessories :

4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069831

AUTOPULSE 320-T3

1	Ø 200		PP
2	Ø 200		
3	Ø 200		–

AUTOPULSE 320-T3

15 ◢ 320 A | 400 V 3~

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

067615

AUTOPULSE 320-T3 208-240V

1	Ø 200		PP
2	Ø 200		–
3	Ø 200		–

15 ◢ 320 A | 208>240 V 3~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

036970



OPTIONS

for AUTOPULSE 320-T3 (400 V) only

SPOOLGUN TORCH

Ideal Alu
Ø 0,8
Ø 100
4 m
041486



320 A • ×1

320 A • ×3

MADE IN FRANCE	EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica ELECTRONIC CONTROL		EN60974-1 (40°C) IA (60%)	X% (I2 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 320-T1		400 V - 3 ~	5 m	16	0.6→1.2	15→320	–	OPTION	■	■	Air		ALU : Type B 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 94 / 65.1	16 kVA
AUTOPULSE 320-T3		400 V - 3 ~	5 m	16	0.6→1.2	15→320	OPTION	OPTION	■	–	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	75 x 40 x 94 / 82	16 kVA
AUTOPULSE 320-T3 208-240V		208-240 V - 3 ~	5 m	25	0.6→1.2	15→320	—	OPTION	■	–	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 95 / 82	16 kVA

MANUAL TORCHES - Torches manuelles - Brenner - Antorcha - Lastoort - Tocha

CLASSIC



CLASSIC GRIP



FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos




Complete systems (p. 121)

BINZEL

PUSH PULL

for AUTOPULSE — MADE IN FRANCE



Rollers - Galets - Drahtführungsrollen - Rollen - Rodillos - Wielen - Roletes

0.6/0.8/1.0 **046290**
0.8/1.0/1.2 **038752**

Connector Push Pull 10 pts **064393**

TOPARC

SPOOL GUN

Special CAR BODY REPAIR MACHINES



TOPARC

COMPLETE TORCHES



	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, $ArCo_2$	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø0.8	M6 Ø1.0	M6 Ø0.8	M6 Ø1.0	M8 Ø1.2	M6 Ø1.2	M6 Ø0.8	M6 Ø1.0	M6 Ø1.2	M8 Ø1.2	M6 Ø1.2	M6 Ø 1.2	M6 Ø0,8
	3 m	3 m	3 m	3 m	4 m	3 m	3 m	3 m	3 m	3 m	3 m	4 m	4 m
	063754	072121	072145	072152	063792	040694	063761	063785	072138	063808	040748	046283	041486
	3 m Flexible 082151			4 m 063778	3 m 040687	4 m 043275	3 m 041462	3 m 040724		3 m Carbon liner 040731	4 m 043282		
	3 m 041424			3 m 040700	4 m 040946			4 m 040939		4 m Carbon liner 040953			
	3 m 043268			4 m 040922	4 m 040557								
	3 m 043251			3 m 040540									

Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

041806




MIG torch stand with magnetic base

- Support torche magnétique

041653




CONSUMABLES - Consommables




Torch liners - Gaines - Mantel - Funda - Drahtseelen - Folha (p. 103)

Tip adaptors & diffusers - Supports tube contact & diffuseurs



Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto



Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos



Tip adaptors & diffusers - Supports tube contact & diffuseurs



	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN
	AIR			LIQUID	AIR			LIQUID	AIR		AIR
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	A1 (x5)
	042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902
+	+	+	+	+	+	+	+	+	+	+	+
	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	A2 (x10)
	042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988

Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto



	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
Ø0.6	A (x10) 041905	A (x10) 041905	—	A (x10) 041905	—	—	—	—	—	—	—
Ø0.8	A (x10) 041912	B (x10) 041950	C (x10) 041790	B (x10) 041950	B (x10) 041059	A (x10) 041059	—	B (x10) 041059	B (x10) 041059	B (x10) 041059	B (x10) 041059
Ø1.0	A (x10) 041929	B (x10) 041967	C (x10) 419803	B (x10) 041967	B (x10) 041066	B (x10) 041066	419766	B (x10) 041066	B (x10) 041066	B (x10) 041066	B (x10) 041066
Ø1.2	A (x10) 040144	B (x10) 041974	C (x10) 419810	B (x10) 041974	B (x10) 041073	B (x10) 041073	419773	B (x10) 041073	B (x10) 041073	B (x10) 041073	B (x10) 041073
Ø1.4	—	—	C (x10) 419827	—	—	—	—	—	—	—	—
Ø1.6	—	—	C (x10) 419834	—	—	—	C (x10) 041080	—	—	—	—
Ø2.4	—	—	C (x10) 040533	—	—	—	—	—	—	—	—

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A		150 A	250 A	150 A
A	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	53 mm Ø12 (x3) 041875	53 mm Ø16 (x3) 046214	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	63.5 mm Ø17 (x3) 046221	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	53 mm Ø12 (x3) 041875
B	53 mm (x1) 041851	—	—										
C	53 mm (x1) 041523	—	—										
D	(x1) 041868	—	—										
E	(x1) 043084	(x1) 040571	(x1) 040588										


Boxes

- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos



x 3	x 5	M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 **Alu** - M6 - Ø0.8 x 5	x 3	=	**MB 15 (150 A)** 041226
M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 **Alu** - M6 - Ø1.0 x 5	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.2 x 5	—	—	=	**MB 15 / MB 25** 077089
x 5	x 3	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.0 x 5	x 3	=	**MB 25 (250 A)** 041233
x 2	x 3	M6 - Ø1.0 x 5 M6 - Ø1.2 x 5 **Alu** - M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.2 x 5	x 2	=	**MB 36 (350 A)** 041417

CONSUMABLES - Consommables



TORCH LINERS - Gaines - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço

Ø 0.6 / 0.8	3 m	041592
	4 m	041837
Ø 1.0 / 1.2	3 m	041608
	4 m	041844
	5 m	062276
Ø 1.2 / 1.6	3 m	418417
	4 m	418424
	5 m	062283
Ø 1.6 / 2.4	4 m	040526
	5 m	062290

TEFLON

Ø 0.6 / 0.8	3 m	041578
	4 m	044050
Ø 1.0 / 1.2	3 m	041585
	4 m	044067
	8 m	038677
Ø 1.2 / 1.6	4 m	044074



Guide gaine téflon pour motodévidoir
079601

CARBON

Ø 0.6 / 0.8	4 m	039834
	5 m	062306
Ø 1.0 / 1.2	4 m	039827
	5 m	062313
Ø 1.2 / 1.6	4 m	039810

PUSH PULL TORCH

Ø 1.0 / 1.2	8 m	038172

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A

For : Carmig



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346



TYPE B

For : Autopulse 220, Autopulse 320-T1, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
	Ø 0.8 / 1.0	x 1	042100
		x 2	042360
	Ø 1.0 / 1.2	x 1	042179
		x 2	046849
Alu	Ø 1.2 / 1.6	x 2	042384
	Ø 0.8 / 1.0	x 1	042155
		x 2	042377
	Ø 1.0 / 1.2	x 1	042186
		x 2	040915
	Ø 1.2 / 1.6	x 2	042391
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 1	042131
		x 2	042407

TYPE C

For : Neopulse - Autopulse 320-T3



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240



= Ø 0.9 1.0 / 1.2 (x1) Type A

+ M6-Ø0.9 (x3)

+ Isolated Nozzle No Gas - 150 A (x1)

For : Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2

GAS CONNECTORS - Raccords gaz - Gasanschlüsse



x2
045712



x1
046245



x1
067936



Tuyau caoutchouc- Rubber hose
Ø 6.3 X 13 (EN ISO 3821)


1.5 m	066670
4 m	046269
✂ x m	046276

SPECIAL MIG-MAG PLIER - Pince spéciale MIG/MAG - Spezial MIG/MAG Zange - Pinza especial MIG/MAG

PRO (x1)

041332






1) Clean 2) Cut 3&4) Prepare (contact tube & nozzle)

Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

041806



Torch gas flow-meter

- Débimètre de bout de torche


053939



WELDING WIRE REELS - Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de fio

100 mm





ECO Ecological wire reel - Bobine écologique



STEEL - Acier - Stahl - Acero - Staal - Aço

SG2

Norms : AWS 5.18 : ER 70S-6 ; EN ISO 14341-A : G46 4MG3Si1 ; DIN 8559 : SG2

100 mm 0.9 kg	Ø 0.6	086593
	Ø 0.8	086609
200 mm 5 kg	Ø 0.6	086111
	Ø 0.8	086128
	Ø 1.0	086135
300 mm 15 kg 18 kg ECO	Ø 0.6	086166
	Ø 0.8	086227
	Ø 0.8 ECO	086272
	Ø 1.0	086234
	Ø 1.0 ECO	086289
	Ø 1.2	086241
	Ø 1.2 ECO	086296
300 mm EXCELLIUM 15 kg	Ø 1.0 ECO	086302
	Ø 1.2 ECO	086319

SG1

Norms : AWS 5.18 : ER 70S-3 ; EN ISO 14341-A : G42 2MG2Si1 ; DIN 8559 : SG1

200 mm 5 kg	Ø 0.6	086418
	Ø 0.8	086401

CrMO2Si

Norms : AWS 5.28 : ER 90S-B3 ; EN ISO 2195L-A : Cr CrMo25i

300 mm 15 kg	Ø 0.8	086258

UHSS

Norms : AWS ASME SFA-5.28 : ER 120 S-G ; EN ISO 12534 : G Mn4Ni2, 5CrMo

200 mm 5 kg	Ø 0.8	086203

Hardfacing - Rechargement Acier 60 HRC

Norms : EN 14700 : TZ Fe 2 ; DIN 8555 : MSG 6-CF-60

300 mm 16 kg	Ø 1.2 ECO	086173

Cored wire - Fil fourré - Fülldraht - Hilo tubular

Norms : AWS 5.20 : E71T-GS ; EN ISO 17632-A T42 Z W N 1 H15

100 mm 0.9 kg	Ø 0.6	086425
	Ø 0.9	086104
200 mm 4.5 kg	Ø 0.9	086265
	Ø 1.0	086623
	Ø 1.2	086630
300 mm 15 kg	Ø 1.0	086388
	Ø 1.2	086395

Galva (G2Ti)

Norms : AWS 5.18 : ER 70S-2 ; EN ISO 14341-A : G42 2 M G2Ti ; DIN 8559 : SG2

200 mm 5 kg	Ø 0.6	086760
	Ø 0.8	086777

BRAZING - Brasage

CuSi3 HLE - UHTS (Boron Steel)

Norms : AWS 5.7 : ER CuSi-A ; EN ISO 14640 : S Cu 6560 ; DIN 1733 : SG-CuSi3

100 mm 1 kg	Ø 0.8	086692
200 mm 2 kg	Ø 0.8	077393
200 mm 5 kg	Ø 0.8	086647
	Ø 1.0	086654
200 mm EXCELLIUM 5 kg	Ø 0.8	086210

CuAl8 HLE - UHTS (Boron Steel)

Norms : AWS 5.7 : ER CuAl-A1 ; EN ISO 14640 : S Cu 6100 ; DIN 1733 : SG-CuAl8

200 mm 2 kg	Ø 0.8	077409
200 mm 5 kg	Ø 0.8	086661
	Ø 1.0	086197
300 mm 15 kg	Ø 1.0	086180

STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)

Norms : AWS 5.9 : ER 316L Si ; EN ISO 14343-A : G19 12 3 L Si ; DIN 8556 : SG X2 CrNiMo 19 12

200 mm 5 kg	Ø 0.8	086326
	Ø 1.0	086364
300 mm 15 kg	Ø 1.0	086371

CrNi (308LSi)

AWS 5.9 : ER 308L Si ; EN ISO 14343-A : G19 9 L Si ; DIN 8556 : SG X2CrNi 19 9

100 mm 1 kg	Ø 0.8	086616
200 mm 5 kg	Ø 0.8	086579
	Ø 1.0	086340
300 mm 15 kg	Ø 1.0	086357

ALUMINIUM

AlSi5

Norms : AWS 5.10 :ER 4043 ; EN ISO 18273 : S Al 4043-A ; DIN 1732 : SG-AlSi5

100 mm 0.5 kg	Ø 0.8	086685
200 mm 2 kg	Ø 1.0	086142
	Ø 1.2	086159

AlSi12

Norms : AWS 5.10 : ER 4047 ; EN ISO 18273 : S Al 4047 ; DIN 1732: SG-AlSi12

100 mm 0.5 kg	Ø 0.8	086678
200 mm 2 kg	Ø 0.8	077140
	Ø 1.0	086067
	Ø 1.2	086074
300 mm 7 kg	Ø 1.2	086043

AlSi10Cu4

Norms : AWS 5.10 : ER 4145 ; EN ISO 18273 : S Al 41

200 mm 2 kg	Ø 1.2	073432

AlMg5

Norms : AWS 5.10 : ER 5356 ; EN ISO 18273 : S Al 5356 ; DIN 1732 : SG-AlMg5

100 mm 0.5 kg	Ø 0.8	086548
200 mm 2 kg	Ø 0.8	086555
	Ø 1.0	086562
300 mm 7 kg	Ø 1.0	086524
	Ø 1.2	086531
300 mm EXCELLIUM 7 kg	Ø 1.0 ECO	086487
	Ø 1.2 ECO	086494

AlMg2.7Mn


Norms : AWS 5.10 : ER 5554 ; EN ISO 18273 : S Al 5554 ; DIN 1732 : SG-AlMg

200 mm 2 kg	Ø 1.2	086517
300 mm 7 kg	Ø 1.2	086500

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter

ALIGNER 200

042889



After sales



Professional 71608



Industrial 71613

Thickness measurement tools (x3)

- Jauges d'épaisseur (x3)
- Dickenessgeräte (x3)

071414

NEW

0.6 › 8 mm



PLASMA CUTTING


EASYCUT K	101
EASYCUT	102
CUTTER	103



PLASMA

COMPRESSOR INSIDE • 1~

COMPRESSOR COMPRESSOR INSIDE



Plasma torch
TPT 25, 4m
068087

Plasma torch
TPT 35, 4m
080775



Youtube

ULTRA LIGHT & COMPACT

INTEGRATED AIR FILTER + AUTOMATIC DRAIN

PFC EN 61000-3-12 POWER FACTOR CORRECTION





EASYCUT K25

230 V • 1 ~	25 A	Fe 8 mm Al/CrNi 6 mm

P400 COMPRESSOR

TPT 25, 4 m 068087 + 2 m, 10 mm²

068063

Youtube

EASYCUT K35 PFC

230 V • 1 ~	35 A	Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR

TPT35, 4 m 080775 + 2 m, 10 mm²

080768

TPT35, 4 m + 2 m, 10 mm² + Box TPT35 080782 + UNIVERSAL 800 051331

080805

OPTIONS

Consummables

					Boxes - Coffrets
for TPT25	x 4 040236	x 10 040212	x 2 040175	x 10 040168	039971
	x1	x1	x1	x1	
for TPT35	x 4 040182	x 10 080799	x 2 040175	x 10 040168	080782
	x1	x1	x1	x1	

Compas 040205

x1 040199

R max = 670 mm

PLASMA 600 040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg

Universal 800 051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

MADE IN FRANCE / CE NORM. EN60974-1			I_2	mm Coupe max Severance cut		mm Coupe propre Clean cut		INTEGRATED TECHNOLOGY					AIR SYSTEM			EN 60974-1 (40°C)				Protected & compatible power generator (+/-15 %)	
	50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	AD	IP23	COMPRESSOR	min	ideal	max	I 60%	X% I2 max	100%	LxWxH cm / kg		
EASYCUT K25	230V 1~	16	10→25	8	6	6	4	▪	—	—	—	▪		included		15 A	35%	—	53 x 31 x 48 / 19	6.5 kW	7.5 kVA
EASYCUT K35 PFC	230V 1~	16	10→35	15	10	10	8	▪	▪	▪	▪	▪		included		26 A	30%	—	45 x 26 x 36 / 27	8 kW	10 kVA

PLASMA

1~

Youtube



Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753


AD ANTI-DUST VENTILATION CORRIDOR



PFC + **FV** POWER FACTOR CORRECTION + FLEXIBLE VOLTAGE



CNC COMPUTER NUMERICAL CONTROL



INCLUDED : 8 mm



DIGITAL (PRESSURE SENSOR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE



IDEAL CARBODY REPAIR



INCLUDED : 8 mm



DIGITAL (PRESSURE SENSOR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE


DIGITAL (PRESSURE SENSOR

Youtube



EASYCUT 25

230 V • 1 ~ | 25 A | Fe 8 mm Al/CrNi 6 mm



TPT 25, 4 m 068087 — 2 m, 10 mm²


065543

GB 072046

EASYCUT 30 FV

110 → 230 V • 1 ~ | 30 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC FV




TPT 40, 4 m 060753 — 2 m, 10 mm²

013858

EASYCUT 40

230 V • 1 ~ | 40 A | Fe 18 mm Al/CrNi 15 mm



TPT 40, 4 m 060753 — 2 m, 10 mm²

029743

CUTTER 45 CT


110 → 230 V • 1 ~ | 45 A | Fe 30 mm Al/CrNi 20 mm

P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC



2 m, 10 mm²

014787



TPT 40, 4 m — 2 m, 10 mm²

013629



MT 70, 6 m — 2 m, 10 mm² — Box 20-50A 061613

062962

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35, MT 25K / MT 35K
x1
040199





Consumables

	MT25K		TPT25		MT35K		TPT35		TPT40	
	x 4 040182	x1	x 4 040236	x1	x 4 040229	x1	x 4 040182	x1	x 4 040236	x1
	x 10 040151	x3	x 10 040212	x3	x 10 040212	x3	x 10 080799	x3	x 10 040212	x3
	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1
	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3
Boxes - Coffrets	039971		070721		039964		080782		039957	

Trolley - Chariot



PLASMA 600
040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg



Universal 800
051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg



Jobsite XL
039568
60 x 59 x 115 cm / 18.4 kg
66 x 47 x 20 cm / 19.6 kg

Compressed air cleaning filter for Plasma Cutter 40 - Filtre déshumificateur spécial Plasma
039728



Filter cartridge - Cartouche pour filtre
039735

EN60974-1				AM	I_2	mm Coupe max Severance cut Fe	Coupe max Severance cut Al/CrNi	Coupe propre Clean cut Fe	Coupe propre Clean cut Al/CrNi	Perçage Piercing Fe	Perçage Piercing Al/CrNi	INTEGRATED TECHNOLOGY P400	PFC	FV	GRID CUT	AD	IP23	CNC	AIR SYSTEM min	ideal	max	EN 60974-1 (40°C) I 60%	X% I2 max	100%	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)	
			50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi																
MADE IN GYS CHINA	**EASYCUT 25**		230 V 1~	16	10 → 25	8	6	6	4	—	—	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—
MADE IN FRANCE	**EASYCUT 30FV**		230 V 1~	16	10 → 30	15	10	10	8	—	—	▪	▪	▪	—	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A	30%	20 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA
			110 V 1~	32	10 → 30																	19 A	25%	15 A			
MADE IN GYS CHINA	**EASYCUT 40**		230 V 1~	16	10 → 40	20	15	15	10	—	—	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—
MADE IN FRANCE	**CUTTER 45CT**	*TPT 40*	230 V 1~	16	15 → 45	20	15	15	10	8	6	▪	▪	▪	▪	▪	▪	analogic	5 bar	5.2 bar 115 L/min	7 bar	41 A	50%	32 A	51 x 31 x 47 / 16.4	10.5 kW	8 kVA
			110 V 1~	32	15 → 30	15	10	10	8	—	—											21 A	25%	17 A			
		MT 70	230 V 1~	32	15 → 45	30	20	25	15	12	10								5 bar	5.2 bar 185 L/min	7 bar	41 A	50%	32 A			
			110 V 1~	32	15 → 30	15	10	10	8	—	—											21 A	25%	17 A			









INVEST IN THE FUTURE

INDUCTION HEATING

1 200 › 22 000 kW

GYSDUCTION	106
COMBIDUCTION	107
POWERDUCTION	108
ACCESSORIES & CONSUMABLES	112

INDUCTION

HEATING

CAR BODY

PFC POWER FACTOR CORRECTION

185 V — 265 V

110 V — 230 V

45 m

Youtube

PACKS - GYSDUCTION AUTO

	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO + 056978	MECA AUTO 048812	MECA AUTO + 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981	SMART REPAIR AUTO 079847
	=	=	=	=	=	=	=	=	=
GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plastic wedges 051294	✓	✓	✓	—	—	✓	✓	—	✓
Burn off Inductor 053373	✓	✓	✓	—	—	✓	✓	—	✓
Body Inductor 053359	✓	✓	✓	—	—	✓	1 box	—	✓
Bolt Inductor 053366	✓	✓	✓	✓	✓	—	—	—	—
Remote control 055490	✓	✓	✓	✓	✓	✓	—	—	✓
Universal 800 051331	✓	1 box	—	1 box	—	—	—	—	—
Cable support 052284	✓		—		—	—	—	—	—
Dent pulling Inductor 054776	3 boxes		—		—	✓	✓	—	—
Spiral inductor 054783			✓		✓	1 box	1 box	✓	
			1 box		1 box			1 box	



GYSDUCTION AUTO

2 400 W | 230 V • 1 ~

PFC AIR







READY TO USE
Liquid included

COMBIDUCTION AUTO 50LG

5 200 W | 230 V • 1 ~

PFC LIQUID

065901



CONSUMABLES

for	for	for
		
Protection (x5) + Colle - Stick 053854	**Protection** (x1) + Colle - Stick 059108	**Protection** (x10) + Colle - Stick 053847

INCLUDED COMBIDUCTION



Glass - Décapage - Entfernen 053373



Decal - Décollage - Entkleben 053359



OPTIONS

Spiral inductor
- Inducteur spirale
- Spiralinduktor
054783





800 mm 054813




800 mm 054868




SIDE			
	Ø 18 mm	≤ M8	054806
	Ø 24 mm	≤ M12	054790
	Ø 30 mm	≤ M16	055469

Complete with - Completez avec - Vervollständigen mit :



SIDE			
	Ø 21 mm	≤ M10	079953
	Ø 27 mm	≤ M14	079960



FRONT			
	Ø 18 mm	≤ M8	079977
	Ø 21 mm	≤ M10	079984
	Ø 24 mm	≤ M12	079991
	Ø 27 mm	≤ M14	080003
	Ø 30 mm	≤ M16	080010

PDR : Paintless Dent Repair
- Débosselage sans peinture
- Lackschadenfreies Ausbeulen
054776

Licensed by BETAG innovation




3 m


Freezer spray
- Spray refroidisseur

-50 °C
400 ml

(x 12) 048898



Adhesive for logo (x10) 051492




CE NORM. EN-60 335/1	MADE IN FRANCE		AM	A	W	Freq. kHz	Tech. PFC	Liquid Cooling	Cable L (m)		Heating			LxWxH cm / kg	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
										Inductor						
GYSDUCTION AUTO		230 V, 1~, 50/60 Hz	16 mini	2400	35 ➔100	▪	—	2	2.5	M10 ➔ 1 s	2 mm ➔ 5 s	Ø8 ➔ 10 s	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9	3 kW
COMBIDUCTION AUTO 50LG		230 V, 1~, 50/60 Hz	25 mini	5 200	20 ➔80	▪	▪ 7 l	8	3	M14 ➔ 1 s	2 mm ➔ 3 s 4 mm ➔ 5 s	Ø10 ➔ 10 s	46 x 43 x 75 / 60	v	6 kW

INDUCTION HEATING
1.2 → 5.2 kW

MAINTENANCE / MECHANIC / INDUSTRY




Youtube





	10R	10R PRO
POWERDUCTION 10R	✓	✓
Flexible 800 mm | 054813	✓	✓
Straight 800 mm | 054868	✓	✓
SIDE		
Ø 18 mm | ⬡ ≤ M8 | 054806	✓	✓
Ø 21 mm | ⬡ ≤ M10 | 079953	—	✓
Ø 24 mm | ⬡ ≤ M12 | 054790	✓	✓
Ø 27 mm | ⬡ ≤ M14 | 079960	—	✓
Ø 30 mm | ⬡ ≤ M16 | 055469	✓	✓
FRONT		
Ø 18 mm | ⬡ ≤ M8 | 079977	—	✓
Ø 21 mm | ⬡ ≤ M10 | 079984	—	✓
Ø 24 mm | ⬡ ≤ M12 | 079991	—	✓
Ø 27 mm | ⬡ ≤ M14 | 080003	—	✓
Ø 30 mm | ⬡ ≤ M16 | 080010	—	✓











included	39LG C20/B1	39LG S90
C20/B1 | 056862	✓	—
28S | 064485	—	✓
S90 | 058927	—	✓



NEW

included	37LG S90	37LG S180/B3W
S90 | 058927	✓	—
S180/B3W | 067899	—	✓

1 200 W | 230 V • 1 ~ | AIR

POWERDUCTION 10R (5 inductors)
062504
GB: 068643
AU: 080966

POWERDUCTION 10R PRO (12 inductors)
080195
GB: 080300

POWERDUCTION 37LG (S90)
3 700 W | 230 V • 1 ~
LIQUID
056992
GB: 072510
AU: 080959

POWERDUCTION 37LG (S180/B3W)
3 700 W | 230 V • 1 ~
LIQUID
083387
GB: 083394
NEW

READY TO USE
Liquid included

POWERDUCTION 39LG (C20/B1)
3 700 W | 230 V • 1 ~
PFC LIQUID
058583

POWERDUCTION 39LG (S90)
3 700 W | 230 V • 1 ~
PFC LIQUID
080027

READY TO USE
Liquid included

POWERDUCTION 50LG
5 200 W | 230 V • 1 ~
PFC LIQUID
055599

OPTIONS 10R

Decal - Décollage - Entkleben
066601

Loosening - Dégrippage - Lockerung
079472

90°

B5
079489

OPTION 37LG

Cable hanger - Cable support
052284

Trolley - Chariot
UNIVERSAL 800
051331

OPTION 50LG

Protection cover
- Housse de protection
- Schutzhaube
062733

MADE IN FRANCE		AM		Freq.	INTEGRATED TECHNOLOGY			Cable L (m)		Heating			Protected & compatible power generator (+/-15 %)	L × W × H cm / kg	L × W × H cm / kg
		A	W	kHz	P400	PFC	Liquid Cooling		Inductor	⬡					
POWERDUCTION 10R / 10R PRO	230 V, 1~ 50/60 Hz	10 mini	1 200	45 → 80	—	—	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	1.5 kW	062504 - 42 × 17 × 37 / 5.4 080195 - NF	062504 - 21 × 10 × 15 / 3.3 080195 - NC
POWERDUCTION 37LG	230 V, 1~ 50/60 Hz	16 mini	3 700	15 → 30	—	—	■ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	60 × 34 × 33 / 14.5	56 × 26 × 29 / 13
POWERDUCTION 39LG (C20/B1) / (S90)	230 V, 1~ 50/60 Hz	16 mini	3 700	20 → 60	■	■	■ 7 l	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	058583 - 81 × 38 × 59 / 52 080027 - NF	058583 - 46 × 36 × 70 / 46.5 080027 - NC
POWERDUCTION 50LG	230 V, 1~ 50/60 Hz	25 mini	5 200	20 → 60	■	■	■ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	6 kW	80 × 60 × 60 / 71	46 × 43 × 75 / 58

INDUCTION HEATING
11 → 22 kW

NEW

included	110LG L90	110LG L20/B4
32L 064515	✓	✓
L90 059788	✓	–
L20/B4 067882	–	✓



included removable handle 068599

READY TO USE Liquid included

POWERDUCTION 110LG (L90)

11 000 W | 400 V • 3 ~

LIQUID

058590

POWERDUCTION 110LG (L20/B4)

11 000 W | 400 V • 3 ~

LIQUID

NEW

083400

POWERDUCTION 110LG (L90) 208-240V

11 000 W | 208-240 V • 3 ~

LIQUID

065246

NEW

included	160LG L90	160LG L20/B4
32L 064515	✓	✓
L90 059788	✓	–
L20/B4 067882	–	✓



included removable handle 068599

READY TO USE Liquid included

POWERDUCTION 160LG (L90)

16 000 W | 400 V • 3 ~

LIQUID

057814

POWERDUCTION 160LG (L20/B4)

16 000 W | 400 V • 3 ~

LIQUID

NEW

083417

POWERDUCTION 160LG (L20/B4) 208-240 V

16 000 W | 208-240 V • 3 ~

LIQUID

065253



included removable handle 068599

READY TO USE Liquid included

POWERDUCTION 220LG

22 000 W | 400 V • 3 ~

LIQUID

6 m cable : 066861

10 m cable : 074576

OPTIONS



Removable handle
- Poignée de lance
- Abnehmbarer Griff
for POWERDUCTION 110 - 160 - 220 LG
068599



Cooling liquid for POWERDUCTION
2 L 082212
5 L 062511
10 L 052246



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 160 - 220 LG
050853



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 110LG
062733




055490

OPTION

Powerduction 160/220 LG over hanging arm-pulley
- Équilibreur Powerduction 160/220 LG

079441




t° POWER HEAT CONTROLLER

t° CONTROL
80>350°C (210>660°F)



POWER HEAT CONTROLLER
061644

Included
T° sensors thermocouple type K x2



Compatibility
POWERDUCTION 110LG
POWERDUCTION 110LG 208-240 V
POWERDUCTION 160LG
POWERDUCTION 160LG 208-240 V
POWERDUCTION 220LG

OPTION



Pyrometer IR
for inductor L90
1.1 m
064119



MADE IN FRANCE		AM		Freq.		Cable L (m)		Heating					Protected & compatible power generator (+/-15%)
		A	W	kHz	Liquid Cooling		Inductor				LxWxH cm / kg	LxWxH cm / kg	
POWERDUCTION 110LG	400 V, 3~,50/60 Hz	16 mini	11 000	20→60	▪ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 66.5	59 x 80 x 60 / 86	15 kW
POWERDUCTION 110LG 208-240V	208-240 V, 3~, 50/60 Hz	35 mini	11 000	20→60	▪ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 78	59 x 80 x 60 / 90	15 kW
POWERDUCTION 160LG	400 V, 3~,50/60 Hz	32 mini	16 000	20→60	▪ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 128	80 x 61 x 120 / 140	22 kW
POWERDUCTION 160LG 208-240V	208-240 V, 3~,50/60 Hz	45 mini	16 000	20→60	▪ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 113.5	80 x 60 x 120 / 126	22 kW
POWERDUCTION 220LG	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	▪ 30 l	4	6	M45 → 3 s	4 mm → 3 s 8 mm → 9 s	Ø10 → 4 s	70 x 60 x 120 / 98	80 x 60 x 132 / 139	22 kW
POWERDUCTION 220LG 10M	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	▪ 30 l	4	**10**	M45 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 60 x 120 / 132.5	80 x 60 x 120 / 144.5	22 kW

SMALL Ø16
INDUCTORS

*= original equipment	S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B3W 067899
37 LG	✓*	✓				✓
39 & 50 LG	✓ with adapter **28S**					
110,160 & 220 LG	✓ with adapter **32S**					

	S20/D20 078796	S90/D20 078871	S180/D20 069985
Ø 20			
Ø 25	S20/D25 078802	S90/D25 078888	S180/D25 069992
Ø 30	S20/D30 078819	S90/D30 078895	S180/D30 070592
Ø 35	S20/D35 078826	S90/D35 078901	S180/D35 070608
Ø 40	S20/D40 078833	S90/D40 078918	S180/D40 070615
Ø 45	S20/D45 078840	S90/D45 078925	S180/D45 070622
Ø 50	S20/D50 078857	S90/D50 078932	S180/D50 070639
Ø 55	S20/D55 078864	S90/D55 078949	S180/D55 070646
37 LG	✓ S20/D20~D35, S90/D20~D35, S180/D20~D35		
39 & 50 LG	✓ with adapter **28S**		
110, 160 & 220 LG	✓ with adapter **32S**		

Protection kit for L180/D inductors
- Kit de protection pour inducteurs boucle
077386

	S180 HEAT TUBE D37 078604	S180 HEAT TUBE D40 078611	S180 HEAT TUBE D50 078628
39 & 50 LG	✓ with adapter **28S**		
110, 160 & 220 LG	✓ with adapter **32S**		

DIFFICULT ACCESS ADAPTERS

90°-S 082663	✓ compatible with **180/B1** ✓ compatible with **180/B2** ✓ compatible with **180/B3W**

ADAPTERS

28S M28 Ø16 064485	
32S M32 Ø16 064508	
39 & 50 LG	✓ **28S** M28 Ø16
110, 160 & 220 LG	✓ **32S** M32 Ø16

Boxes - Boîtes

28S/B type W
for 39LG & 50LG
072497
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
28S (x1)
B1 (x1)
B3 (x1)

32S/B type W
ffor 110LG, 160LG & 220LG
072503
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
32S (x1)
B1 (x1)
B3 (x1)

L box
065796
included :
L70 (x1)
L180 (x1)

Trolley for inductor for adapter 32L
Chariot pour inducteur pour adaptateur 32L
075955
4 to 8 wheels

Ferrites - Ferrites - Ferritaufsatz

B1 053823	B1 (x5) 079380	B2 053458	B3 067875	B4 053755	B5 079489	B1 056909	B1 (x5) 079397	B2 056916	B3 072527	B4 054844	Spiral 069701

Glue kit for inductor
Kit de colle pour inducteur
075948
Colle-Stick bi-composants
Power Epoxy 150°C
054851

LARGE Ø32
INDUCTORS

*= original equipment	L90 (90°) 059788	L70 (70°) 059771	L180 059795	L180/Spiral 065000	L20/B4 067882	L180/B4 079786	L20 Alu Glove 069114
39 & 50 LG	✓ with adapter **28L**						
110, 160 & 220 LG	✓ with adapter **32L***	✓ with adapter **32L**			✓ with adapter **32L***	✓ with adapter **32L**	✓ with adapter **32L**

	Pre-heating - Préchauffe	Heating - Chauffe	L20/D60 078956	L90/D60 079106	L180/D60 069923
Ø 60					
Ø 70			L20/D70 078963	L90/D70 079113	L180/D70 069930
Ø 80			L20/D80 078970	L90/D80 079120	L180/D80 069121
Ø 90			L20/D90 078987	L90/D90 079137	L180/D90 069947
Ø 100			L20/D100 078994	L90/D100 079144	L180/D100 069954
Ø 110		✓	L20/D110 079007	L90/D110 079151	L180/D110 069961
Ø 120			L20/D120 079014	L90/D120 079168	L180/D120 069978
Ø 130	✓		L20/D130 079021	L90/D130 079175	Production on request
Ø 140			L20/D140 079038	L90/D140 079182	
Ø 150			L20/D150 079045	L90/D150 079199	
Ø 160			L20/D160 079052	L90/D160 079205	
Ø 170		–	L20/D170 079069	L90/D170 079212	
Ø 180			L20/D180 079076	L90/D180 079229	
Ø 190			L20/D190 079083	L90/D190 079236	
Ø 200			L20/D200 079090	L90/D200 079243	
39 & 50 LG	✓ with adapter **28L**				
110, 160 & 220 LG	✓ with adapter **32L**				

Protection kit for L180/D inductors
- Kit de protection pour inducteurs boucle
077386

ADAPTERS

28L M28 Ø32 064492	**32L** M32 Ø32 064515
39 & 50 LG	✓ **28L** M28 Ø32
110, 160 & 220 LG	✓ **32L** M32 Ø32

Pre-heating & Fretting - Préchauffage et Frettage

> Ø 200 & < Ø 300	Production on request		
110, 160 & 220 LG	✓ with adapter **32L**		

Brasing - Brasage

*= original equipment	L90 BRAZ 16 Ø 1/2" / 16 mm 076907	L90 BRAZ 28 Ø 1" / 28 mm 076921	L180 BRAZ 16 Ø 1/2" / 16 mm 076914	L180 BRAZ 28 Ø 1" / 28 mm 076938
110, 160 & 220 LG	✓ with adapter **32L***			

Protection kit for BRAZ inductors
- Kit de protection pour inducteurs brasage
077515

Exchanger - Échangeur

L180R X
Production on request

110, 160 & 220 LG	✓ with adapter **32L**

COMPLETE Ø28 INDUCTORS

	C20/B1 056862	C180/B1 056879	C180/B2 056886
37 LG	–		
39 & 50 LG	✓*	✓	
110, 160 & 220 LG	–		

TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

	TROLLEY IW1	115
	MULTITOOL TRUCK	115

CAR LIFTS

	SPOT LIFT	116
NEW	QUICK LIFT / AIR JACKS	118
	ERGO LIFT	119
NEW	MANUAL DOOR LIFT / WHEEL LIFT	120



TRUCK TOOLS

TROLLEY IW1

Impact wrench trolley - Support de clé à choc

max 6.5 bar

max 20 kg

063136


Youtube


OPTIONS



Huile hydraulique - Hydraulic oil 1 l
053397











MULTITOOL TRUCK


SAFE EN 14238 + A1

max 200 kg


067158


SAFE
EN 14238 + A1





HEALTH CARE





INCLUDED



Lifting tool for brake caliper - Outil de levage pour étrier de frein - Hebewerkzeug für Bremssattel



Brake caliper



Lifting tool for battery - Outil de levage pour batterie - Hebewerkzeug für Batterie



Truck batteries



Lifting tool for wheels - Outil de levage pour roues - Hebewerkzeug für Räder




MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar	SAFE EN 1494
max 2.2 t	

064843








SAFE EN 1494

Youtube

OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1 L
053397




Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236




AUTO ROLL




min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)



AUTO ROLL 1.0 m / 1.2 t
059047




AUTO ROLL 1.55 m / 1.2 t
063839






AFTER LIFT AUTO ROLL





067967

Included



45 Kg


WHEEL TROLLEYS - Tabourets de manutention - Radhocker

048768



MECHANICAL LIFTING JACKS - Chariots de manutention prise sous roue - Kfz-Montagelift, fahrbar


071995



SPOT LIFT PRO


max Air 8 bar	SAFE EN 1494
max 2.2 t	

053557





Youtube



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW




048751

Pads - Patins
for Audi & BMW
(x 2)
053717



Ramps - Rampes
700 x 200 x 80 mm
(x 2)
056787



SPOT LIFT PRO MOB

max Air 8 bar	SAFE EN 1494
max 2.2 t	

055896

Youtube





OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW




061248

Patins - Pads
for Audi & BMW
(x 2)
061606



Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787



QUICK LIFT L520E


062184



Included
Hydraulic oil 5 L - Huile hydraulique 5 L
062160




Youtube




Pads - Patins
Included (x 8)

SAFE EN 1493

2.5 t max









Made in China

OPTIONS

Extensions 1680 mm x 2
066328



x4 Patins à rainures
071933



Pads for SUV x4 - Patins pour SUV x 4
065017



Wall mount - Support mural
071926



AIR JACKS


DOUBLE BAG AIR JACK
082878

Pressure : 8 bar (116 PSI)
Weight 12 kg



SAFE EN 1494

12 kg
LIGHT & COMPACT



NEW 06/2024


TRIPLE BAG AIR JACK
082885

Pressure : 8 bar (116 PSI)
Weight 14 kg



SAFE EN 1494

14 kg
LIGHT & COMPACT




NEW 06/2024

ERGO LIFT 1000 ROLL

Air 7-8 bars


SAFE EN 1493


max 2.5 t












OPTIONS


Pads for SUV x4
- Patins pour SUV x 4
065017



Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717

Capacity : max 3.5 t







Pack ERGO LIFT 1000 ROLL + wheels

076792



Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984




MANUAL DOOR LIFT

Manufactured by GYS = SUPER PRO


Ergonomic door handling trolley
- Support Pro ergonomique de manutention de portière
- Ergonomische Türhandhabungsunterstützung
082670





Option


Wide door accessory
- Accessoire pour portière large
- breites Türzubehör
082700



MANUAL WHEEL LIFT

Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385

Manufactured by GYS = SUPER PRO












+

ACCESSORIES

WELDING HELMETS	122
FUME EXTRACTION	125
WINDSCREEN REPAIR	126
BUMPER REPAIR	128
HAND TOOLS	130
PNEUMATIC TOOLS	134
WORKING LIGHTS	136
SANDING & DUST EXTRACTION	138
WORKING SUPPORTS	140
ELECTRIC VEHICLES	144
SAFETY PROTECTION	146


HELMETS
TECHNOLOGIES

Teinte initale - Initial shade



Classic | **ULTRA CLEAR**

Spectre de couleur - Spectrum view



Classic | **TRUECOLOR**

Classification - X=/X=/X=/X=

1/1/1/1 = PERFECT QUALITY

(1) Optical quality (distortion). **(2)** Light diffusion (contrast). **(3)** Variation of light transmission (homogeneities of the dark shade). **(4)** Angular light (diagonal light ray filter).

(1) Qualité optique (distorsion). **(2)** Diffusion de la lumière (contraste). **(3)** Variation de la transmission lumineuse(homogénéités de la teinte foncée). **(4)** Lumière angulaire (filtre de rayons lumineux diagonaux).

Headgear - Serre-tête



Simple | Multi | **Multi Pro** | **Multi Premium**

Comfortable back

WELDING HELMETS
9-13

IDEAL



GYSMATIC 9-13 G
043909

100 x 60 mm | 0.08 ms

GRIND | ☼+▮ | ((o)) ×4 | TRUECOLOR

WELDING HELMETS
5-9/9-13



Multi Premium

ALIEN XXL + GYSMATIC AUTO PRO
COMING SOON
068698

100 x 93 mm

0.08 ms

GRIND | ☼+▮ | ((o)) ×4

CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR

Body repair recommanded



Multi Premium



GYSMATIC AUTO PRO
082809



100 x 93 mm

0.08 ms

GRIND | ☼+▮ | ((o)) ×4

CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR



DIGITAL | **MEMORY & REGULATIONS ELECTRONIC**



Multi Pro

GYSMATIC 5-13 G XXL
037236

100 x 93 mm

0.04 ms

GRIND | ☼+▮ | ((o)) ×5

ULTRA CLEAR 2 | DIGITAL | TRUECOLOR

PANORAMIC

Fixed shade 5 | 4-5-9/9-13 Adjustable | Fixed shade 5





APOLLO + 3/5-13 G
068681

100 x 67 mm

0.08 ms

GRIND | ☼+▮ | ((o)) ×4 | PANORAMIC

CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR



Multi Premium

Shade 3-10 | 3-4-8/8-12 Adjustable | Shade 3-10





PANORAMIC 3XL
037281

114 x 85 mm

0.04 ms

GRIND | ☼+▮ | ULTRA CLEAR 3 | CLASS 1/1/1/1

PANORAMIC | ((o)) ×4 | ULTRA CLEAR 3 | TRUECOLOR

OPTIONS



Carry bag
for helmet welding
- Sac pour masque de soudage
043299




066656






Antiperspirant-headband
- Bandeau anti-transpiration
043466
for Multi Premium, Multi Premium Pro, Multi, Simple
062627
for Multi Pro
070844
for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL





Magnifying glass - Loupe
for Zeus, Ergotech & Alien True Color
x1
zoom x2
042780
zoom x3
064140

LENSES
- Verres
- Schutzgläser



114 x 133 (x10)	043893	G : 106 x 66 (x10)	043886													
114 x 133 (x10)	043893	104 x 96 (x5)	043596	**GYSMATIC ALIEN XXL + GYSMATIC AUTO PRO** COMING SOON	**3** - 5>9 / 9>13	■	0.08 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	☼ + 2 ▮ (CR 2032)	**Multi Premium**	540 g	Gys
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825	**GYSMATIC 5-13 G XXL**	2 - 4>9 / 9>12	■	0.04 ms	✓	0.06 > 1.2 s	1/1/1/2	5 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	☼ + 2 ▮ (CR 2032)	**Multi Pro**	550 g	Gys
114 x 133 (x10)	043893	103.7 x 69.5 (x5)	077102	**APOLLO + 3/5-13 G**	**3** - 5>9 / 9>13 + 2x : 5	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XL : 100x67 + 2x103.7x69.5 mm	■	✓	☼ + 2 ▮ (CR 2032)	**Multi Premium**	585 g	Gys
390 x 150 (x3)	037311	special kit (x1)	037304	**PANORAMIC 3XL**	**3** - 4>8 / 8>12 + 2x : 3>10	■	0.04 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	114x85 + 2x(68x80) mm	■	✓	☼ +2 ▮ (CR 2045)	Multi	610 g	Gys

HELMETS
VENTILATED

IDEAL





DIGITAL

MEMORY &
REGULATIONS
ELECTRONIC



GYSMATIC 3/9-13 G AIR
065727
: 069602

100 x 60 mm
0.08 ms

GRIND | ×4 | ULTRA CLEAR 3 | TRUECOLOR

GYSMATIC 5-13 G AIR XXL
047846
: 028852

100 x 83 mm
0.1 ms

GRIND | ×4 | CLASS 1/1/1/1 | DIGITAL | TRUECOLOR



included with
GYSMATIC 5/13 G
AIR XXL

Filtration class EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min
Battery included

OPTION Filter TH3
065734



Battery charger
037472
: 028869



Battery included
037465




x1
038424



x5
038417

LENSES
- Verres
- Schutzgläser



114 x 133 043893 (x10)	G : 106 x 66 043886 (x10)	GYSMATIC 3/9-13 G AIR	3 - 9>13	■	0.08 ms	✓	0.10>0.90 s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	☼ + 2 (CR 2450)	Simple	28 × 25 × 28 / 1230	Gys
114 x 133 043893 (x10)	106 x 89,5 046825 (x10)	GYSMATIC 5-13 G AIR XXL	4 - 5>9 / 9>13	■	0.10 ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x83 mm	■	✓	☼ + 2 (CR 2450)	Multi Pro	27 × 25 × 28 / 1000	Gys

FUME EXTRACTION SYSTEMS - Aspirateurs de fumée - Rauchgasabsauggerät

UNI 2.0 RE

- 400 V 3 ~
- 50 Hz
- 1 100 W
- 1 500 m³/h max
- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s

122 x 67 x 145 cm / 111.5 kg

061545



EVO 2.1 RE

- 230 V 1 ~
- 50 Hz
- 1 100 W
- 1 200 m³/h max
- occasionnal
- arm 3 m
- included
- 85 kg

96 x 95 x 162 cm / 114 kg

061552

Patented - Breveté



Included
Pré filtre, treillis Aluminium
Class of filtration G3 EN 779
+ Filtre - Coal Filter EPA E12 EN 779, Filtration >99.5 %

046467

Options

Filtre à charbon actif - Coal filter
✓ UNI 2.0 RE

064522

Extraction flexible
10 m, Ø 152 mm
✓ UNI 2.0 RE
✓ EVO 2.1 RE

062139



Included
Pré filtre, treillis Aluminium
Class of filtration F15 G2 EN 779
+ Filtre - Coal Filter HEPA H13 EN 779, Filtration >99.95%

046498

FUME EXTRACTION TORCHES - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos





Steel/Stainless steel - Acier/Inox - Stahl/Edelstahl	AIR			LIQUID
	150 A	250 A	350 A	500 A
original equipment	M6	M6	M8	M8
	Ø 0.8	Ø 1.0	Ø 1.2	Ø 1.2
X % 40°C - $ArCo_2$	150A - 60%	200A - 60%	290A - 60%	380A-100%
GRIP	GRIP	GRIP	GRIP	GRIP
L	3 m	3 m	4 m	4 m
Ref.	043251	040540	040557	040564

BINZEL



For fume Extraction Torches - Pour torches aspirantes

BINZEL

073715




- 230 V / 1 ~ , 1 100 W
- 230 m³/h max
- 190 mbar max
- 25 kg, 590 x 425 x 825 mm
- 76 db
- Filter auto cleaning system - Système de nettoyage automatique du filtre - Automatische Filterabreinigung

Filtre Classe M, EN 60335-2-69

included :
5 m, Ø50



- External evacuation Ø50 (hose not included) - Évacuation extérieure Ø50 (tuyau non inclus)



PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare–brise - Frontscheiben-Trennsystem für Akkuschrauberbetrieb

MADE IN HIGH QUALITY GERMANY



057654

included
Axe enrouleur
068100



included
65 m
resistance 170 kg
Ø 0.79 mm
058125



optional
65 m
resistance 190 kg
Ø 0.92 mm
069275





OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare–brise - Druckluft-Trennmesser für Windschutzscheiben

057623





Included
57 mm
057845

90 mm
057852



8 mm
057876



35 mm
057838



U
36 mm
057869

REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie–glace - Wischerarm-Abzieher

UNIVERSEL
057630





30 mm
max

EXPERT

Accès difficile
- Difficult access
057647






40 mm
max

SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser


056695



Ø 70 mm








051966



x2

x 6
057609





COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack


1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse

052086




2 SPEED





052055



052062



052079

sander Ø75
057494





polisher Ø75
058224

Ø 76
P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)





P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048


WINDSHIELD CUTTING KIT - Système de découpe pare–brise à cliquet - Set zum Lösen von Windschutzscheiben

054738



DASHBOARD PROTECTOR - Protections tableau de bord - Armaturenbrett Schutz

053120



45 cm

27 cm

45 cm

27 cm

WINDSHIELD CUTTING TOOL - Outil découpe pare–brise - Windschutzscheiben Demontage-Set

051935



WINDSCREEN JOINT–CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898





Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedrillt, 22 m Rolle

051911



Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
-Vierkant-Draht, 50 m Rolle

051881

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare–chocs - Stoßstangen Reparatur Kit

052925



INCLUDED :
x20 x20 x20 x20 x20



MADE IN TAIWAN





PORTABLE
Battery operated - Sur batterie
058118



included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN



INCLUDED :
Ø 0.6, x100 Ø 0.8, x100



Staples - Agrafes



V	U	N	W	M
Inside corner - Angle interne étroit Ø 0.7 mm	Crack alignment - Alignement de fissure Ø 0.7 mm	Large crack - Fissure importante Ø 0.7 mm	Internal angle - Angle interne Ø 0.7 mm	External angle - Angle externe Ø 0.7 mm
x 100 047990	x 100 047983	x 100 047976	x 100 047969	x 100 047952
052413 =	x 50 +	x 50 +	x 50 +	x 50 +	x 50

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger



PRO +
059139

Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm



FREEZER


Freezer spray
- Spray refroidisseur

-50 °C
400 ml

(x 12)
048898



TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs




076518



HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset



320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072



Ø 5 mm 066694
Ø 8 mm 066700

Youtube

plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		▬ 6 mm	x 10	067622
		▬ 8 mm	x 10	066298
	ABS	▲ 4 mm	x 10	071322
		▬ 8 mm	x 10	071339

	Station	PP/EPDM 4mm (x10)	PP/EPDM 6mm (x10)	PP/EPDM 8mm (x10)	Pressure wheels	Mini milling machine	Scraper
064072	✓						
070974	✓						



Scraper - Grattoir
068032



Pressure wheels
- Roulette de compression
058231

Tungsten drill
Ø 5 mm
included
063235



Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/mn
1.3 kg / Ø100 x 300mm,
poignée Ø 56mm.

057678



3m





Options




MULTI–CLIP PLIER - Pince multi-clip

083813



BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set

052932 =





WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

å 64 kg
Capacity 320 kg



Complete carbody workstation
080119



Workstation only
076143

included




HAND CHISEL FOR CAR BODY
- Burins
- Meißel für Karosserie



SET OF 3 SCRAPING KNIFES
- Couteaux racloirs



SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel



SET OF 3 CHISELS - Lot de 3 burins de séparation éléments collés - 3 Meißel



SET OF 30 TOOLS FOR SCRAPING/SANDING AND PAINT REMOVAL - Outils de dégarnissage et raclage - Polster & Schaber Kit



HAND TOOLS - Ausbeulwerkzeug



PLANISHING HAMMER BLACKTEC®



ALU HAMMERS
- Marteaux alu



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4 DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit



SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu - Karosseriehammer & Handfaust Kit





FORMING TOOLS - Outils de forme - Formgebungswerkzeuge



BODYWORK BUMPING MALLET - Maillet souple caoutchouc - Karosserie-Schlaghammer




CONTOUR GAUGES - Jauges de profil - Kontourenlehre

052840





057265



LIP PLIER - Pince à lèvres - Falzzange gebogen

079649





DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102



DOOR ALIGNING TOOL - Outil d'alignement de portière - Türausrichtungswerkzeug


NEW


083424



GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre


x2
054752





FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue - Kotflügelrollen-Werkzeugsatz

060791



MULTI–CLIP PLIER - Pince multi-clip

083813

NEW

DURABLE HIGH-CARBON STEEL



BURR REMOVER - Outil d'ébavurage - Gratentferner

079854



BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



SET OF PLIER + 10 STAPLES - Coffret pinces à agrafes

082175






0 - 2.5 mm (x10)
082182



2,5 - 5 mm (x 10)
082199


POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)




TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles

(x10)
Ø 2,4 mm
069664



(x10)
Ø 4,0 mm
069671



(x10)
Ø 4,8 mm
069688




(x10)
Ø 6,4 mm
069695



MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)




MICRO-WELDING CLAMPS - Micro-brides de soudage

079373
(x4)




FLAT NOSE LOCK-GRIP PLIERS - Pinces étau à bec plat

062719



AXIAL-GRIP PLIERS - Pinces axiales

050242




LOCK-GRIP PLIERS - Pinces étau mono serrage

280 mm
061378




610 mm
061354




460 mm
061361




Flat noze - 610 mm
061347



Flat noze - 460 mm
050112



KIT :
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829







Included
(x1)
052468

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248






Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
15000	84	91	6.2	10	0.6



MINI-FLEXIDISC LAMELLES ZIRCON
Ø 50 mm
K 40 (x10) 058255
K 60 (x10) 058262
K 80 (x10) 058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906




Grain 60 (x 5) 060913
Grain 80 (x 5) 060920
Grain 100 (x 5) 060937
Grain 36 céramique (x 5) 062535

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16 000	171	6.3	34	1.2

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819



Grain 80 (x 10) 052833
Grain 36 céramique (x 20) 062528

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16000	171	6.3	26	0.9

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753




± 1.6 mm, x5 057883
± 0.8 mm, x5 058217

Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867





(x1) 052772

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
15000	200	86	85	6.2	18	0.75


SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile



051805

(x5) 052789






included 058750

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
5000	—	85	255	6.2	10	0.8

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer

063228



Option
Tungsten drill Ø 6 mm
054172

LASER CORD METAL SHEET CUTTER (NIBBLER)
- Dépointeuse pour cordon laser ACIER
- Trennwerkzeug für Lasernähte



054165


Ø 6 mm

STEEL
Included
054172


PUNCHING TOOL FOR OVAL HOLES
- Outil de poinçonnage oblongs
- Langlochkarosserieblechzange



2.2 kg



052437



067264

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775





Roue gomme
115 x 14 mm
051874



Roue à décaper
115 x 14 mm
051843



Adaptateur pour brosse
051768



Brosse souple
Brins droits
0.5 mm
103 x 23 mm
052598



Brosse dure
Brins incurvés
0.7 mm
103 x 23 mm
051812




Brosse souple
Brins incurvés
0.5 mm
103 x 23 mm
051850


Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
4000	500	86	102	6.2	280	1.2


PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouer, pneumatique - Pneumatische Loch- und Absatzzange

079892



052543





BODY ZIPPER - Sertisseuse pneumatique Pneumatic Crimper - Druckluftkantenformer


056930



Air pressure		
bar	cm	kg
5	28	2.1

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL
050464





Youtube

Ø 8

Included :
Tungsten Carbide Ø 8 for BORON/UHSS (x1)

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	400	85	140	6.5	35	2.3

Spot remover drill - Forets de dépointage - Schweißpunktfräse
Tungsten Carbide for BORON/UHSS

3-edge	Ø 8 mm 053069	Ø 9 mm 069763	Ø 10 mm 053076
4-edge Efficiency ++ Durability ++	Ø 8 mm 059849	Ø 9 mm 069770	

PACK SPOT DRILL + 140 mm

061460



3-edge Ø 8 mm 053069
140 mm 061453

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836



Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	500	81	85	6.2	18	0.7

AUTOMATIC MANDREL DRILL - Perceuse mandrin automatique - Druckluftbohrmaschine m. Schnellspannfutter

051799



Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	300	92	170	6.2	18	0.9

HAND LAMPS - Lampes baladeuses - Handleuche

PORTABLE HAND LAMP 400 L

400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

7 x 4 x 23 cm / 0.3 kg
14 x 7 x 24 cm / 0.5 kg

059153



PRO PORTABLE LAMP 600 L

250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time :
High position : 1.5 h,
Mid position : 4.5 h,
Top light (100 lumens) : 10 h

IP 54
3 x 6 x 19 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg

060883



INSPECTION LAMPS - Lampes d'inspection - Inspektionslampen

INSPECTION HEADTORCH 280 L

100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65
8 x 5 x 4 cm / 0.1 kg
5 x 11 x 18 cm / 0.2 kg

060845



360° PORTABLE WORKSPACE LAMP 1000 L

60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

IP 54
26 x 7 x 7 cm / 0.5 kg
8 x 8 x 35 cm / 0.7 kg

059764



MINI INSPECTION LAMP 200 L

120-200 lumens

COB LED, 80 CRI, 6500 K
3.7 V - 700 mAh Li-ion
micro USB charging (2.5 h)
mains charger not included
operating time
High position : 1.5 h
Low position : 4 h
Top light : 3.5 h
IP 20
18 x 3 x 3 cm / 0.1 kg
18 x 5 x 3 cm / 0.2 kg

060852



MINI INSPECTION LAMP 350 L

0-350 lumens


Aluminium Body

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)

operating time
3 > 6.5 h

IP 20

075894



PRO INSPECTION LAMP 800 L

120-800 lumens


Aluminium Body

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)

operating time
2.5 > 9 h

IP 54

075900



LED WORKLIGHTS WITH TRIPOD - Projecteurs led sur trépied - LED-Arbeitsleuchte mit Standfuß


TRIPOD LAMP 1800 L

1800 lumens

3× 55 COB LED
total 165 LED
1.8 m power cord

059146

95 x 15 x 14 cm / 3.2 kg



TRIPOD LAMP 3000 L

3000 lumens

35 W COB LED
2 m power cord
IP 44

059979

100 x 20 x 9 cm / 3.6 kg
103 x 22 x 10 cm / 4.1 kg




TRIPOD LAMP 4000 L

4000 lumens

3× 20 COB LED,
total 60 LED
3 m
power cord

059986

21 x 15 x 114 cm / 5.7 kg
22 x 116 x 117 cm / 6.4 kg



UNDER BONNET LAMPS - Lampes sous capot - Leuchte für Motorhaube

UNDER BONNET HAND LAMP 600 L


500-1000 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 4 h
Low position : 8 h

22 x 11 x 68 cm / 1.8 kg
24 x 12 x 70 cm / 2.3 kg

059962



UNDER BONNET LAMP AND TRIPOD 800 L


250-800 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h


60 x 10 x 7 cm / 1.2 kg
61 x 15 x 12 cm / 2 kg

058002



DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung





4500 K
400 lumens

SUNCOLOR 1
COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
USB charging
operating time : 3 h
6 x 3 x 19 cm / 0.6 kg
22 x 14 x 10 cm / 0.7 kg
IP 65

058477



3 COLORS
2700 - 4500 - 6500 K
350-420-450 lumens

SUNCOLOR 3
COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time : 2.5/4 h
IP 65
4 x 6 x 9 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg


060838



5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K
500-1000-2000 lumens

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
7 x 23 x 20 cm / 1.2 kg
9 x 25 x 24 cm / 1.9 kg

060876



5 COLORS
2500-3500-4500-5500-6500 K
50-200-500 lumens

SUNMATCH 4
COB LED, 96 CRI +, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
4 x 6 x 19 cm / 0.3 kg
8 x 9 x 21 cm / 0.5 kg

061651

SCANGRIP COLOUR MATCH



UV CURING - SÉCHAGE UV
UV LED λ 395-400 nm
Irradiance 6-15 mW/cm²

NOVA-UV S
3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
charging time : 3.5 h
curing area : Ø 20 cm
operating time 1.5 h
IP 67
7 x 17 x 16 cm / 0.9 kg
7 x 17 x 18 cm / 1 kg

061620



SCANGRIP

FILM COATING THICKNESS GAUGE
- Détecteur épaisseur de peinture


059856

Measurement range : 0 – 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm



4 MAGNETIC PANEL EDGE PROTECTIONS
- 4 protections magnétiques de ponçage pour bord de panneau

082793





ELECTRIC SANDER & POLISHER
- Ponçeuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
27 x 15 x 10 cm / 1.5 kg
37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Light weight
& Compact
((No vibration))





Manual
or
automatic

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/mn
Drum capacity : 30 L
Drum material :
stainless steel

33 x 33 x 63 cm / 4.9 kg
38 x 38 x 67 cm / 7.8 kg



4m
Input Ø 32 mm
Mains cable length 4.5m

GYSDUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander

INNOVATIVE SUCTION SYSTEM

BREVET GYS
GYS PATENT

Depression 1150 mm H2O
Air flow 600 l/min
Air consumption 340 l/min

Adjustable sander pressure - Pression ponçeuse ajustable
5 bar max

49 x 48 x 88 cm / 21.5 kg
81 x 40 x 49 cm / 24.1 kg

ATEX norm
Group II - Category 3

EN 60335-2-69 : 2012

- ROBUST
- QUICK & SAFE
- LOW AIR CONSUMPTION (5 bar)
- NO ELECTRIC MOTOR
- ENERGY SAVING

PRO



Option : 5m Ø 29 mm **083165**

Option : 10m Ø 29 mm **076013**



Included
Earth clamp
safety



Sanding discs box*
- Rangement pour disques de ponçage*
* discs box not included - disques de ponçage non inclus


Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Maintenance free
- Aucune maintenance



Consumables



Sac à poussieres -
Filter bag
Capacity 5 kg

Included x1

x 5
058880



Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV

Ø 150 mm

071346

2 MODELS

GYSDUST EXTRACTOR

MANUAL

Manual start
- Démarrage manuel

071353



GYSDUST SELF EXTRACTOR

BREVET GYS
GYS PATENT

AUTOMATIC


Automatic start
- Démarrage automatique

077058



ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments - Ergonomische Pro-Unterstützung für Malelemente

082656



FRAMES SUPPORT - Tréteaux - Klappböcke



040601
105 x 33 x 9 cm / 6.3 kg
107 x 35 x 10 cm / 6.7 kg



040250
100 x 105 cm - 7.1 kg
104 x 10 x 32 cm / 7.5 kg



083875
14.4 kg
108 x 9 x 47 cm / 16.5 kg





040311
106 x 31 x 6 cm / 6.6 kg
106 x 31 x 11 cm / 9.7 kg

Suction pad for glazing
- 4 ventouses
Dépose vitrages
- Gummiteller zur Fixierung von Glasscheiben



040304
105 x 109 cm / 7.2 kg
107 x 32 x 10 cm / 7.8 kg

Light and easy to handle
Ideal for horizontal works
- Léger et très maniable
Spécial travaux à l'horizontal
- Speziell geeignet für Arbeiten in horizontaler Position

ROTARY ELEMENT SUPPORT - Support pare-chocs - Lackierständer für Stoßstange, einstellbar

052376
50 x 70 x 10 cm / 7.3 kg
60 x 77 x 12 cm / 8.3 kg



Adapted to wing mirror covers -
Adapté aux coques de rétroviseurs
- Geeignet für Außenspiegel

TELESCOPIC FRAMES SUPPORT - Tréteaux téléscopiques - Teleskopböcke

070677
29 kg





070677
16.5 kg

MADE IN HIGH QUALITY POLAND



ROTARY ELEMENT SUPPORT - Support élément rotatif - Lackierständer für Stoßstange, einstellbar




052611
200 x 101 cm - 19 kg
112 x 35 x 13 cm / 23 kg
Made in China

PRO
056725
200 x 105 x 81 cm - 21.5 kg
120 x 26 x 18 cm / 22 kg

MADE IN HIGH QUALITY POLAND

WHEELS PAINTING SUPPORT - Support de peinture pour 2 jantes - Lackträger für 2 Felgen

082168
83 x 45 x 35 cm / 25 kg



MASKING MACHINE - Chariot de marouflage - Abdeckpapier-Ständer

083905
132 x 95 x 91 cm / 35 kg
109 x 92 x 27.5 cm / 37 kg

NEW



x 4 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60,100, 100 cm



PREMIUM MASKING MACHINE - Chariot de luxe marouflage - Abdeckpapier-Ständer


057333
150 x 133 x 62 cm / 31 kg
152 x 30 x 18 cm / 31.5 kg



x 5 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30 > 120 cm



OPTION



MADE IN HIGH QUALITY POLAND

MASKING MACHINE - Chariot de marouflage - Abdeckpapier-Ständer

056954
150 x 62 x 110 cm / 11 kg
154 x 30 x 19 cm / 12 kg



x 3 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60, 90 cm





STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen


059825



106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen

059832



50 x 150 cm
/ 11.3 kg
155 x 18 x 12 cm
/ 13.8 kg

STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen

040243

71 x 90
x 197cm
/ 41 kg

x2 :
90 x 6
x 147 cm
+ 97 x 74
x 24 cm



UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer

083868
56 kg
102 x 72 x 27 cm / 59 kg

NEW





FOLDING STEP STOOL - Marche pied (Aluminium) - Arbeitspodest klappbar


080041
7.3 kg
100 x 39.5 x 19 cm / 8.1 kg

ALU
150 kg max




057562
7.9 kg
102 x 39 x 19 cm / 8.5 kg

ALU
150 kg max



058552
113 x 41 x 16 cm / 16 kg
117 x 42 x 17 cm / 17 kg

ALU
150 kg max




MOBILE RACK FOR CAR BODY REPAIR - Rack mobile pour éléments de carrosserie

082472
128 x 30 x 15 cm / 20 kg
18.8 kg


NEW

150 kg max



FLAP LOCK - Tiges de blocage

056732





ROUND STOOL WITH TOOL STORAGE - Tabouret - Werkstatt-Rollhocker

057555
38 x 38 x 44 cm - 5.2 kg
41 x 19 x 41 cm / 5.6 kg



ROUND STOOL WITH STORAGE - Tabouret d'atelier 3 tirroirs

079878
47 x 35 x 43 cm
38.5 x 37 x 38.5 cm - 13 kg



MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege

057548
102 x 43 x 11 cm / 5.3 kg
104 x 45 x 13 cm / 6 kg



2 IN 1 MECHANICS CREEPER - Chariot de visite 2 en 1 - Werkstatt-Rollliege

079861
102 x 40 x 14 cm
40 x 13 x 63 cm - 7,6 kg



WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

076143
64 kg
Capacity 320 kg



MOBILE WORKSTATION - Table de travail mobile

079465
120 x 82 x 18 cm / 40.3 kg

100 kg max



WORKSTATION 3 SHELVES - Servante 3 plateaux


068056
77 x 53 x 21 cm / 18.2 kg



1T MOBILE LIFTING TABLE WITH HYDROPNEUMATIC PUMP - Table élévatrice mobile 1 tonne avec pompe hydropneumatique - Mobiler 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe


083912
Weight : 385 kg






Hydropneumatic pump
- Pompe hydropneumatique

110 s
30 s
6-8 bar



1.2T LIFTING TABLE FOR ELECTRIC VEHICLE BATTERIES - Table de levage 1.2T pour batteries de véhicule électrique - 1,2T Hubtisch für Elektrofahrzeugbatterien

083929
Weight : 760 kg





230 V ~1 phase
50 Hz

FAST : **45 s**
PRECISE : **170 s**
40 s



EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES - Équipements pour opérations sur véhicules électriques & hybrides - Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018



INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025



25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V - Box mit 25 isolierten Werkzeugen 1000V
066489

7/8/10/12/14/15/17/19/22 mm sockets - Douilles 7/8/10/12/14/15/17/19/22 mm	x 9
175 mm universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cluqiet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Open ended wrenches 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
Philips PhH1x100/PhH2x100 mm screwdriver - Tournevis Philips PhH1x100/PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2



Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "*Danger, working area EHV*" - Pancarte de signalisation "*Danger, zone de travail VEH*"	x 2



TROUSERS - Pantalon - Hose



EN ISO 11612 A1+A2-B1-C1-E3-F1
EN ISO 11611 Class 2-A1 & A2
IEC 61482-2 Class 1-4kA
EN 1149-5
EN 14404 +A1 Type 2

98% cotton, 2% antistatic

S (40/42) 046368
M (44/46) 046375
L (48/50) 046382
XL (52/54) 046399
XXL (56/58) 046412

JACKET - Veste - Jacke




IEC 61482-2 Class 1-4kA
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 14404 +A1 Type 2
EN ISO 11611 Class 2-A1 & A2
EN 1149-5


98% cotton, 2% antistatic

S (40/42)	046313
M (44/46)	046320
L (48/50)	046337
XL (52/54)	046344
XXL (56/58)	046351

HEAT COVER - Couverture anti-chaleur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495



PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204



PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595



PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

SET OF 2 MAGNETS
- Jeu de 2 aimants
- Schweißmagnet



(x2)
052291

MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke




1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.O
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470



OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias





FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



Étui / Case
037045



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038

PROTECTION GOGGLES
- Lunettes de protection - Schutzbrillen

EN 166



Shade/IR0
042810



Shade/IR0
042827



Shade/IR5
042841



Shade/IR0
047778



Shade/IR0
047792



Shade/IR0
042865



Shade/IR0
047839

GLOVES - Gants - Handschuhe - Guantes



Anti-cut
- Anti coupure
T9
045897

EN388
4342



✓ touch screen friendly
- écran tactile
High resistance anti-cut
Anti coupure haute résistance
EN 420
EN 388:4121
T9 : **045910**
T10 : **045927**



High dexterity anti-cut
- Anti coupure haute dextérité
EN 420
EN 388:1121
T9 : **045903**
T10 : **045934**



T10
064188

EN420
2003

Ultra Flexible

EN388
2003



EN388
4244

EN 407
424X4X
EN12477
Class : A1

Heavy Duty T10
(MMA - MIG - Plasma)
045101



EN388
2122

EN 407
322X2X
EN12477
Class : A1

Gants PRO TIG
T10
045194



EN388
4244

EN 407
424X4X
EN12477
Class : A1

Reinforced welding gloves
- Gants de soudage renforcés
T10
045873



EN388
2011XX

EN 407
41313X
EN12477-B
EN 420

Gants PRO TIG EXTRA
T10
045323

MULTI-USE LEATHER APRON
- Tablier cuir multi-usage
- Delantal de cuero multi-uso
- Mehrzweck-Lederschürze



PRO
045217

GYS

★★★★★ THEY TRUST US ★★★★★

ILS NOUS FONT CONFIANCE

VOLKSWAGEN GROUP
LAND ROVER
JAGUAR
MERCEDES
smart
TESLA APPROVED EQUIPMENT
EICHER
NIO
Li Auto
ZEEKR
LYNK&CO
TATA
GM
BYD

INVEST IN THE FUTURE

French manufacturer
since 1964

2024B

Collision Repair

Solutions Réparation Carrosserie
Karosseriereparatur
Attrezzature Riparazione Carrozzerie
Reparación de Carrocería

LinkedIn
Youtube
WeChat
Facebook
Instagram

www.gys.fr

GYS FRANCE

HEADQUARTERS

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France

Tel +33 2 43 01 23 60
E-mail service.client@gys.fr

ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

LOGISTIC CENTER

2 Rue Jean Dausset
53810 Changé - France

Tel +33 2 43 01 54 33

GYS GERMANY

Professor-Wieler
Straße 11
52070 Aachen
Deutschland

Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom

Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS ITALIA

Via Porta Est, 7
30020 Marcon - VE
Italia

Tel +39 041 53 21 565
E.mail italia@gys.fr

GYS IBÉRICA

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España

Tel +34 917 409 790
E.mail iberica@gys.fr

GYS CHINA

Lot N°15
6666 bd Songze
201706 Qingpu
Shanghai
China


Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

MARKETING

Display stand
- Podium de présentation
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211





Flag - Oriflamme
3 x 0,50 m
098015



Barnum
3 x 3 m
098022



Open barnum
2 x 2 m
098039



Retail display space with 2 shelves
- Linéaire de vente avec 2 étagères
- Lochwandregal mit 2 Böden (machines not included)
060784

Distributed by

095113 • To report errors in the catalog, contact: catalogues@gys.fr. Document not contractual. GYS reserves the right to modify the specifications of the machines without prior notice. • Pour signaler des erreurs dans le catalogue, contactez : catalogues@gys.fr. Document non contractuel. GYS se réserve le droit de modifier sans préavis les spécifications de ses appareils. • Irrtümer und Änderungen vorbehalten. • I.P. - 317 g - printed on April 2024