



INVEST IN THE FUTURE

COLLISION REPAIR



SPOT WELDING - DENT PULLING - MIG-MAG/GMAW-FCAW - PLASMA CUTTING
INDUCTION - RIVETING - LIFTING - BODYSHOP TOOLS

2026

A solid
manufacturing
group

900 people

C1+
Credit Rating
Banque de France

€ 140 000 000

55 000 m²
2 factories



FRENCH MANUFACTURER
SINCE 1964

A family
company



Nicolas & Bruno
Bouygues



Global coverage
125 countries

5 catalogues
3 500+ references




MMA/SMAW
TIG/GTAW
MIG-MAG/
GMAW-FCAW
Plasma cutting
Stud welding
Spot welding
Accessories
Protection
Consumables



Spot welding
Dent pulling
MIG-MAG/
GMAW-FCAW
Plasma cutting
Induction heating
Riveting
Lifting
Bodyshop tools



Chargers
Battery support units
Boosters
Starters
Testers
Portable energy
Jumper cables
EV charging
Accessories



Releasing
Straightening
Shrink-fitting
Bending
Brazing
Quenching
Annealing



MMA/SMAW
TIG/GTAW
MIG-MAG/
GMAW-FCAW
Plasma cutting
Charge



GYS FRANCE - HEADQUARTERS
Laval

**GYS LOGISTIC
CENTER**
Laval



GYS GERMANY
Aachen



GYS U.K.
Rugby



GYS CHINA
Shanghai



GYS ITALIA
Venezia



GYS IBERICA
Madrid

Table of contents

DENT PULLING 5 > 35

GLUE PULLING REPAIR & PDR 36 > 39

PULLING SYSTEMS 40 > 51

RESISTANCE SPOT WELDING 52 > 69

RIVETING 70 > 81

MIG/MAG WELDING 82 > 93

PLASMA CUTTING 94 > 97

INDUCTION HEATING 98 > 105

TRUCK TOOLS & MOBILE LIFTS 106 > 112


ACCESSORIES 113 > 139



MANUFACTURER
SINCE 1964

★★★★★ **THEY TRUST US** ★★★★★

ILS NOUS FONT CONFIANCE



DENT PULLING

STEEL / ACIER / STAHL

GYS POT	6
GYS POT PRO • EXPERT	7

ALU

GYS POT ALUMINIUM	8
-------------------	---

ALUMINIUM + STEEL / ACIER / STAHL

GYS POT COMBI	9
ACCESSORIES & CONSUMABLES	10

DRAWN ARC ALUMINIUM + STEEL / ACIER / STAHL

GYS POT ARCPULL	12
GYS POT COMBI ARCPULL	13
ACCESSORIES & CONSUMABLES	16

FAST DENT PULLING	18
LEVELLING BARS	20

COMPLETE WORKSTATIONS	24
GLUE PULLING REPAIR	36



GYSPOT ALU

DENT PULLING

ALU

Youtube

AD

ANTI-DUST

FV

FLEXIBLE VOLTAGE

85 V 265 V

110 V 230 V

45 m

GYSPOT ALU 66

GYSPOT ALU PRO FV

FIXED GUN

GYSPOT ALU 66

13000 A

x1 AUTOMATIC

230V • 1~

AD

080188

included

for Ø 4 mm

Automatic alu gun
3 m, 25 mm²

ALU BOX STANDARD (050020)
(Details p.11)

GYSPOT ALU PRO FV

13000 A

x1 AUTOMATIC

110 > 230V • 1~

FV

021990

included

for Ø 4 mm

Automatic alu gun
3 m, 25 mm²

ALU BOX STANDARD (050020)
(Details p.11)

ALU GUN

AUTOMATIC

3 m, Ø 25 mm²

included SPOT ALU FV & COMBISPOT 230

054066

(x 3)
065635

66 mF

CAPACITOR DISCHARGE WELDING

Ø 4mm

1 2 3 4

Joint rings for mandrel Ø 4/5/6
x 2
060814

with connectors for COMBISPOT 230

OPTIONS

Consumables - Consommables
p.11

ALU accessories - Accessoires ALU
p.19

Trolleys - Chariots
p.24

GYSPOT COMBI

DENT PULLING

ALU+STEEL

ACIER - STAHL

2 GUNS INCLUDED

NEW

GUN WITH CONNECTOR

GYSPOT COMBI PRO 230

3800 A

Acier / Steel / Stahl

x2

AUTOMATIC

MANUAL

13000 A

Alu

230V • 1~

087705

included

Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

Automatic alu gun, 3 m, 25 mm²

Earth cable 2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)

ALU BOX STANDARD (050020)
(Details p.11)

GYSPOT COMBI 230 E.PRO

3800 A

Acier / Steel / Stahl

x2

AUTOMATIC

MANUAL

13000 A

Alu

230V • 1~

021266

included

Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

Automatic alu gun, 3 m, 25 mm²

Earth cable 2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)

ALU BOX STANDARD (050020)
(Details p.11)

																				LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT ALU 66	230V	6 m	13 000	50 > 200	5	—	0.52	OK	OK	■	■	—	■	x1	—	—	3 m	Included Alu box	27 x 20.5 x 27 / 13.5
MADE IN GYS FRANCE	GYSPOT ALU PRO FV	110 > 230V	6 m	13 000	50 > 200	5	—	0.65	OK	OK	■	■	—	■	x1	—	—	3 m	Included Alu box	49 x 38 x 29 / 13.4
MADE IN GYS CHINA	GYSPOT COMBI PRO 230	230V	8 m	3800 (steel) 13000 (alu)	7,4 (steel) 50 > 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x1	x1	■	2/3 m	Included Spotter box + Alu box	54 x 76 x 34 / 43.8
MADE IN GYS FRANCE	GYSPOT COMBI 230 E.PRO	230V	8 m	3800 (steel) 13000 (alu)	7,4 (steel) 50 > 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x1	x1	■	2/3 m	Included Spotter box + Alu box	54 x 76 x 34 / 47.5




GYSPOT ARCPULL

DENT PULLING DRAWN ARC ALU + STEEL

ACIER - STAHL



MANUAL



⌘ Rings - Anneaux - Zugösen
⌘ Studs - Goujons - Gewindebolzen
⌘ Stainless steel nails - Tiges inox
⌘ Edelstahlnägeln

- 1 Start-up - Amorce - Zündung
- 2 Scouring (l & t) - Décapage - Abbeizen
- 3 Arc (l & t) - Arc - Lichtbogen
- 4 Hitching (l & t) - Accroche - Verklebung
- 5 Height - Hauteur - Höhe




7
languages
FR, EN, DE, SP, IT,
NL & RU

SYNERGIC DIGITAL GUNS

★★★★★
**UNIQUE
Linear Motor**

DRAWN ARC PROCESS
Gas protection



3 m, Ø 25 mm²

included
ARCPULL
200 & 350,
COMBI ARCPULL




Full control




Consumables for Gun




FV FLEXIBLE
VOLTAGE



SR SECONDARY
REGULATION



AD ANTI-DUST



MANUAL &
SYNERGIC CONTROL



Ø max
Alu : 6 mm
Fe/SST : 6 mm



GUN WITH CONNECTOR

2 GUNS
INCLUDED



GYSPOT ARCPULL 200 COLLISION REPAIR

100 · 230 V · 1 ~

200 A

×1 MANUAL

FV SR AD

057470

088115 NEW

included




Manual synergic gun
3 m, 25 mm²

x1
059610



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610



+ Lifting rod 180 mm
(x1) 082915

OPTIONS

Weld 810
for ARCPULL 200
037489

details p.24



GYSPOT COMBI ARCPULL

230 V · 1 ~

ARCPULL

200 A

Alu

×1

MANUAL

+

EXPERT

3800 A

Acier / Steel / Stahl

×1

MANUAL

OPTION : AUTOMATIC

069824

Arccpull accessories included




Manual synergic gun
3 m, 25 mm²

x1
059610



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610



+ Lifting rod 180 mm
(x1) 082915

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

Earth cable,
2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.10)



 MADE IN FRANCE	 60974-1			I ₂	SYNERGIC	MANUAL	IRMS (A)			U ₂		kW			
		50/60 Hz						A	Acier/Steel		Alu				
GYSPOT ARCPULL 200 COLLISION REPAIR		110 ÷ 230 V	6 m	10 ÷ 100 (110 V) 10 ÷ 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 ÷ 24 V (110 V) 20.4 ÷ 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL		230 V	8 m	Alu 10 ÷ 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 ÷ 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5



GYS POT ARCPULL

DENT PULLING DRAWN ARC ALU + STEEL ACIER - STAHL



- Rings - Anneaux - Zugösen
- Start-up - Amorce - Zündung
- Hitching (I & t) - Accroche - Verklebung
- Studs - Goujons - Gewindebolzen
- Scouring (I & t) - Décapage - Abbeizen
- Height - Hauteur - Höhe
- Stainless steel nails - Tiges inox - Edelstahlnägel
- Arc (I & t) - Arc - Lichtbogen



7 languages
FR, EN, DE, SP, IT, NL & RU



Ø max
Alu/Fe/SST:
8 mm




Ideal
all position

5 or 10 m, Ø 50 mm²
included
✓ ARC PULL 700



SYNERGIC DIGITAL GUNS



FULL CONTROL

3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL



Consumables for Gun

x2
059627

x1
059610

GYS POT ARCPULL 350 COLLISION REPAIR

208 › 240 V • 1 ~

350 A

✂ x1 MANUAL

PFC SR AD

082953

included



OPTIONS

details p.24

Weld 810
for ARCPULL 350
037489



Weld 910
for ARCPULL 700
070967



GYS POT ARCPULL 700 COLLISION REPAIR (5M)

380 › 480 V • 3 ~

680 A

✂ x1 MANUAL

SR IP 23

068315

GYS POT ARCPULL 700 COLLISION REPAIR (10M)

380 › 480 V • 3 ~

680 A

✂ x1 MANUAL

SR IP 23

085503

included



				I ₂	SYNER-GIC		TECHNOLOGY	U ₂		kW				LxWxH cm / kg
MADE IN FRANCE	60974-1	50/60 Hz		A		Acier/Steel	Power Factor Correction	V	A		OK	OK		48 x 36 x 30 / 17.4
GYS POT ARCPULL 350 COLLISION REPAIR		208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control	■	20.4 › 34 V	16	11.9	OK	OK		48 x 36 x 30 / 17.4
GYS POT ARCPULL 700 COLLISION REPAIR		3x 400 V 3x 480 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control	—	22 › 44 V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	OK	OK		60 x 43 x 46 / 27.8



GYS POT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



FAST DENT PULLING

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT
39.02/04,
PRO 230/400,
EXPERT 230/400,
COMBISLOT 230

MANUSPOT =
050679



Tools set and support
for DENT 600, 800, 1000, 1600,
Workstation & Dentstation




MANULINER
050471



PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN

FAST & EASY

RINGMATIC
052154



included
(x 50)



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317



Box of 3 electrodes for accessories
050822



Rings
- Anneaux
- Ansch

PULLING BARS

3 PRODUCT LINES

1 STANDARD

2 PREMIUM

SLIDE & LOCK

3 PREMIUM PRO

QUICK HOOK

EASY REMOVABLE PULLING SYSTEM


SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
↓ 1.6 kg
79 x 12 x 17 cm / 1.9 kg


PATENTS REGISTERED NUMBERS
001652108-0002
EUROPEAN TRADEMARK & DESIGN



Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
↓ 2.5 kg
77 x 12 x 13 cm / 3.2 kg


Licensed by
BETAG.Innovation



Levelling bar
- Barre de débosselage
- Zugbrücke

050693
↓ 3.4 kg
87 x 17 x 19 cm / 4 kg


Licensed by
BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
↓ 5.1 kg
87 x 17 x 18 cm / 5.9 kg


PATENTS REGISTERED NUMBERS
001652108-0001
EUROPEAN TRADEMARK & DESIGN



PREMIUM


Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
↓ 1.6 kg
100 x 16 x 17 cm / 2.2 kg



Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
↓ 2.8 kg
79 x 30 x 13 cm / 3.2 kg



SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET



LIGHTWEIGHT

Léger



GRIP 360

360° pads with grip
Patins à frein orientables à 360°



X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres



OPTIONS

Reinforced bar 1200 mm - Barre renforcée



Fixing screw
058439
Double pads support
- Support double patin
- Doppelfüße
050723



STANDARD
PREMIUM



1 tooth hook
Ø M10 / M14
082021



3 teeth hook
PREMIUM
Ø M10 / M14
059658




4 tooth claw
Ø M10 / M14
049758



6 tooth claw
Ø M10 / M14
049734



8 tooth claw
Ø M10 / M14
049741




Ring-pulling
068995
8 tooth claw for pulling chain
Ø M10 / M14
067745

Single foot
- Pied simple
- Fuß



Double foot levelling bar
- Pied double patin
- Doppelfuß



OPTIONS

QUICK HOOK



SLIDE & LOCK



EASY REMOVABLE PULLING SYSTEM




X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres




MULTIPLE PULLING SYSTEM

Additional removable pulling systems
Chariots de tirage amovible supplémentaire



Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel


072619
↳ 1.6 kg
⊗ 87 x 17 x 18 cm / 2.3 kg



Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
⊗ 120 x 26 x 8 cm / 4.4 kg
↳ 3.8 kg


Old design



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
⊗ 103 x 30 x 13 cm / 5.2 kg
↳ 4.5 kg

Old design




Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm

072626
⊗ 124 x 7 x 7 cm / 3.1 kg



OPTIONS



071650
⊗ 51 x 21 x 11 cm / 0.9 kg



072633
⊗ 79 x 61 x 11 cm / 5.2 kg



072312
⊗ 51 x 21 x 11 cm / 1.6 kg



Double foot for Premium Pro levelling bar
- Pied double patin pour bar Premium Pro



NEW 04/2026

Single foot for Premium Pro levelling bar
- Pied simple pour bar Premium Pro



Old design

Single foot
- Pied simple - Fuß
061293



Double foot levelling bar
- Pied double patin - Doppelfuß

059375





DENT PULLING WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility

SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓


Dent 600

44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000

44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848




Universal 800

60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810

77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910

89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967




Dent 1600

70 x 69 x 161 cm / 35,8 kg
103 x 66 x 22 cm / 38,7 kg
072596



Dent 1600 WD

71 x 70 x 161 cm / 49,5 kg
103 x 66 x 22 cm / 52,4 kg
072169



Dentstation Pro WD

90 x 71 x 161 cm / 65 kg
120 x 80 x 28 cm / 68,5 kg
072800



Workstation 5D

90 x 71 x 161 cm / 65 kg
120 x 80 x 28 cm / 68,5 kg
089259



NEW




Protection cover
- Housse de protection
- Schutzhaube
for Universal 800
062733
for Spot 1600 & Dent 1600
048881
for Dentstation Pro
059870

Storage accessories
- Set de fixation

for Proliner, Speedliner, Gysliner
051362

Fixing flanges for generator
- Brides de fixation pour
générateur

062146



x 6



x 2

EASYLINER

ALL IN
1 BOX



EASYLINER 39.02

EASYLINER PRO 230

PROLINER



PROLINER 39.02

PROLINER 39.04

PROLINER PRO 230

PROLINER PRO 400



PROLINER ALU 66

PROLINER ALU PRO FV

PROLINER ARCPULL 200

STEEL / ACIER / STAHL



GYSLOT
(guns & consumables included)

39.02

053618
058521

PRO 230

072398

ALL IN
1 BOX

INCLUDED ACCESSORIES



DENT 1000

072848



Dent box easy

053632



Levelling bar double action

053564

STEEL / ACIER / STAHL



GYSLOT
(guns & consumables included)

39.02

035775

PRO 230

035799

39.04

035782

PRO 400

035805

INCLUDED ACCESSORIES



UNIVERSAL 800

051331

+ Cable support

052284



Dent box easy

050037



Levelling bar double action

053564

ALU



GYSLOT
(guns & consumables included)

ALU 66

087774

ALU PRO FV

035836

ARCPULL 200

065260



UNIVERSAL 800

+ Cable support

052284



UNIVERSAL 800

+ Cable support

052284



Weld 810

+ Cable support

052284



Alu puller

051003



Alu puller

051003




Arc puller premium

065161

SPEEDLINER STANDARD



PRO 230, 400 EXPERT 200, 230, 401 COMBI 230 E.PRO ARCPULL 200 + PRO 230, 400 ARCPULL 200 + EXPERT 200, 230, 401 ALU PRO FV



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

ALU



GYSPOT
(guns & consumables included)

PRO 230 074446	EXPERT 200 074460	COMBI 230 E PRO 074491	ARCPULL 200 + PRO 230 074507	ARCPULL 200 + EXPERT 200 074521	ALU 66 087781	ALU PRO FV 074552
PRO 400 074453	EXPERT 230 074477	COMBI PRO 230 091405	ARCPULL 200 + PRO 400 074514	ARCPULL 200 + EXPERT 230 074538		
	EXPERT 401 074484			ARCPULL 200 + EXPERT 401 074545		

INCLUDED ACCESSORIES

DENT 1600
072596

Cable support
052284

Levelling bar 850 mm
050693

Levelling lever
050686

Magnetic earth
049666

Multihook heads
049758+049734

Dent box consumables 051515
3 lifting rods 050792

Ringmatic
052154

Alu puller
051003

Cable support
052284

Arc puller premium
065161

Cable support
052284 + 4 m support
059665

Stainless stell brush
044258
Alu Box Ø5 & 6
048195

Infrared Thermometer
079922
Hot air gun 650°C
066311

Steel Speedliner without generator (excluded Ringmatic) : 035058

INCLUDED ACCESSORIES

DENT 1600
072596

Cable support
052284

Levelling bar 850 mm
050693

Alu hammers
020986

Set of pencil punches with
6 teflon tips 052888

Multihook heads
049758

Alu puller
051003

Stainless stell brush
044258
Alu Box Ø5 & 6
048195

Infrared Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PREMIUM

★★★★
COMPLETE
SYSTEM



PRO 230, 400



EXPERT 200, 230, 401



COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 401



ARCPULL 200, 350

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



COMBI 230 E.PRO
(guns & consumables included)



ARCPULL 200
+ PRO 230
(guns & consumables included)

ALU



ARCPULL 200
(guns & consumables included)

PRO 230 073883	EXPERT 200 073906	COMBI 230 E PRO 073968	COMBI ARCPULL 074569	ARCPULL 200 + PRO 230 073975	ARCPULL 200 + EXPERT 200 073913	ARCPULL 200 073999	ARCPULL 350 083042
PRO 400 073890	EXPERT 230 073920	COMBI PRO 230 091399		ARCPULL 200 + PRO 400 073982	ARCPULL 200 + EXPERT 230 073937	077317 (without HOT AIR GUN)	
	EXPERT 401 073944				ARCPULL 200 + EXPERT 401 073951		

INCLUDED ACCESSORIES



DENT 1600 WD
072169



Cable support
052284



Premium levelling bar 720 mm
059306



Hook head
049758
+ 059658
+ 082021




Premium levelling lever
059290



Magnetic earth
049666



Manuspot
050679




Dent box consumables 051515 + 3
lifting rods 050792



Manual pulling handle
057289
Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284




Arc puller premium
065161



Cable support
4 m² support
059665



DENT 1600 WD
072169
Cable support
052284



Alu Ring Box 1 mm
059412
Premium 1-tooth hook
082021



Arc puller premium
065161



Premium levelling
bar 720 mm
059306



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Set of pencil punches
with 6 teflon tips
052888



3 lifting rods
050792



Stainless
steel brush
044258



4 m² support
059665

SPEEDLINER PREMIUM PRO



PRO 230, 400



EXPERT 200, 401
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

ALU



GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 401	EXPERT 401 + ARCPULL 200	EXPERT 401 + ARCPULL 350	COMBI ARCPULL	ARCPULL 200	ARCPULL 350
080201	080218	080232	083028	080225	080256	083035
		EXPERT 200 + ARCPULL 200 080553				

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Premium Pro levelling bar 900 mm
071643



Premium Pro levelling bar
072619



Ringmatic
052154




Manuspot
050679



Premium Pro teeth hook
082038 + 072671 + 072640



Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515



Magnetic earth
049666



Cable support
052284
4 m support
059665
Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Alu Ring Box 1 mm



082038



4 m support
059665



Premium Pro levelling bar 900 mm
071643



Set of pencil punches with 6
teflon tips
052888



Arc Puller Premium Pro
072572



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless steel brush
044258




3 lifting rods
050792

DENTSTATION STANDARD



39.02, 39.04 PRO 230, 400 EXPERT 200, 230, 401 COMBI 230 E.PRO ARCPULL 200 + PRO 230, 400 ARCPULL 200 + EXPERT 200, 230, 401



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200	COMBI 230 E PRO	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078161	078208	078321	078529	078222	078338
39.04	PRO 400	EXPERT 230	COMBI PRO 230 NEW	ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
078185	078260	078369	091382	078284	078383
		EXPERT 401 078444			ARCPULL 200 + EXPERT 401 078468

INCLUDED ACCESSORIES

x6 x2



Dentstation Pro WD
072800
Fixing kit
051362



Double pads
050723



Levelling bar 850 mm
050693

Scissoring bar
050716



Multihook heads
049758
+049734
+049741



Levelling lever
050686




Strengthened bar 1200 mm
051171
Extensions (x2)
052451



Magnetic earth
049666



Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003



Arc puller premium
065161



Cable support
052284
+ 4 m² support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM PRO



EXPERT 230, 401



COMBI ARCPULL



EXPERT 401
+ ARCPULL 200, 350



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX GYSPT (guns & consumables included)

EXPERT 230

080133

EXPERT 401

080140

ALU + STEEL / ACIER / STAHL



1 BOX GYSPT (guns & consumables included)

COMBI ARCPULL

080157



1 BOX GYSPT (guns & consumables included)

EXPERT 401 +
ARCPULL 200

080164



1 BOX GYSPT (guns & consumables included)

EXPERT 401 + ARCPULL 350

083004

089273

ALU



1 BOX GYSPT (guns & consumables included)

ARCPULL 200

080461

ARCPULL 350

083011

INCLUDED ACCESSORIES



1 BOX Dentstation Pro WD 072800



1 BOX Workstation 5D 089259

INCLUDED ACCESSORIES



Premium pro levelling bar 900mm 071643



Premium pro levelling lever 072619
Premium pro bar 1184 mm 072626




Manuspot 050679



(x2) 087750 + (x2) 087767



082038 + 072671 + 072640 + 072657



071650 + 072312




3 lifting rods 050792

Dent box consumables 051515

Empty box 320x113mm



Magnetic earth 049666



Ringmatic 052154

Manual pulling handle 057289


1 BOX STEEL ACCESSORIES PACK V2 080126



Cable support 052284




4 m³ support 059665



Arc Puller Premium Pro 072572

1 BOX ALU ACCESSORIES PACK 073838




Premium pro levelling bar 900mm 071643 (x2) 087750 + (x2) 087767



082038 + 072640 + 071650



Alu hammers 020986



Set of pencil punches with 6 teflon tips 052888



Stainless steel brush 044258

Infrared Thermometer 079922

Hot air gun 650°C 066311

1 BOX ARCPULL ACCESSORIES PACK 080485



PULLING SYSTEMS

AIRFIX DRAW ALIGNER	41
DRAW ALIGNER	42
EASYBENCH	45
FRAME STRAIGHTENING	48



DRAW ALIGNER




Designed for

- ★ **TIME SAVING**
- ★ **DURABILITY**
- ★ **MAXIMUM GRIP**

4 pads :
**Seal protection,
Perfect stability**

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità



Seal - Joint
- Rahmen
- Guarnizione

4 pads
4 patins
4 piedi



Quick & easy set up





Compact
& light
31 kg

No tools

Ground anchor by suction

Fast installation

Ancrage au sol par aspiration :
installation rapide
Verankerung durch Vakuumbildung –
schnell einsatzfähig
Ancoraggio a terra: installazione rapida



Integrated
silencer

**Low
noise**

Smart maintenance



No glue



No tools



Pads - Patins
(x2)
069008




Plate seal
- Joint de plaque
079571

AIRFIX DRAW ALIGNER

Air 5-8 bars

077379

080669



PACK Airfix Draw
Aligner + GYS
Electro-Force
091825



Airfix Draw Aligner
077379



Kit GYS Electro Force
088894



**Electro-force pulling
trolley for Airfix draw
aligner**
Chariot de tirage
Electro-Force pour Airfix
Draw Aligner
091818




BREVET GYS
GYS PATENT
EP24150113
US2024246133



NEW
091474
**Complete winch
assembly**
Ensemble
treuil complet
(included)



079588
**Ultra resistant
No elasticity**
(1,5 T max)
(included)




049734
6 tooth
Ø M10 / M14
(included)



NEW
04/2026
**Fine pulling
tool**
Outil de
tirage fin
091108


118 x 36 x 9 cm
32 kg

350 kg
Uniform pulling force
Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme




Precision

All directions




Down-pulling

Rocker panel
- Bas de caisse
- Schweller
- Sottoporta



Up-pulling

Upper-parts
- Parties hautes
- Oberteile



Options

Welding sheets kit
- Kit plaques à souder
083493



25 mm
(x1 included)
x5
083509

38 mm
(x1 included)
x5
083516

50 mm
(x1 included)
x5
083523

75 mm
(x1 included)
x5
083530

**12 tooth claw -
Griffe 12 dents**
082229



**8 tooth claw -
Griffe 8 dents**
067745



Download
the page
with prices





DRAW ALIGNER




PULLING SYSTEMS




Youtube

DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475




OPTION




INCLUDED

Wedge for rocker panel - Câlè pour bas de caisse




Pads kit for rocker panel - Kit patins pour bas de caisse



OPTION


Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581




OPTION

12 tooth claw for pulling chain 082229





DRAW ALIGNER PRO

069244



OPTION



Youtube

INCLUDED

Plate under the wheel - Câlè sous roue
Compatible with Draw Aligner & Draw Aligner Pro


076693



Wedge for rocker panel - Câlè pour bas de caisse




Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS

Pads kit for rocker panel - Kit patins pour bas de caisse

071278



Download the page with prices



MEASURING TOOLS - Mesures - Vermessung

BODYMETER, Mechanical measurements

052130

included



250 › 2230 mm



GYSMETER, Electronic measurements


052093



400 › 2650 mm



Measuring report



Light weight measuring arm with an easy to read digital display




EASYBENCH

LIFTING & PULLING SYSTEM




Compact Bench



EASYBENCH 1

max 2.5 t

NEW



5 t max

089242



Draw aligner Easybench
Equerre de tirage Easybench



Side pulling arm
Bras de tirage latéral



(x4) Mounting arm + clamps - (x4) Bras de fixation + pinces



Pulling chain - Chaîne de tirage



Safety cable - Câble de sécurité



Rails - 2x1 m
090729



Down-pull attachment -
Poulie de traction vers le bas



Pulling clamps - Pincas
de tirage



Option

NEW

2 kg
Copper mallet -
Marteau en cuivre
091801



Easybench table lift
088238



Hydraulic power
unit with remote
control(10 m)
400V 3~ - 16 A -
60Hz/50Hz
090163



(x4) Stands - (x4) Tabourets 15.7 in - 40 cm
090187



Extensions (x4) - Réhausse (x4) - 2.4 in - 6 cm
090064



Download the page with prices

	 Easybench lifting table 088238	 Hydraulic power unit with remote control (10 m) 400V 3~ 090163 220V 1~ 090170	 Pulling bracket Easybench - Equerre de tirage Easybench 089242	 (x4) Stands - Tabourets 15.7 in - 40 cm 090187	 (x4) Extensions - Réhausse 2.4 in - 6 cm 090064	 (x2) Hydraulic oil 32CST - 5I 062160
Complete pack						
090217	▪	▪		▪	▪	
090224	▪		▪	▪	▪	
090231	▪	▪			▪	▪
090248			▪	▪		

EASYBENCH

LIFTING & PULLING SYSTEM

LIFTING


2.5 t max

Powerful lifting
& high security

Ultra-powerful
twin cylinders

Adaptable to most cars

Adaptable à la plupart des véhicules



Remote control -
Télécommande à distance
10 m



11 cm
only



160 cm
max

Included
x4



PULLING

5 t
max


Fast installation

Installation rapide

Powerful hold


Fixation solide

Adjustable



Fully-rotating draw aligner

Équerre de tirage rotative



180°




Adjustable
height



Lateral pulling

Traction latérale

180°




Side adapter -
Adaptateur latéral

Down pulling

Tirage vers le bas




Down-pull attachment -
Poulie de traction
vers le bas




PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge

Manual-locking pull clamp - Mini pince de tirage à blocage manuel - Mini Klemme von Auflage in Handblockieren 056855




5 t



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme 052642



6 t



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme 060944




6 t


270 mm

100 mm


Right angle pull clamp - Pince de tirage à angle droit - Zugklemme 90° Winkel 052666



6 t



SWIVEL CLAMP - Pince pivotante



060968

6 t

240 mm

100 mm

PULL HOOK - Crochet de tirage - Ziehwerkzeuge

Boomerang pulling hook set - Kit crochet de tirage « boomerang » - Zughaken Set «Boomerang» 052659



450 mm

41 mm

57 mm

53 mm

56 mm


97 mm

94 mm

230 mm

ARCH HOOKS - Passage de roue

Large arch hook - Crochet passage de roue grande dimension 060982




315 mm

1.5 t

PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge

Chain joint double grab hook - Raccord de chaîne double crochet 061156



6 t


270 mm

Chain joint for two clamps - Raccord de chaîne pour deux pinces 061163



260 mm

Body chain 10 mm - Chaîne de tirage 10 mm 061255



2.5 m

Breaking load - Charge de rupture - Zuglast: 12 t

12 tooth claw for pulling chain 082229




068995

067745

049741

WIDE PULL CLAMPS - Pinces de tirage larges

2-way - 2 directions 061217




5 t

3 t

120 mm

Multi-way - Multidirections 061224




5 t

3 t

120 mm

SMALL PULL CLAMPS - Pinces de tirage faible largeur

Long nose clamp - Pince bec de canard 060951




2 t

245 mm

30 mm

Small mouth pull clamp - Pince de tirage faible largeur 061231




5 t

210 mm

45 mm

Box clamp - Pince contournement de rebord 061170




3 t

220 mm

35 mm

MULTIPLE PULL CLAMP - Pince de tirage multiple

Load spread multi clamp - Pince multiple répartition de charge 060999




5 t

120 mm

450 mm

45 MM SCISSORS CLAMP - Pince ciseaux largeur 45 mm




061187

3 t

280 mm

45 mm

90 DEGREE CORNER CLAMP - Pince de tirage pour angle 90°



059757

3 t

72 mm

192 mm

35 mm

90°

C TYPE CLAMP - Pince de tirage type C




061200

5 t

180 mm

70

SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



The best from **Autorobot**
www.autorobot.com/pdf/7148_ENG.pdf
MADE IN FINLAND


MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE - Satellite - Satellit Basisbügel-Set



052710



2 KIT MAC PHERSON (A) - Mac Pherson Kit - Befestigungs-Kit-Federbein (McPherson)



052703




3 BARRE POUR TIRER/POUSSER - Push/Pull Bar - Zug/Druck-Stangenset



052673



4 SATELLITE (B) - Bügelverlängerung



052680



5 SANGLE DE SÉCURITÉ - Safety Strap - Sicherungsgurt



044036



6 DOUBLE PINCE SATELLITE (C) - Double Clamp Satellite - Satellit Doppelklemme



052697



PINCE DE TIRAGE MULTI-USAGE - Versatile pulling clamp - Multifunktions-Zugklemme



053571

Autorobot



WELDING SHEETS KIT WITH CLAMP - Kit plaques à souder et pince



083493

75 mm

25 mm (x1 included) x5 083509

38 mm (x1 included) x5 083516

50 mm (x1 included) x5 083523

75 mm (x1 included) x5 083530

Download the page with prices



HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345

BASIC 10T
052338

PRO 4T
057432

PRO 10T
057449

OPTION

Hydraulic oil 1L -
Huile hydraulique 1L
053397

ANCHOR BAR - Barre d'ancrage - Türspanner

MADE IN TAIWAN

910 > 1130mm

053045

1540 > 1930mm

053052

POWER-PULLER 4T

HIGH QUALITY

059740

INERTIA HAMMER KITS - Kits marteau à inertie - Ausziehhammer kit

5 kg
+ 6 hooks
087828

9 kg
+ 6 hooks
085930

73 cm

ELECTRO POWER - Zug-Druckpresse

with accessories :
057425

ELECTRO POWER
PULLING POWER: 5 Ton. /
PUSHING POWER: 5 Ton. /
PISTON / STROKE: 130 mm

INCLUDED

Accessories kit : 425x620x150 mm
Total weight: 20 kg
057418

Standard kit : 425x620x210 mm
Total weight: 18 kg
057401

Li-ion battery
058514

OPTION

Pince écarteur
079496

160 mm

140 mm

GYS ELECTRO-FORCE - Zug-Druckpresse

3 speeds - 3 vitesses

3 → 9T
2 → 7T
1 → 5T

NEW

✓ ROBUST ✓ COMPACT ✓ HIGH AUTONOMY

Complete pack
with accessories :
089075

Standard kit : 425x620x210 mm / Battery
and charger included / Total weight: 18 kg
088894

Accessories kit : 425x620x150 mm
Total weight: 20 kg
088900

Rubber protection
- Protection en
caoutchouc

9T
PULLING /
PUSHING
POWER

4 Ah
High power

Multi-brand battery system -
Batterie multi-marques
Li-ion battery
(included)

MADE IN
FRANCE

Option
Batterie lithium 20V / 4Ah
pour GYS Electro Force
(compatible Makita)
091771

NEW

GYS ELECTRO FORCE
PULLING POWER: 9 Ton. / PUSHING POWER: 9 Ton. / PISTON / STROKE: 130 mm

Spreading / Écarter

Pressing / Compresseur

Pushing / Pousser

Pulling / Tirer

OPTION

Workstation Premium
- Servante Premium
076143

↕ 74 x 51 x 81 cm
⊗ 80 x 123 x 15 cm / 44 kg

Trolley - Chariot
054233

↕ 74 x 51 x 81 cm
⊗ 80 x 123 x 15 cm / 44 kg

GYS

51

FRAME STRAIGHTENING

PULLING SYSTEMS

Download the page with prices



RESISTANCE SPOT WELDING

NEW MACHINES WITH COLOUR SCREEN

SCREEN INTERFACE	54
PTI NEO	57
PTI MASTER / PTI EXPERT	58
PTI GENIUS PLUS	61

G ARMS	62
--------	----


CONSUMABLES

ACCESSORIES & CONSUMABLES	64
---------------------------	----

PRESENT MACHINES

BP GENIUS / PTI GENIUS	66
X ARMS / C ARMS	68
PORTASPOT	69

Spot Welding Excellence




Maximum power
Transformer inside



Automatic hydraulic connection



Fast open XL (Mechanical)
Easier access
Superior visibility
(model Master, Expert)



Easy opening
Ideal for difficult access
Ultra fast arm switching



Perfect electrical connection
Maintenance free



Freedom of movement
Gyro
(model Master, Expert)

G arms
compatibility
p.62 / 15 ref.



TRANS GUN



Neo
TRANS GUN



Master
TRANS GUN



Expert
TRANS GUN

	Neo TRANS GUN	Master TRANS GUN	Expert TRANS GUN
Weight	9.7 kg	10.3 kg	11.8 kg
Fast Open XL	—	✓	✓
Gyro	—	—	✓

GYSPOT PTI NEO



14000 A / 13000 A
550 daN

TRANSFORMER INSIDE **Liquid cooled**

IHM 3.5" Mild steel HSS UHSS Boron

	024779	084834	077362	084841
Gyspot PTI-NEO	400 V 14000 A	208-240 V 13000 A		
Caps remover 050846	■	■	■	■
G1 022768	■	■	■	■
G2 + G4	■	■	■	■
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX

78.5 x 58.5 x 64 cm 6 units/palette



Light & Compact
↕ 63 x 76 x 127

4 m



LIQUID COOLING
5 Litres
(not included)

PTI NEO 400V
024779

PTI NEO 208-240V
077362

	 MADE IN FRANCE	 62135				Spots/min (max)	Uo		Cables								
			50/60 Hz	A	D curve		V		(option)		(option)		(option)				
	GYSPOT PTI NEO 400V		3 x 400 V	14 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4x4 mm ² H07BNF	63 x 76 x 127	57		
	GYSPOT PTI NEO 208-240V      		3 x	200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4xAWG8 (500W)	63 x 76 x 127	62	
208 V	11 300																
230 V	12 500																
240 V	13 000																

OPTIONS



RESISTANCE SPOT WELDING

PTI MASTER

GYSPOT

PTI MASTER

14000 A

550 daN

TRANSFORMER INSIDE

Liquid cooled

IHM 3.5"

Mild steel

HSS

UHSS

Boron

	083264	087965	083257	087972
	400V		208-240V	
	☐	☐	☐	☐
	☐	☐	☐	☐
		☐		
		☐		☐
				☐
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX
78.5 x 58.5 x 64 cm 6 units/palette				




PTI MASTER 400V

083264

PTI MASTER 208-240V

083257



10.3 kg

Light & Compact

↕ 63 x 76 x 127



4 m

LIQUID COOLING

5 Litres

(not included)

RESISTANCE SPOT WELDING

PTI EXPERT

GYSPOT

PTI EXPERT

14500 A

550 daN

TRANSFORMER INSIDE

Liquid cooled

IHM 3.5"


Mild steel

HSS

UHSS

Boron

	083943	088009	083950	088016
	400V		208-240V	
	☐	☐	☐	☐
	☐	☐	☐	☐
		☐		
		☐		☐
		☐		☐



11.8 kg




PTI EXPERT 400V

083943

PTI EXPERT 208-240V

083950



5 m

LIQUID COOLING

30 Litres

(not included)

MADE IN FRANCE CE NORMA 62135		RMS		Spots/min (max)	Uo	mm		Cables							
	50/60 Hz	A	A D curve							(option)		(option)	cm	kg	
GYSPOT PTI MASTER 400V	3 x 400V	13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4x4 mm ² HOTRNF	63 x 76 x 127	58		
GYSPOT PTI MASTER 208-240V 	3 x	200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4xAWG8 (500W)	63 x 76 x 127	63	
		208 V	11 300			6.9									
		230 V	12 500			7.7									
		240 V	13 000			8									
GYSPOT PTI EXPERT 400V	3 x 400V	14 500	25	10	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4x4 mm ² HOTRNF	65 x 100 x 230	109		
GYSPOT PTI EXPERT 208-240V 	3 x	200 V	12 500	50	10	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m, 4xAWG8 (500W)	65 x 100 x 230	119	
		208 V	13 000			6.7									
		230 V	14 500			7.4									
		240 V	14 500			7.7									

OPTIONS

G-clamp front body + protection 084896

QUICK FIX Single sided gun - Kit Pistolet monopoint 082823

EASY CONNECTION

>>>

Cooling liquid - Liquide de refroidissement - Kühlmittel - Enfriamiento líquido - Refrigeração líquida

2 L 082212

5 L 062511

10 L 052246

G9 | 8 bar/500 daN G9 with X1 Included 022881

X1 050501

Protection cover for PTI NEO / MASTER 088887

NEW


Protection cover for PTI EXPERT 088993

NEW


10-14 kg

059696

Spot Welding GENIUS PLUS



Maximum power
Transformer inside



Easy opening
Ideal for difficult access
Ultra fast arm switching



600 daN
Stronger
Ultra high power




Automatic hydraulic connection



Perfect electrical connection
Maintenance free



Freedom of movement
Gyro



Fast open XL (Pneumatic)
Easier access
Superior visibility



Upside down position




G arms
compatibility
p.62 / 15 ref.

12.4 kg
Gyro & G1
included

GENIUS PLUS

+ precise + adaptable + powerful

Easier to maneuver



Motorised cable support
- Potence électrique
- Elektrisch verstellbarer Kabelsupport
- Control command
- Contrôle de commande



GYSPOT PTI GENIUS PLUS

14500 A
600 daN

TRANSFORMER INSIDE **Liquid cooled**

IHM 7" USB Mild steel HSS UHSS Boron

	083295	089297	083288
Gyspot PTI-GENIUS PLUS	400V	208-240V	
Caps remover 050846	■	■	■
G1 022768	■	■	■
G2 + G3 + G4 022898		■	
Liquid cooling (10L) 052246		(x3)	
Caps type A box 048935		■	
Protection cover 077126		■	

12.4 kg



Electrode storage
- Rangement pour électrodes


6 m

PTI GENIUS PLUS 400V
083295

PTI GENIUS PLUS 208-240V
083288

LIQUID COOLING
30 Litres
(not included)

Extra-long balancing system



High stability - Grande stabilité

	 MADE IN FRANCE	 62135		 RMS		Spots/min (max)	Uo	 mm	Cables							
			50/60 Hz	A	A D curve				 (option)		 (option)	 (option)		cm	kg	
	GYSPOT PTI GENIUS PLUS 400V		3 x 400 V	14 500	25 (17 kVA)	15	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4x4 mm ² H07BNF	71 x 90 x 200	127.7	
	GYSPOT PTI GENIUS PLUS 208-240V     		3 x	200	12 500	50 (17-21 kVA)	15	6.6	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	1.8 m, Ø 300 mm ²	1 m, Ø 300 mm ²	8 m 4xAWG8 (500V)	71 x 90 x 200	136.2
208	13 000															
230	14 500															
240	14 500															

OPTIONS

Caps type A box
048935
x40 (x6: 049987)

Caps type F box
077119
x40 (x6: 049970)

073449
x20 (x6: 049987)
x6 (x6: 049970)
x2 (x1: 050617)

Cooling liquid
2L 082212
5L 062511
10L 052246

G9 18 bar/500 daN
G9 with X1 Included
022881


G PLUS
Balancing system lift
089105

EASY CONNECTION

QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823

G ARMS

for GYSPOT PTI Neo / Master / Expert /
Genius PLUS / BP Genius / PTI GENIUS



G Arms - Caps Ø13 mm

Isolated arms - Bras isolés - Isolierte Bügel

G1 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022768 Option G1/G3-SA (Small Access) 067653 (for arms < 01/2021)	G2 8 bar/300 daN 022775	G3 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022782 Option G1/G3-SA (Small Access) 067653 (for arms < 01/2021)	G4 Reversible 8 bar PTI Neo/Master/Expert: 300 daN PTI Genius PLUS: 330 daN 022799 Option G4-SA (Small Access) 064478 (for arms < 01/2021)
G5 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022805 Option G5/G10-SA (Small Access) 067660 (for arms < 01/2021)	G6 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022812	G7 8 bar/150 daN 022829 Option G7-SA (Small Access) 051614 089228	G8 Reversible 8 bar PTI Neo/Master/Expert: 550 daN PTI Genius PLUS: 600 daN 022836 Option G8-SA (Small Access) 067677
	G11 8 bar PTI Neo: 550 daN for PTI NEO 071766	G10 Reversible 8 bar PTI Neo/Master/Expert: 370 daN PTI Genius PLUS: 400 daN 067165 Option G10/G12-SA (Small Access) 067660	

G ARMS PANELS

G2 + G3 + G4 022898	G2 + G3 + G5 063297
---------------------------------------	---------------------------------------

KIT SMALL ACCESS GENIUS

077072
included SA 073579
for PTI GENIUS / GENIUS PLUS

- + G1/G3-SA (Small Access)
134
- + G4-SA (Small Access)
156
- + G5/G10/G12-SA (Small Access)
220
- + G8-SA (Small Access)
368

Option
Kit de maintenance connecteurs pince G
- Connectors maintenance kit for G clamp
067295

G12 Reversible

8 bar/300 daN
075238

Option
G10/G12-SA (Small Access)
067660

G14 Reversible

8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
080942

AUTOMATIC WELDING FOR X1, X2 & X6

G > X
UNIQUE SYSTEM

BREVETÉ / PATENTED
n° US 11,618,097

Youtube

G9 with X1 included
8 bar/500 daN
for GYSPOT PTI MASTER / EXPERT / Genius PLUS / BP Genius / PTI GENIUS
022881

Support included | 550 daN | 4.84 kg

Options for G9

X2 050518	X6 050587	X4A 020702
-----------------------------	-----------------------------	------------------------------

90284 + 55121
for BP-G < Oct. 2019

X4 combination
X4A + X4A

Selection guide

GUIDE DE CHOIX - LEITFADEN ZUR AUSWAHL

Colour Screen Generation



	PTI NEO	PTI MASTER	PTI EXPERT	PTI GENIUS PLUS
Machine type - Type de machine	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp
Arm - Bras	G	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN	600 daN
Clamp weight - Poids de la pince	9.7 kg	10.3 kg	11.8 kg	12.4 kg
Light & compact - Compact et léger	•	•	—	—
Electrode with over-opening - Electrode avec sur-ouverture	—	Mechanical	Mechanical	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min	20 pts/min
Automatique mode - Mode automatique	•	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★	★★★★★
Number of spots before thermal protection - Nombre de points avant protection thermique 10 pts/min at 25°C 2.4mm (2x1.2mm)	35	35	100	200
Gyro - Gyro	—	—	•	• Ball bearing Gyro
Balancing arm - Avec potence	—	—	•	• Electric, adjustable height
Balancing arm length - Longueur potence	—	—	140 cm	210 cm
Colour screen generation - Génération d'écrans couleur	3,5 " Colour Screen	3,5 " Colour Screen	3,5 " Colour Screen	7 " Colour Screen
Software update & Traceability - Mise à jour logicielle et traçabilité	USB	USB	USB	USB
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m	6 m
Mains cable length - Longueur câble secteur	8 m	8 m	8 m	8 m
Disconnectable clamp - Pince déconnectable	—	—	•	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)	(Option)
Balancing system cable lock - Blocage du câble de la potence	—	—	—	•

ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G

Type A
Cor X clamp
Ø 13 mm (x6)
049987

Type D
Cor X clamp
Ø 13 mm (x10)
058507

TYPE G
Ø 13 mm (x10)
059672

Type B
Cor X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

Caps inclinés - Beveled
X2, X4C11 arms
Ø 13 mm (x6)
049994

Caps type A box
048935
x40

Caps type F box
077119
x40

073449

x20
x6
x2

Contact grease
Graisse contact
80 g
050440

Caps remover
050846

Anti-corrosion welding primer
- Primaire de soudage anti-corrosion
500 ml
076822

Spot / Monopoint
049291

050068

x10
x6

x18
x18

CAP GRINDER - Affuteur de caps




STEEL SHEET TRACTION BENCH

- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



WELD TEST KIT - Valise test soudure HLE / THLE

- Schweißtestkit im Hartschalenkoffer



PROTECTION COVER - Housse de protection - Schutzhaube

NEW
for PTI NEO / MASTER
088887

NEW
for PTI EXPERT
088993

for PTI GENIUS / GENIUS PLUS
077126



COOLING LIQUID

- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L 082212

5 L 062511

10 L 052246



ANTI-ARC PROTECTION 12V

- Protection anti-arc 12 V
- Lichtbogenschutz 12V - Protección anti-arco 12V



ELECTRODE FORCE SENSOR


- Capteur d'effort



SHEETS SET

- Echantillons de tôles

Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)
055841





GYSPOT


RESITANCE SPOT WELDING

BP GENIUS

PTI GENIUS




Youtube



	023451	082250
	■	■
	■	■
	■	■
	■	■
	■	■
	■	■
	■	(x3)
	■	■
	■	■



Gun & cable support




BP GENIUS 400V
023451

OPTIONS



Caps type A box
048935
x40 (x6: 049987)
Caps type F box
077119
x40 (x6: 049970)



x20 (x6: 049987)
x6 (x6: 049970)
x2 (x1: 050617)



2L 082212
5L 062511
10L 052246



for BP 050853
for PTI GENIUS 077126
G9 with X1 Included 022881



10-14 kg

GYSPOT PTI GENIUS

14 500 A 550 daN

For mild steel, HSS, UHSS

Boron steel

TRANSFORMER INSIDE


Liquid cooled

Traceability software
Save spot welding configuration
and export data



	024878	082267	024854	024892
	■	■	■	■
	■	■	■	■
	■	■	■	■
	■	(x3)	■	■
	■	■	■	■
	■	■	■	■

Ergonomic



12.3 kg



PTI GENIUS 400V
024878

PTI GENIUS 220V
024854

PTI GENIUS 480V
024892

OPTIONS

Kit gun
067226




High stability -
Grande stabilité

 MADE IN FRANCE	 62135		 RMS		Spots/min (max)	Uo	 mm		Cables							
		50/60 Hz	A	A D curve		V							cm	kg		
GYSPOT BP GENIUS 400V		3 x 400 V	13 000	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	171		
GYSPOT PTI GENIUS 400V		3 x 400 V	14 500	25 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	—	6 m, Liquid	—	8 m 4x4 mm² H07RNF	71 x 90 x 200	127.7		
GYSPOT PTI GENIUS 220 V     		3 x	200 208 230 240	12 500 13 000 14 500 14 500	50 (17-21 kVA)	20	6.6 6.9 7.3 7.9	2.5+2.5+2.5	1,5 + 3	—	6 m, Liquid	—	8 m 4xAWG8 (500V)	71 x 90 x 200	136.2	
GYSPOT PTI GENIUS 480V			3 x 480 V	14 500		20 (17 kVA)	20	7	2.5+2.5+2.5	1,5 + 3	—	6 m, Liquid	—	8 m 4xAWG12 (500V)	71 x 90 x 200	128.7


X ARMS

for GYSPOT 32D-X,
100R-CX, BP-LX


Caps Ø13 mm




X1 8 bar/550 daN
050501



X2 8 bar/400 daN
050518




X6 8 bar/400 daN
050587



X4 8 bar/120 daN
050532

X4 combination




X4A + X4A


C ARMS

for GYSPOT PTI


Caps Ø13 mm




C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C8 8 bar/550 daN
021440




C2 8 bar/550 daN
022386



C6 8 bar/300 daN
022409





C3 8 bar/550 daN
021419




C7 8 bar/550 daN
021433

Option for C7


C7-SA (Small Access)
067684



C4 8 bar/550 daN
021426





C12 8 bar/550 daN
022997



C9 8 bar/550 daN
020078

Option for C9

C9-SA (Small Access)
067660



Bras isolés
- Isolated arms - Isolierte Bügel

PTI arm
support kit
077577



Arm lock
pin
062405



C ARMS PANELS

C2 + C3 + C4
060821

ALL IN 1 BOX



Gyro 360°
051720



Complete gun kit
067318


Convert PTI S-7 to Premium Pro

Kit Renov PTI Premium Pro

220V
072367



400V
072541



Tank draining kit - Kit de
purge réservoir
- Kit zur Tankentleerung
058286



PORTASPOT / GYSPOT

RESISTANCE SPOT WELDING

PORTASPOT 230


6 300 A 120 daN

Air cooled

230V
022256




Youtube




Not compatible with
HLE/THLE

DELIVERED
WITH PX 1


ARMS Ø 23 mm




PX1 (included)
047945




PX2
047938



PX3
047921



PX4
047914



Ref 051614
PX5
048690

ELECTRODES

EX40
Short electrode 40 mm
047884

EX60
Medium electrode 60 mm
047891

EX80
Long electrode 80 mm
047907

CAPS & ACCESSORIES

Caps type F (x 6)
049970

Caps remover
050846

Blade - Lame
052857

Cap grinder - Affuteur de caps
048966

	AM	RMS	MAX	Uo	Cable	100% CU	
50/60 Hz	A	A	A	mm	V	Ø mm ²	LxWxH cm / kg
1 x 230V	16(D)	6 300	8 900	2+2	2.45	2.5	3x2,5 H05VVf
							OK
							41 x 18 x 22 / 11.3



GYSPRESS


GYSPRESS 10T

6.5 bar 100 kN

10t

063303

070653



Youtube



Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse -
Regelung Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung

US version
070653



Pressure gauge
Psi



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

 MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL			
				cm	kg	LxWxH cm / kg
GYSPRESS 10T	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	•	41 x 18.5 x 6.5	6.2 (HR110 included)	58 x 50 x 15 / 12.1
GYSPRESS 10T COBRA	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	•	39.5 x 18.7 x 6.5	6.6 (HR110 included)	58 x 50 x 15 / 12.5

GYSPRESS 10T COBRA

6.5 bar 100 kN

10t

088719




- ✓ LARGE OPENING
- ✓ FASTER
- ✓ ERGONOMIC

NEW
01/2026



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

LARGE OPENING




MORE ACCESS


ERGONOMIC

3 trigger positions
- 3 positions de gâchette


Work faster 2 s



Rapid closure - Fermeture rapide



Riveting position - Position rivetage





Automatic discharge - Décharge automatique




Pressure control - Contrôle de la pression - Druckregelung

GYSPRESS 10T / 10T COBRA

										
			HR110 063310	XT11.21 - Extension for HR110 & HR210 10T : 053694 10T Cobra : 089211 058644	Standard tool box 10T : 053694 10T Cobra : 089211 048706	6 x 50 rivets RAP - Nieten SPR 048706	Strap-Sangle-Gurt	HR arm locker	Handle - Poignée - Griff	Filling bulb - Poire de remplissage 091412
GYSPRESS 10T 063303 070653 085091	✓				✓					
GYSPRESS 10T COBRA 088719		✓			✓					✓


Standard tool box 10T

053694



Standard tool box 10T COBRA

089211



PATENTED

Patented dies - matrices brevetées

✓ High performance
punching without Push
Pull system -
Poinçonnage haute performance
sans système Push Pull

details p.86



RIVETING

GYSPRESS 10T	70
GYSPRESS 10T COBRA	71
GYSPRESS PREMIUM 10T PP	73
GYSPRESS 10T PP CONTROL	75
ADAPTERS	76
DIES BOXES & RIVETS	78

ACCESSORIES	81
-------------	----



	HR110	HR210	HR310
	063310	063327	063334
GYPESPRESS 8T	✓	✓	—
GYPESPRESS 10T	✓	✓	✓
GYPESPRESS 8T PUSH PULL	✓	✓	✓
GYPESPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYPESPRESS 10T PUSH PULL	✓	✓	✓
GYPESPRESS 10T CONNECT	✓	✓	✓




KIT WITH HR210
+ HR310
064089

XT31-40
Rallonges bras HR310
pour point milieu
- HR310 arm extension
for middle point

Compatible
8T PP/10T/10T PP
x2

066335



OPTIONS



Riveting machine support for changing
accessories (arms & dies)
- Support Riveteuse pour changements
d'accessoires (bras & matrice)
- Supportständer

↕ 28 x 40 x 21,5 cm
⊗ 45 x 39 x 20 cm / 7,2 kg

054158



Trolley - Chariot

↕ 74 x 51 x 81 cm
⊗ 80 x 123 x 15 cm / 44 kg


054233



Trolley + Support
Chariot + Support

↕ 51 x 74 x 122 cm
⊗ 51,2 kg

055391




Pressure sensor
- Capteur d'effort
062115

Hydraulic body wrenches
(x2)
067325



Temporary - Serre-tôles - fasteners manual
mounting



GYPESPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS

	HR110 063310	XT11.21 - Extension for HR110 & HR210 058644	Standard 10T Push Pull tool box 058361	6 x 50 rivets RAP - Nieten SPR 048706	HR210 + HR310 064089	24kN adapter 063822	Trolley+support 055391
GYPESPRESS 10T PREMIUM PUSH PULL 077065	✓						
070660							
GYPESPRESS 10T PPP pack 1 082519		✓					
GYPESPRESS 10T PPP pack 2 082526			✓				
GYPESPRESS 10T PPP pack 3 082533		✓					✓



GYPESPRESS

PUSH PULL

PREMIUM

GYPESPRESS PREMIUM
10T PUSH PULL

6.5 bar 100 kN

10t

077065

070660



UNIQUE
PUSH PULL SYSTEM by GYS

AUTO
or MANUAL


← PUSH

PULL →



LARGE OPENING

MORE
ACCESS



48.5 mm
(no dies)

23.5 mm
with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK
FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic
selection
- Sélection Manuel/
Automatique

OPENING
CONTROL



Pressure control
- Contrôle de la
pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werk-
zeuggeschwindigkeit



Option
Hydraulic pump removal tool -
Outil de démontage de pompe
hydraulique
086852

US version
070660



Pressure gauge
Psi



UNIQUE
100%
No air inclusion
maintenance free, no oil refill

	AIR BAR	PRESSURE CONTROL	SPEED CONTROL			
MADE IN FRANCE				cm	kg	LxWxH cm / kg
GYPESPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	↔	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1



GYPRESS

SYNERGIC RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE 100%
No air inclusion
maintenance free, no oil refill

ACCESSIBILITY

16 languages



★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results




3 MODES

- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY


- ✓ VW GROUP
- ✓ MERCEDES-BENZ
- ✓ BMW
- ✓ TESLA
- ✓ FERRARI
- ✓ FORD
- ✓ RENAULT ALPINE
- ✓ GM

CONNECTIVITY




TRACEABILITY

History data export



SOFTWARE UPDATE

Gyspress evolutions



UNIQUE
**PUSH
PULL**
SYSTEM by GYS

PUSH PULL SYSTEM by GYS

← PUSH



PULL →

Sélection Push/Pull - Push/Pull selection



Gyspress support



Arms support



✓
**REGULATED
PRESSURE
CONTROL**
**POWER
10t**



Discharge lever
- Levier de décharge
- Auslösehebel

43.5 mm
(no dies)
18.5 mm
with B1/B2 dies

OPTIONS

Pressure gauge
- Capteur d'effort
10T PP CONTROL
071759



Youtube

Hydraulic body wrenches
for GYPRESS 10T, 10T
PushPull, 10T PP CONTROL
(x 2)
067325

**Hydraulic pump
removal tool**
086852



WORKSTATION GYPRESS 10T PP CONTROL

6.5 bar 100 kN

10t

063860

included



		AIR BAR	PRESSURE CONTROL	SPEED CONTROL		
MADE IN FRANCE					LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar		74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

GYPRESS CONTROL

SYNERGIC RIVETING

75



BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES

GYPRESS

Adaptators

Compatibility

GYPRESS 10T
GYPRESS 10T COBRA
GYPRESS 10T PUSH PULL
GYPRESS 10T PUSH PULL PREMIUM
GYPRESS 10T CONNECT




Youtube

BLIND RIVET ADAPTER 24 kN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm
063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



INCLUDED



for standard rivets:

Ø 3.2 x1 059221
Ø 3.6 x1 059238

Ø 4.0 x1 059245
Ø 4.5 x1 059252

24 kN COMPACT 600 mm
077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD



INCLUDED




for standard rivets:

Ø 4.5 x1 081222
Ø 5.2 x1 079939

OPTION

for extraction of self piercing rivet:
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY





SPECIFIC STORAGE



PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN
064584

x100	x1	x1	x1	x1	x1

BLIND RIVET ADAPTER 50 kN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



50 kN 1 m
064867
4.0 kg

For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



Complete kit


065987



OPTIONS

Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm nozzle-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



	M5	066083
	M6	066090
	M8	066106
	M10	066113
	M12	066120
	M14	066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN
073388

x100	x1	x1	x1	x1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700
068452

x100	x1	x1	x1	x1	x2	x1	x1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



Blind rivet nuts - Écrous à sertir							
	M5	M6	M8	M10	M12	M14	
 mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0	
	x50 066175	x50 066182	x50 066199	x50 066205	x50 066212	x10 066229	
	+	× 10	× 10	× 10	× 10	× 10	× 5

Blind rivet bolts - Goujons à sertir				
		M5	M6	M8
	mm	22.5 → 27	24 → 28.5	23.5 → 28
	mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
		X 50 066236	X 50 066243	X 50 066250
		× 10	× 10	× 10

Blind rivets - Rivets aveugles			
	Ø 6.4	Ø 9.8	
	2.8 → 4.8	3.0 → 14.0	
	x 50	x 50	
	066267	066274	
	x 10	x 10	

DIES - Matrices - Matrizen

SPR
Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen



2.0 < 6.5 mm 3 < 5,8 bar

SR
Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen



2.3 < 8.3 mm 5,3 < 8 bar

FFR / CFFR
Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten



2.3 < 8.3 mm

Extraction of rivets
- Extraction de rivets
- Niet-Auspressen



2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets
- Vollniet-Lochstanzen/Prägen



2.3 < 8.3 mm 8 bar

																				
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759
A1+A2		B1+B2																		
054295		054301																		

																			
x1	x1	x1	x1	x1	x5	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
D15	D16	D17	D18	E1	E2	E3	E6	E7	E9	E10	E11	E12	E13	E15	F1	F2	F3	F25	F45
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	088573	055773	055780	055797	090781
				E1+E2												F1+F2			
				054318												054714			

																					
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	
F5	F6	F7	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	091139	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902

																		
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x5	x1	x1	x1	x1	x1	x1	x1	x1
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1	T2	T3	T4	T5	T7	T8	T10	T12	T13
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373
									T1+T2									
									054707									




											
x1	x1	x5	x1	x1	x1	x5	x1	x1	x1	x5	x1
T14	T15	T16	T17	T18	T19	T20	T21	T22	T23	T24	T25
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950
											082830
											082847
											082861
											082854




BREVET GYS
GYS PATENT
EP3932583
US 11,712,732

Fast installation of the punch




Installation rapide du poinçon

High performance for UHSS/Boron




Haute performance pour UHSS/Boron

Punch easy removal without Push Pull system




Poinçon facile à retirer sans système Push Pull

Perfect result



Consistently precise punching - Perçage toujours précis

RIVETING ARM EXTENSION - Rallonge bras riveteuse

			
x1	x2	x1	x1
XT 11.21	XT 31-40	XT 31-60	XT 31-78
058644	066335	057135	058637

SELF PIERCING RIVETS (SPR) - Rivets autoperçants (RAP) - Stanznieten

Steel - Acier - Stahl

Complete box 048706

							
Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

HR9 max 9 000 N
057234



Made in Taiwan

HR90 max 9 230 N **NEW**
089976



Made in China

For BLIND rivets - Pour rivets POP - Für Blindniet	
Steel / Acier	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

HR14 max 14 000 N
057241



Made in Taiwan

HR120 max 11 800 N **NEW**
089983




Made in China


For BLIND rivets - Pour rivets POP - Für Blindniet	
Steel / Acier	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

SPECIAL CENTER PUNCH - Pointeau centreur - Spezialkörner

048379



Suction - Aspiration



For BLIND rivets - Pour rivets POP - Für Blindniet	
max Ø 4.5	Ø 4.8/6.4

MANUAL TOOL FOR BLIND RIVETS - Riveteuse manuelle - Manueller Blindnietgerät

061323



Made in Taiwan

For BLIND rivets - Pour rivets POP - Für Blindniet	
Steel / Acier	Ø 3.2/4.0/4.8/6/6.4
Alu	Ø 3.2/4.0/4.8/6/6.4

CORDLESS RIVETER - Riveteuse sur batterie - Akku-Blindnietgerät

TWO ER20 max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg
064461



2 x

20V/2Ah Li-ion battery

BRUSHLESS motor

For BLIND rivets - Pour rivets POP - Für Blindniet	
Ø 4.0/4.8/5.0/6.0/6.4	

HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmuttergerät

RIV 998 max 19 000 N (6 bar)
included accessories for sealing nuts:
- livré avec accessoires pour écrous à sertir :
✓ M3 ✓ M4 ✓ M5 ✓ M6
✓ M8 ✓ M10 ✓ M12
055414



MADE IN ITALY

Sealing nuts - Ecrous à sertir - Blindnietmuttern	M3 → M12	Blind rivet bolts - Goujons à sertir - Blindnietbolzen	M3 → M12
---	----------	--	----------



E GYS AUTO

INVERTER SYNERGIC

Lastest generation
colour screen 3.5"

EASY



16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EXPERT

Pre-gas / Creep speed/ Hotstart /
Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection -
Protection d'écran
- Bildschirmschutz
079885

MODES

- MANUAL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAY


FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES



USB key 16 Gb
062344


E1 GYS AUTO

10 200 A

230 V 1~

PFC

with accessories :



075122

E2 GYS AUTO

10 200 A

230 V 1~

PFC

with accessories :



075139

E3 GYS AUTO

10 200 A

230 V 1~

PFC

with accessories :



075160



E1 GYS AUTO

1		
2	-	-
3	-	-

E2 GYS AUTO


1		
2		
3	-	-

E3 GYS AUTO

1		
2		
3		



PFC POWER FACTOR
CORRECTION



OPTION




Protection cover
for 2-torch & 3-torch
generator
052260



E1 GYS AUTO 200 A • × 1 • 230 V 1~

E2 GYS AUTO 200 A • × 2 • 230 V 1~


E3 GYS AUTO 200 A • × 3 • 230 V 1~

 MADE IN FRANCE	 CE NORM. 60974/1				 min → max	 Ø mm			EN60974-1 (40°C)			 Original equipment Equipement d'origine Originalausstattung Equipamiento de fabrica		 Protected & compatible power generator (+/-15%)	
						50/60 Hz	A		A	200					300
▪	E1 GVS AUTO					10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	E2 GVS AUTO					10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	E3 GVS AUTO					10 → 200	▪	▪		145	200 A @ 20 %	0.6 → 1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA


MANUAL TORCHES

- Torches manuelles - Brenner
- Antorcha - Lastoort - Tocha

CLASSIC



GRIP



FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos



PUSH PULL

for AUTOPULSE



SPOOL GUN

Special CAR BODY REPAIR MACHINES




COMPLETE TORCHES

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, ArCo ₂	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø 0.8	M6 Ø 1.0	M6 Ø 0.8	M6 Ø 1.0	M8 Ø 1.2	M6 Ø 1.2	M6 Ø 0.8	M6 Ø 1.0	M6 Ø 1.2	M8 Ø 1.2	M6 Ø 1.2	M6 Ø 1.2	M6 Ø 0,8
	3 m	3 m	3 m	3 m	4 m	3 m	3 m	3 m	3 m	3 m	4 m	4 m	4 m
	063754	072121	072145	072152	063792	040694	063761	063785	072138	063808	043282	046283	041486
	3 m												
	082151												

Special MIG/MAG plier
- Pince spéciale MIG/MAG
- Spezial MIG/MAG Zange



041332




1) Clean 2) Cut 3&4) Prepare (contact tube & nozzle)

Anti-spatter spray
(without silicone)

- Spray protecteur sans silicone
- Antihafespray (Ohne Silicon)

400 ml
041806




MIG torch stand
with magnetic base

- Support torche magnétique

041653



CONSUMABLES - Consommables



Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

A		Conical nozzle - Buse conique - Konische Düse
B		Spot welding - Pointage - Punktdüse
C		Nail welding - Soude clou - Nagelschweißdüse
D		Special No Gas (Isolated) - Isolée spéciale Sans gaz
E		Conical nozzle - Buse conique - Konische Düse

Tip adaptors & diffusers - Supports tube contact & diffuseurs

Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN
AIR		LIQUID		AIR		LIQUID		AIR		AIR
150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
A1 (x5) 042902	B1 (x5) 042995	D1 (x3) 043008	C1 (x3) 043589	A1 (x5) 042902	B1 (x5) 042995	D1 (x3) 043008	C1 (x3) 043589	A1 (x5) 042902	B1 (x5) 042995	A1 (x5) 042902
+	+	+	+	+	+	+	+	+	+	+
A2 (x10) 042988	B2 (x5) 042919	D2 (x5) 042926	C2 (x5) 043541	A2 (x10) 042988	B2 (x5) 042919	D2 (x5) 042926	C2 (x5) 043541	A2 (x10) 042988	B2 (x5) 042919	A2 (x10) 042988

Contact tips - Tubes contacts - Kontaktröhre - Tubo de contacto - Contactbuis - Pontas de contacto

	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A (x10) 041905	A (x10) 041905	—	A (x10) 041905	—	—	—	—	—	—	—
	A (x10) 041912	B (x10) 041950	C (x10) 041790	B (x10) 041950	B (x10) 041059	A (x10) 041059	—	B (x10) 041059	B (x10) 041059	B (x10) 041059	B (x10) 041059
	A (x10) 041929	B (x10) 041967	C (x10) 419803	B (x10) 041967	B (x10) 041066	B (x10) 041066	C (x10) 419766	B (x10) 041066	B (x10) 041066	B (x10) 041066	B (x10) 041066
	A (x10) 040144	B (x10) 041974	C (x10) 419810	B (x10) 041974	B (x10) 041073	B (x10) 041073	C (x10) 419773	B (x10) 041073	B (x10) 041073	B (x10) 041073	B (x10) 041073
	—	—	C (x10) 419827	—	—	—	—	—	—	—	—
	—	—	C (x10) 419834	—	—	—	C (x10) 041080	—	—	—	—
	—	—	C (x10) 040533	—	—	—	—	—	—	—	—

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A		150 A	250 A	150 A
	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	53 mm Ø12 (x3) 041875	53 mm Ø16 (x3) 046214	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	63.5 mm Ø17 (x3) 046221	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	53 mm Ø12 (x3) 041875
	53 mm (x1) 041851	—	—	—	—	—	—	—	—	—	—	—	—
	53 mm (x1) 041523	—	—	—	—	—	—	—	—	—	—	—	—
	(x1) 041868	—	—	—	—	—	—	—	—	—	—	—	—
	(x1) 043084	(x1) 040571	(x1) 040588	—	—	—	—	—	—	—	—	—	—

Boxes

- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos



	x 3		x 5		x 5		x 3	=	MB 15 (150 A) 041226
	x 5		x 5		x 5		x 3	=	MB 15 / MB 25 077089
	x 5		x 5		x 5		x 3	=	MB 25 (250 A) 041233
	x 2		x 3		x 5		x 2	=	MB 36 (350 A) 041417

CONSUMABLES - Consommables

TORCH LINERS - Gainses - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço			
Ø 0.6 / 0.8	3 m	041592	
	4 m	041837	
Ø 1.0 / 1.2	3 m	041608	
	4 m	041844	
	5 m	062276	
Ø 1.2 / 1.6	3 m	418417	
	4 m	418424	
	5 m	062283	
Ø 1.6 / 2.4	4 m	040526	
	5 m	062290	

TEFLON			
Ø 0.6 / 0.8	3 m	041578	
	4 m	044050	
Ø 1.0 / 1.2	3 m	041585	
	4 m	044067	
	8 m	038677	
Ø 1.2 / 1.6	4 m	044074	
			
Guide gaine téflon pour motodévidoir 079601			

CARBON			
Ø 0.6 / 0.8	4 m	039834	
	5 m	062306	
Ø 1.0 / 1.2	4 m	039827	
	5 m	062313	
Ø 1.2 / 1.6	4 m	039810	
PUSH PULL TORCH			
Ø 1.0 / 1.2	8 m	038172	

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A			
For: Carmig			
			
Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346



TYPE B			
For: Carmig E, Autopulse 220, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto, P1/P2/P3 GYS Auto			
			
	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
Steel, Stainless steel - Acier, Inox	Ø 0.8 / 1.0	x 1	042100
		x 2	042360
	Ø 1.0 / 1.2	x 1	042179
		x 2	046849
	Ø 1.2 / 1.6	x 2	042384
		x 1	042155
		x 2	042377
Alu	Ø 1.0 / 1.2	x 1	042186
		x 2	040915
	Ø 1.2 / 1.6	x 2	042391
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 1	042131
		x 2	042407

TYPE C			
For: Neopulse - Autopulse 320-T3			
			
	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
Steel, Stainless steel - Acier, Inox	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124


NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240			
	=		Ø 0.9 1.0 / 1.2 (x1) Type A
	+		M6-Ø0.9 (x3)
	+		Isolated Nozzle No Gas - 150 A (x1)
For: Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2			

GAS CONNECTORS - Raccords gaz - Gasanschlüsse

	x2 045712		Ø 8	Ø 7	x1 046245
	x1 067936		Tuyau caoutchouc- Rubber hose Ø 6.3 X 13 (EN ISO 3821) 1.5 m 066670 4 m 046269 ≧ x m 046276		

PRESSUR-REGULATORS - Manomètres-débitmètres - Druckminderer

	
15 l/min	30 l/min
(FR) 041998 (UK) 040274 (NL) 040267 (IT) 038691	(FR) 041622 (UK) 041646 (DE) 041219 (NL) 041615 (IT) 038707
	
Optima Pro 30 l/min (FR) 043619 (UK) 043626 (DE) 043633 (NL) 043640	Torch gas flow-meter - Débitmètre de bout de torche 053939

WELDING WIRE REELS

- Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobbijn - Bobines de filo



STEEL - Acier - Stahl - Acero - Staal - Aço

SG2			
Norms : AWS 5.18 : ER 70S-6 ; EN ISO 14341-A : G46 4MG3Si1 ; DIN 8559 : SG2			
100 mm 0.9 kg	Ø 0.6	086593	
	Ø 0.8	086609	
200 mm 5 kg	Ø 0.6	086111	
	Ø 0.8	086128	
	Ø 1.0	086135	
	Ø 0.6	086166	
300 mm 15 kg	Ø 0.8	086227	
	Ø 0.8 ECO	086272	
	Ø 1.0	086234	
	Ø 1.0 ECO	086289	
300 mm 18 kg EXCELLIUM	Ø 1.2	086241	
	Ø 1.2 ECO	086296	
	Ø 1.2 ECO	086319	

BRAZING - Brasage


CuAl8 HLE - UHTS (Boron Steel)			
Norms : AWS 5.7 : ER CuAl-A1 ; EN ISO 14640 : S Cu 6100 ; DIN 1733 : SG-CuAl8			
200 mm 2 kg	Ø 0.8	077409	
200 mm 5 kg	Ø 0.8	086661	
	Ø 1.0	086197	
300 mm 15 kg	Ø 1.0	086180	

STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)			
Norms : AWS 5.9 : ER 316L Si ; EN ISO 14343-A : G19 12 3 L Si ; DIN 8556 : SG X2 CrNiMo 19 12			
200 mm 5 kg	Ø 0.8	086326	
300 mm 15 kg	Ø 1.0	086364	
	Ø 1.0	086371	

ALUMINIUM

AlSi5			
Norms : AWS 5.10 : ER 4043 ; EN ISO 18273 : S Al 4043-A ; DIN 1732 : SG-AlSi5			
100 mm 0.5 kg	Ø 0.8	086685	
	Ø 0.8	077133	
200 mm 2 kg	Ø 1.0	086142	
	Ø 1.2	086159	
AlSi12			
Norms : AWS 5.10 : ER 4047 ; EN ISO 18273 : S Al 4047 ; DIN 1732 : SG-AlSi12			
100 mm 0.5 kg	Ø 0.8	086678	
	Ø 0.8	077140	
200 mm 2 kg	Ø 1.0	086067	
	Ø 1.2	086074	
	Ø 1.2	086043	



ECO
Ecological wire reel - Bobine écologique



SG1			
Norms : AWS 5.18 : ER 70S-3 ; EN ISO 14341-A : G42 2MG2Si1 ; DIN 8559 : SG1			
200 mm 5 kg	Ø 0.6	086418	
	Ø 0.8	086401	
CrMo2Si			
Norms : AWS 5.28 : ER 90S-B3 ; EN ISO 2195L-A : Cr CrMo2Si			
300 mm 15 kg	Ø 0.8	086258	
UHSS			
Norms : AWS ASME SFA-5.28 : ER 120 S-G ; EN ISO 12534 : G Mn4Ni2, 5CrMo			
200 mm 5 kg	Ø 0.8	086203	
Hardfacing - Rechargement Acier 60 HRC			
Norms : EN 14700 : TZ Fe 2 ; DIN 8555 : MSG 6-CF-60			
300 mm 15 kg	Ø 1.2 ECO	088481	
300 mm 16 kg	Ø 1.2 ECO	086173	


Cored wire - Fil fourré - Fülldraht - Hilo tubular			
Norms : AWS 5.20 : E71T-GS ; EN ISO 17632-A T42 Z W N 1 H15			
100 mm 0.9 kg	Ø 0.6	086425	
	Ø 0.9	086104	
200 mm 4.5 kg	Ø 0.9	086265	
	Ø 1.0	086623	
	Ø 1.2	086630	
	Ø 1.0	086388	
300 mm 15 kg	Ø 1.2	086395	

Galva (G2Ti)			
Norms : AWS 5.18 : ER 70S-2 ; EN ISO 14341-A : G42 2 M G2Ti ; DIN 8559 : SG2			
200 mm 5 kg	Ø 0.6	086760	
	Ø 0.8	086777	

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter



AlMg2.7Mn			
Norms : AWS 5.10 : ER 5554 ; EN ISO 18273 : S Al 5554 ; DIN 1732 : SG-AlMg			
200 mm 2 kg	Ø 1.2	086517	
300 mm 7 kg	Ø 1.2	086500	





PLASMA CUTTING

EASycut K	95
EASycut	96
CUTTER	97



EASycut K

PLASMA

COMPRESSOR INSIDE • 1~

Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775



■ ■ EASycut K25

230 V • 1 ~ 25 A Fe 8 mm
Al/CrNi 6 mm

P400 COMPRESSOR




TPT 25, 4 m 068087 2 m, 10 mm²
068063



COMPRESSOR

COMPRESSOR
INSIDE



Youtube

ULTRA
LIGHT &
COMPACT



INTEGRATED
AIR FILTER
+
AUTOMATIC
DRAIN


PFC
EN 61000-3-12
POWER FACTOR
CORRECTION



■ ■ EASycut K35 PFC

230 V • 1 ~ 35 A Fe 15 mm
Al/CrNi 10 mm

P400 PFC AD COMPRESSOR





TPT35, 4 m 080775 2 m, 10 mm²
080768



TPT35, 4 m 2 m, 10 mm² Box TPT35 080782 UNIVERSAL 800 051331
080805

OPTIONS

Consumables

					Boxes - Coffrets
	x4 040236	x10 040212	x2 040175	x10 040168	039971
 for TPT25	x1	x1	x1	x1	
	x4 040182	x10 080799	x2 040175	x10 040168	080782
 for TPT35	x1	x1	x1	x1	

Compas
040205



x1
040199
R max = 670 mm



PLASMA 600
040298
↓ 39 x 58 x 62 cm / 8.2 kg
⊗ 63 x 30 x 11 cm / 8.8 kg



Universal 800
051331
↓ 48 x 62 x 81 cm / 17.6 kg
⊗ 81 x 52 x 15 cm / 18.1 kg

 MADE IN FRANCE  EN60974-1			I ₂	 mm				INTEGRATED TECHNOLOGY				AIR SYSTEM			EN 60974-1 (40°C)					Protected & compatible power generator (+/-15%)
				Coupe max Severance cut	Coupe propre Clean cut	Percage Piercing		P400	PFC	AD	IP23	min	ideal	max	I 60%	X% I2 max	100%			
EASycut K25	230V 1~	16	10 → 25	8	6	6	4	4	2	■	—	—	—	■	included	15 A	35%	—	53 x 31 x 48 / 19	6.5 kW 7.5 kVA
EASycut K35 PFC	230V 1~	16	10 → 35	15	10	10	8	6	5	■	■	■	■	■	included	26 A	30%	—	45 x 26 x 36 / 27	8 kW 10 kVA

EASycut K

PLASMA CUTTING

95





EASycut / CUTTER

PLASMA

1~




Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753


AD
ANTI-DUST
VENTILATION
CORRIDOR



PFC + FV
POWER FACTOR CORRECTION
+ FLEXIBLE VOLTAGE



CNC
COMPUTER NUMERICAL
CONTROL



DIGITAL
(PRESSURE SENSOR)

PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE



IDEAL
CARBODY REPAIR



DIGITAL
(PRESSURE SENSOR)

PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE

DIGITAL
(PRESSURE SENSOR)



Youtube




EASycut 25

230 V • 1 ~

25 A

Fe 8 mm
Al/CrNi 6 mm



TPT 25, 4 m 068087 2 m, 10 mm²

065543



EASycut 30 FV

110 → 230 V • 1 ~

30 A

Fe 15 mm
Al/CrNi 10 mm



TPT 30, 4 m 060753 2 m, 10 mm²

013858




EASycut 40

230 V • 1 ~

40 A

Fe 18 mm
Al/CrNi 15 mm



TPT 40, 4 m 060753 2 m, 10 mm²

029743



P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC

CUTTER 45 CT 16

110 → 230 V • 1 ~


45 A

Fe 30 mm - Al/CrNi 20 mm



2 m, 10 mm²

014787



TPT 45, 4 m

013629

CUTTER 45 CT 32

110 → 230 V • 1 ~

45 A

Fe 30 mm - Al/CrNi 20 mm




2 m, 10 mm²

088382




MT 45, 4 m

088399



2 m, 10 mm²

088382



MT 45, 4 m

088399

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35,
MT 25K / MT 35K
x1
040199



040205
R max = 670 mm


Consumables

	MT25K	TPT25	MT35K	TPT35	TPT40
	x4 040182	x4 040182	x4 040229	x4 040182	x4 040236
	x1	x1	x1	x1	x1
	x10 040151	x10 040212	x10 040212	x10 080799	x10 040212
	x3	x3	x3	x3	x3
	x2 040175	x2 040175	x2 040175	x2 040175	x2 040175
	x1	x1	x1	x1	x1
	x10 040168	x10 040168	x10 040168	x10 040168	x10 040168
	x3	x3	x3	x3	x3
Boxes - Coffrets	039971	070721	039964	080782	039957

Trolley - Chariot

	PLASMA 600 040298	Universal 800 051331	Jobsite XL 039568
Dimensions	48 x 62 x 81 cm / 17.6 kg	60 x 59 x 115 cm / 18.4 kg	66 x 47 x 20 cm / 19.6 kg
Weight	63 x 30 x 11 cm / 8.8 kg	81 x 52 x 15 cm / 18.1 kg	66 x 47 x 20 cm / 19.6 kg

Compressed air cleaning
filter for Plasma Cutter 40
- Filtre déshumificateur
spécial Plasma
039728



Filter
cartridge
- Cartouche
pour filtre
039735

				I ₂	mm						INTEGRATED TECHNOLOGY							AIR SYSTEM			EN 60974-1 (40°C)				 Protected & compatible power generator (+/-15%)								
					Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing																								
		50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	FV	GRID CUT	AD	IP23	CNC	min	ideal	max	I 60%	X% I2 max	100%	LxWxH cm / kg									
MADE IN GYS CHINA	EASYCUT 25	230V 1~	16	10+25	8	6	6	4	4	3	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—							
MADE IN FRANCE	EASYCUT 30FV	230V 1~ 110V 1~	16 32	10+30 10+30	15	10	10	8	6	5	■	■	■	—	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A 19 A	30% 25%	20 A 15 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA							
MADE IN GYS CHINA	EASYCUT 40	230V 1~	16	10+40	20	15	15	10	8	6	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—							
MADE IN FRANCE	CUTTER 45CT	TPT 40	230V 1~	16	15+45	20	15	15	10	8	6	■	■	■	■	■	analogic	5 bar	5.2 bar 115 L/min	7 bar	41 A 21 A	50% 25%	32 A 17 A	014787 - 51 x 32 x 46 / 14.9 013629 - 51 x 31 x 47 / 16.4	10.5 kW	8 kVA							
			110V 1~	32	15+30	15	10	10	8	—	—																						
		MT 45	230V 1~	32	15+45	30	20	25	15	12	10							—	—	—	—	—	—	—			5 bar	5.2 bar 185 L/min	7 bar	41 A 21 A	50% 25%	41 A 21 A	088382 - NC 088399 - 51 x 31 x 46 / 17.5
			110V 1~	32	15+30	15	10	10	8	—	—							—	—	—	—	—	—	—			5 bar	5.2 bar 185 L/min	7 bar	41 A 21 A	50% 25%	32 A 17 A	
			230V 1~	32	15+45	30	20	25	15	12	10							—	—	—	—	—	—	—			—	5 bar	5.2 bar 185 L/min	7 bar	41 A 21 A	50% 25%	

EASycut / CUTTER

PLASMA CUTTING



INDUCTION HEATING

HANDUCTOR 1.1 kW

NEW
03/2026

LED lamp



8 inductors





1 100 W

HANDUCTOR

AIR 230V
090484



Hanductor	10R / 18R
 38 cm 25 cm 1.2 kg Ø2 mm	 24 cm 19 cm 1.3 kg Ø3 mm
 1.8 m	 2 m 1.5 m



INDUCTION HEATING

POWERDUCTION 1.2 / 1.75 kW



NEW
04/2026

1 200 W

POWERDUCTION 10R

AIR 230V • 1 ~

POWERDUCTION 10R **ONE**
(1 inductor)
089617
089624

POWERDUCTION 10R **PLUS**
(5 inductors)
062504
068643
080966

POWERDUCTION 10R **PRO** (12 inductors)
080195
080300

1 750 W

POWERDUCTION 18R

AIR 230V • 1 ~

POWERDUCTION 18R **ONE**
(1 inductor)
091047
091054

POWERDUCTION 18R **PLUS**
(5 inductors)
091061
091078

POWERDUCTION 18R **PRO** (12 inductors)
091085
091092



INDUCTION HEATING

1 200 • 5 200 kW

HANDUCTOR	98
POWERDUCTION 10R/18R	99
GYSDUCTION AUTO	100
POWERDUCTION	101
COMBIDUCTION AUTO 50LG	104
INDUCTOR PROGRAM	105



99

POWERDUCTION 10R

INDUCTION HEATING

									Heating					
														
	HANDUCTOR	230V 50/60 Hz	5 A	1 100	55	—	1.8	—	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	38 x 7 x 10.5 / 1.2	43 x 10 x 23 / 3.3	1.5 kW
	POWERDUCTION 10R ONE / 10R PLUS / 10R PRO	230V, 1~ 50/60 Hz	10 mini	1 200	45 → 80	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	089617 - 21 x 10 x 15 / 3.5 062504 - 21 x 10 x 15 / 3.3 080195 - 20 x 17 x 15 / 3.5	089617 - 38 x 13 x 24 / 4 062504 - 42 x 17 x 37 / 5.6 080195 - 46 x 21 x 38 / 6.6	1.5 kW
	POWERDUCTION 18R ONE / 18R PLUS / 18R PRO	230V, 1~ 50/60 Hz	10 mini	1 750	45 → 80	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	091047 - 21 x 10 x 15 / 3.5 091061 - 21 x 10 x 15 / 3.3 091085 - 20 x 17 x 15 / 3.5	091047 - 38 x 13 x 24 / 4 091061 - 42 x 17 x 37 / 5.6 091085 - 46 x 21 x 38 / 6.6	2 kW

INDUCTION HEATING

3.7→5.2 kW



3 700 W

POWERDUCTION 38LG

230V • 1 ~



S90 058927
088474
090743




POWERDUCTION 39LG



230V • 1 ~



C20/B1 056862
058583



285 064485
080027
S90 058927



5 200 W

POWERDUCTION 49LG

230V • 1 ~



C20/B1 056862
088498



POWERDUCTION 50LG

230V • 1 ~



C20/B1 056862
055599

 MADE IN FRANCE				Freq.	Tech.			Cable L (m)		Heating					
		A	W			Tank capacity	Liquid included	Inductor							
POWERDUCTION 38LG	230V, 1~ 50/60 Hz	16 mini	3700	15+30	—	71	51	2	3	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	46 × 36 × 70 / ND	81 × 38 × 59 / ND	4 kW
POWERDUCTION 39LG	230V, 1~ 50/60 Hz	16 mini	3700	20+60	■	71	51	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	4 kW

 MADE IN FRANCE				Freq.	Tech.			Cable L (m)		Heating					
		A	W			Tank capacity	Liquid included	Inductor							
POWERDUCTION 49LG	230V, 1~ 50/60 Hz	16 mini	5200	20+60	■	71	51	2	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	6 kW
POWERDUCTION 50LG	230V, 1~ 50/60 Hz	25 mini	5200	20+60	■	71	51	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 × 43 × 75 / 58	80 × 60 × 60 / 71	6 kW



COMBIDUCTION AUTO 50 LG

INDUCTION HEATING

5.2 kW



5 200 W


COMBIDUCTION AUTO 50LG

PFC 230V • 1 ~



COMBIDUCTION AUTO 50LG 208-240V

PFC 208-240V • 1 ~



2 in 1

50LG

+

AUTO



OPTIONS

Spiral inductor
- Inducteur spirale
- Spiralinduktor



5 inductors
054783



SIDE			
Ø 18 mm	≤ M8	054806	
Ø 24 mm	≤ M12	054790	
Ø 30 mm	≤ M16	055469	

PDR : Paintless Dent Repair - Débosselage sans peinture - Lackschadenfreies Ausbeulen

054776


Licensed by
BETAG innovation




INDUCTOR PROGRAM

ADAPTERS / ADAPTATEURS

Powerduction 37, 37 PRO & 38LG




Powerduction 39, 49, 50LG & Combiduction 50LG




STANDARD

Small inductors



33 X 20 mm	36 X 27 mm	31 X 22 mm	Ø 19 mm			
S90 (90°) 058927	S70 (70°) 061569	S180 (180°) 059269	S20/B1 (20°) 064874	S180/B1 (180°) 064881	S180/B3W (180°) 067899	S180/B6 (180°) 087002



Ø 20	S20/D20	078796	S90/D20	078871	S180/D20	069985
Ø 25	S20/D25	078802	S90/D25	078888	S180/D25	069992
Ø 30	S20/D30	078819	S90/D30	078895	S180/D30	070592
Ø 35	S20/D35	078826	S90/D35	078901	S180/D35	070608

Difficult Access
Adapters 90°-S
082663



✓ S180/B1
✓ S180/B3W
✓ S180/B6

Protection kit for loop inductors
- Kit de protection pour inducteurs boucle
077386



MADE IN FRANCE		A	W	kHz	PFC	Liquid Cooling	Tank capacity	Liquid included	Cable L (m)	Inductor	Heating			L × W × H cm / kg	L × W × H cm / kg	Protected & compatible power generator (+/-15%)
											Ø	2 mm	3 mm			
COMBIDUCTION AUTO 50LG	230V, 1~ 50/60 Hz	25 mini	5200	20+80	■	■	7l	5l	6	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	79 x 58 x 60 / 72	6 kW
COMBIDUCTION AUTO 50LG 208-240 V	208-240V, 1~ 50/60 Hz	25 mini	5200	20+80	■	■	7l	5l	6	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	79 x 58 x 60 / 74	6 kW

CONSUMABLES



OPTIONS



INDUCTOR PROGRAM

INDUCTION HEATING • 1

105





TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

TROLLEY IW1	107
MULTITOOL TRUCK	107

CAR LIFTS

SPOT LIFT	108
AIR JACKS	109
ERGO LIFT	110
MANUAL DOOR LIFT / WHEEL LIFT	112



TROLLEY IW1 / MULTITOOL TRUCK

TRUCK TOOLS

TROLLEY IW1
Impact wrench trolley -
Support de clé à choc

max 6.5 bar

max 20 kg

063136




Youtube

OPTIONS




Huile hydraulique
- Hydraulic oil
1l
053397

**Weight, vibrations
& torque suppression -**
Suppression du poids,
des vibrations et du couple



High dexterity -
Liberté de
mouvement



High maneuverability & stability -
Grande maniabilité et stabilité



107

TRUCK TOOLS



MULTITOOL TRUCK

SAFE EN 14238 + A1

max 200 kg

067158

INCLUDED




Lifting tool for brake caliper
- Outil de levage pour étrier
de frein - Hebewerkzeug für
Bremsattel



Brake caliper





Lifting tool for battery -
Outil de levage pour batterie
- Hebewerkzeug für Batterie



Truck batteries




Lifting tool for wheels -
Outil de levage pour roues
- Hebewerkzeug für Räder



SAFE
EN 14238 + A1

**ULTRA
COMPACT**
103 cm

HEALTH CARE





SPOT LIFT

MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar


SAFE EN 1494

max 2.2 t




064843

HEALTH CARE



High stability - Haute stabilité




Included
220 bar
053588



SAFE
EN 1494

SECURITY



OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1L
053397



Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236



SPOT LIFT PRO


max Air 8 bar

SAFE EN 1494

max 2.2 t



053557



OPTION



SAFE
EN 1494

60 cm (max)
14 cm (min)



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW




Pads - Patins
for Audi & BMW
(x 2)
053717

Ramps - Ranges
700 x 200 x 80 mm
(x 2)
056787




AUTO ROLL

AUTO ROLL 1.0 m / 1.2 t
059047



AUTO ROLL 1.55 m / 1.2 t
063839



min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)

1.0 m (AUTOROLL 1.0m)
1.55 m (AUTOROLL 1.55m) > ideal straightening
table - idéal table de redressage

Included
059054




Option
059061




WHEEL TROLLEYS - Tabourets de manutention
- Radhocker

048768



MECHANICAL LIFTING JACKS - Chariots de
manutention prise sous roue - Kfz-Montagelift, fahrbar

071995



Made in China

AIR JACKS


DOUBLE BAG AIR JACK
082878

Pressure : 8 bar (116 PSI)
Weight 12 kg



SAFE
EN 1494

12 kg
LIGHT & COMPACT



FAST : 4s

Low profile


max :
40 cm
(+ pad)
max :
34 cm
min :
12 cm



STABILITY


TRIPLE BAG AIR JACK
082885

Pressure : 8 bar (116 PSI)
Weight 14 kg



SAFE
EN 1494

14 kg
LIGHT & COMPACT



FAST : 4s

Low profile

max :
49.5 cm
(+ pad)
max :
43.5 cm
min :
14.5 cm



STABILITY



109

SPOT LIFT

MOBILE LIFTS



ERGO LIFT



Youtube

Easy manoeuvring




Maximum comfort



100% Security



Hydraulic Safety



Super compact

Ergo lift 1000 Roll : 395 kg Ergo lift 2000 Roll : 420 kg




Maintenance free

Air 7-8 bars



Pump 082977

Easy connection



Ergo lift 1000 Roll



Without knee joint - Sans genouillère

400 kg



Ergo lift 2000 Roll



With knee joint - Avec genouillère

2600 kg



Ramps essential for vehicles with very low ground clearance - Rampes indispensables pour les véhicules avec garde au sol très basse



Not necessary - Pas nécessaire

Lifting capacity



MAX

2.5 T

Lifting height



0.95 m



MAX


2.6 T



1 m


OPTIONS 1000 ROLL

Ramps x2 - Rampes x2
700 x 200 x 80 mm
056787




Capacity : max 2 t

Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717



Capacity : max 3.5 t



for Electric Vehicles
> 2 tons

OPTIONS 1000 & 2000 ROLL

Pads for SUV x4
- Patins pour SUV x4
065017



Lifting pads x4
- Patins pour levage x4
088511




Wheel kit
- Kit roues
076778



Max 3.2T

Pump support
- Support pompe
088047



ERGO LIFT 1000 ROLL

without pump - sans pompe

067950

SAFE

EN 1493



2.5 T



0.95 m

included :



Pack ERGO LIFT 1000 ROLL + wheels

076792



ERGO LIFT 1000 ROLL



Pump



Wheel kit

Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984



ERGO LIFT 1000 ROLL



Pump



Ramps 160mm

ERGO LIFT 2000 ROLL

without pump - sans pompe

087460



NEW

SAFE

EN 1493



2.6 T



1 m

included :



Pack ERGO LIFT 2000 ROLL + wheels + pump support

089051




ERGO LIFT 2000 ROLL



Wheel kit



Pump




Pump support

ERGO DOOR LIFT

Ergonomic door handling trolley
- Support Pro ergonomique de manutention de portière
- Ergonomische Türhandhabungsunterstützung
082670



117 x 28 x 27 cm
40 kg



Option

Wide door accessory
- Accessoire pour portière large
- breites Türzubehör
082700




MANUAL WHEEL LIFT

Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385



min: R13 / 135 / 65
max: R22 / 300 / 35
kg 40 kg max



+
ACCESSORIES

WELDING HELMETS	114
FUME EXTRACTION	117
WINDSCREEN REPAIR	118
BUMPER REPAIR	120
HAND TOOLS	122
PNEUMATIC TOOLS	126
WORKING LIGHTS	128
SANDING & DUST EXTRACTION	130
WORKING SUPPORTS	132
SAFETY PROTECTION	137
ELECTRIC VEHICLES	138

Initial shade - Teinte initiale



Headgear - Serre-tête



Automatic or manual settings

MEMORY & ELECTRONIC CONTROL

Shade 5 4-9/9-14 Adjustable Shade 5

HERMES 3/4-14 G
089686

NEW
04/2026

◀ 116 × 81 mm	□ → ■ 0.04 ms
DIGITAL	class V1
ULTRA CLEAR 3	(100%) × 5 (100%)
⊕ ⊖ GRIND	TRUECOLOR

Multi Premium

PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare-brise
- Frontscheiben-Trennsystem für Akkuschrauberbetrieb

057654

MADE IN
HIGH
QUALITY
GERMANY

included
Axe enrouleur
068100

included
65 m
resistance 285 kg, Ø 1.18 mm
088986



OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare-brise
- Druckluft-Trennmesser für Windschutzscheiben

057623



REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie-glace - Wischerarm-Abzieher

UNIVERSEL
057630



EXPERT

Accès difficile
- Difficult access
057647



SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser

056695



051966




x6
057609




WINDSHIELD CUTTING KIT - Système de découpe pare-brise à cliquet
- Set zum Lösen von Windschutzscheiben

054738



DASHBOARD PROTECTOR - Protections tableau de bord
- Armaturenbrett Schutz

053120




WINDSHIELD CUTTING TOOL - Outil découpe pare-brise
- Windschutzscheiben Demontage-Set

051935



WINDSCREEN JOINT-CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898



COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack

1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse

052086



2 SPEED


+



+



+



+

+

+

sander Ø75
057494

+

+

+

+

+

polisher Ø75
058224

Ø 76

P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)



P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048



HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare-chocs - Stoßstangen Reparatur Kit

052925



INCLUDED :
x20 x20 x20 x20 x20

MADE IN TAIWAN

PORTABLE: Battery operated
090569

Li-ion battery 3.65V
Input: DC 5V, 2A
Output: 3.65V, 8A MAX
Battery: 3.65V, 4000 mAh
Capacity of 400 staples
↳ 5.9 x 3.6 x 25.5 cm / 275 g
↳ included USB-A /USB-C cable
Made in China

NEW
04/2026



Adjustable

INCLUDED :
Ø 0.6, x50 Ø 0.8, x50
Ø 0.8, x50 Ø 0.8, x50

Staples - Agrafes


 V Inside corner - Angle interne étroit Ø 0.7 mm	 U Crack alignment - Alignement de fissure Ø 0.7 mm	 N Large crack - Fissure importante Ø 0.7 mm	 W Internal angle - Angle interne Ø 0.7 mm	 M External angle - Angle externe Ø 0.7 mm
 x 100 047990	 x 100 047983	 x 100 047976	 x 100 047969	 x 100 047952

 V Inside corner - Angle interne Ø 0.8 mm	 U Crack alignment - Alignement de fissure Ø 0.8 mm	 N Large crack - Fissure importante Ø 0.8 mm	 E Outside corner - Angle externe Ø 0.6 mm
 x 50 091658	 x 50 091665	 x 50 091672	 x 50 091689

052413 = x 50 + x 50 + x 50 + x 50 + x 50

 **Option**
15 W USB-C Charger
087101

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger



Box 10 diameters
059139

Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm



Box 16 diameters
085824

included Ø 10 mm

Ø 18.0 - 18.2 - 18.4 - 18.6
24.0 - 26.0 - 26.5 - 26.7
27.4 - 28.1 - 29.3 - 32.0
32.5 - 34.4 - 37.4 - 38.9 mm



FREEZER
Freezer spray
- Spray refroidisseur
-50 °C
400 ml
(x 12)
048898

TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs



076518

x15
076525

HAND SEAMER FOR PLASTIC REPAIR -
Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset




320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072

Ø 5 mm
066694 Ø 8 mm
066700

Youtube

 plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		■ 6 mm	x 10	067622
		■ 8 mm	x 10	066298
		▲ 4 mm	x 10	071322
ABS	■ 8 mm	x 10	071339	
	▲ 4 mm	x 10	087873	
TPO	■ 8 mm	x 10	087880	

 Station	PP/EPDM			Pressure wheels	Mini milling machine	Scraper
	4mm (x10)	6mm (x10)	8mm (x10)			
064072	✓					
070974			✓			


Scraper - Grattoir
068032

Pressure wheels
- Roulette de
compression
058231

Tungsten drill
Ø 5 mm
included
063235

Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / ↳ Ø100 x 300mm,
poignée Ø 56mm.

057678

Options

TIP Ø5
061262

TIP insert Ø5
061279

20mm

x10
052956

x1
25 x 12.5 cm
052949

MULTI-CLIP PLIER -
Pince multi-clip

083813



DURABLE
HIGH-CARBON
STEEL

Cut + Grip

BRAZING AUTOMOTIVE PLASTICS REPAIR KIT -
Coffret de réparation des plastiques automobiles - Kungstoff
Reparatur Set

052932 =



MADE IN BELGIUM

x10
052956

25 x 12.5 cm
x2
052949

057258

052963

WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

± 64 kg
Capacity 320 kg



4 Keys -
4 Clés

Complete carbody workstation
080119



Workstation only
076143

included



HAND CHISEL FOR CAR BODY

- Burins
- Meißel für Karosserie

057586




057593



SET OF 3 SCRAPING KNIVES


- Couteaux racloirs

061439




SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF 3 CHISELS - Lot de 3 burins de
séparation éléments collés - 3 Meißel

076754



SET OF 30 TOOLS FOR SCRAPING/SANDING AND
PAINT REMOVAL - Outils de dégarnissage et raclage - Polster &
Schaber Kit

057616



HAND TOOLS - Ausbeulwerkzeug

• FULL PACK =
061637



+ • MEDIUM PACK
051133



PLANISHING HAMMER
BLACKTEC®

077270

Rubberised gripping
- Manche en caoutchouc



ALU HAMMERS
- Marteaux alu

020986



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4
DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit




SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu
- Karosseriehammer & Handfaust Kit



FORMING TOOLS - Outils de forme -
Formgebungswerkzeuge

051195




BODYWORK BUMPING Mallet - Maillet souple caoutchouc
- Karosserie-Schlaghammer

083479




CONTOUR GAUGES - Jauges de profil - Konturenlehre

052840




057265



DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102



GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre

x2
054752



MULTI-CLIP PLIER - Pince multi-clip

083813



BURR REMOVER - Outil d'ébavurage - Gratentferner

079854



LIP PLIER - Pince à lèvres - Falzange gebogen

079649



DOOR ALIGNING TOOL - Outil d'alignement de portière - Türausrichtungswerkzeug

083424




PANEL SPACING ALIGNMENT GAUGE - Jauge d'alignement d'écart de panneau

088689
inch / mm




BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



SET OF PLIER + 10 STAPLES - Coffret pinces à agrafes

082175



POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)



TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles

(x10)
Ø 2,4 mm
069664


(x10)
Ø 4,0 mm
069671

(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695

MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)




MICRO-WELDING CLAMPS - Micro-brides de soudage

079373
(x4)




FLAT NOSE LOCK-GRIP PLIERS - Pinces étai à bec plat

062719



AXIAL-GRIP PLIERS - Pinces axiales

050242



LOCK-GRIP PLIERS - Pinces étai mono serrage

280 mm
061378



610 mm
061354




460 mm
061361



Flat noze - 610 mm
061347



Flat noze - 460 mm
050112



KIT:
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829

Speed adjustment

Ø 75 mm

Included (x1) 052468

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248

x2 Ø

Ø 50 & 75 mm

Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
15000	84	91	6.2	10	0.6

MINI-FLEXIDISC LAMELLES ZIRCON Ø 50 mm

K 40 (x10) 058255

K 60 (x10) 058262

K 80 (x10) 058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906

520 mm

20

360°

Grain 60 (x 5) 060913

Grain 80 (x 5) 060920

Grain 100 (x 5) 060937

Grain 36 céramique (x 5) 062535

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16 000	171	6.3	34	1.2

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819

360°

330 mm

10 mm

Grain 80 (x 10) 052833

Grain 36 céramique (x 20) 062528

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836

90°

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	500	81	85	6.2	18	0.7

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753

Ø 100 mm

± 1.6 mm, x5 057883

± 0.8 mm, x5 058217

Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867

Ø 50 mm

90°

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
15000	200	86	85	6.2	18	0.75

(x1) 052772

SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile

051805

(x5) 052789

included 058750

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
5000	—	85	255	6.2	10	0.8

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775

Roue gomme 115 x 14 mm 051874

Roue à découper 115 x 14 mm 051843

Adaptateur pour brosse 051768

Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598

Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812

Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
4000	500	86	102	6.2	280	1.2

PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouser, pneumatique - Pneumatische Loch- und Absatzzange

079892

Ø 8 mm

0,8 > 1,2 mm

2 in 1

052543

Ø 5 mm

0,8 > 1,2 mm

Punching tool for oval holes - Outil de poinçonnage oblongs - Langlochkarosserieblechzange

2.2 kg

6 mm 20 mm

052437

8 mm 20 mm

067264

LASER CORD METAL SHEET CUTTER (NIBBLER) - Dépointeuse pour cordon laser ACIER - Trennwerkzeug für Lasernähte

054165

Ø 6 mm

STEEL Included 054172

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer

063228

Option

Tungsten drill Ø 6 mm 054172

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464

360°

Ø 8

Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)

HIGH QUALITY

Spot remover drill - Forets de dépointage - Schweißpunktfräse Tungsten Carbide for BORON/UHSS

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	400	85	140	6.5	35	2.3

3-edge Ø 8 mm 053069

4-edge Efficiency ++ Durability ++ Ø 8 mm 059849

Ø 9 mm 069763

Ø 9 mm 069770

Ø 10 mm 053076



PACK SPOT DRILL + 140 mm 061460

3-edge Ø 8 mm 053069

140 mm 061453

INSPECTION LAMP - Lampe inspection - Inspektionslampen

FRONTAL INSPECTION LAMP 280 L
100-280 lumens

3 W COB LED
80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
operating time
High position : 2 h
Low position : 6 h
IP 65 / $\downarrow$ 7.8 x 4.7 x 4.2 cm
 $\boxtimes$ 40 x 8.8 x 5.5 cm / $\blacktriangle$ 200 g
060845

motion detection mode

HANDS-FREE TORCH 360 L
180-360 lumens

3.7 V - 2200 mAh Li-ion
Charging time: 3.5 h
operating time
High position : 3 h
Low position : 6 h
 $\downarrow$ 26 x 15.9 x 2.5 cm
 $\boxtimes$ 3.5 x 30 x 16 cm
088559

PORTABLE LAMP 400 L
400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h
 $\downarrow$ 23 x 6.5 x 4 cm / $\blacktriangle$ 480 g
 $\boxtimes$ 13 x 7 x 23.5 cm
059153

INSPECTION LAMP MINI 350 L
0-350 lumens

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)
operating time
3 > 6.5 h
IP 20
075894

INSPECTION LAMP PRO 800 L
120-800 lumens

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)
operating time
2.5 > 9 h
IP 54
075900

UNDER BONNET LAMP - Lampe sous capot - Leuchte für Motorhaube

UNDER BONNET LAMP 600 L
500-1000 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h
operating time
High position : 4 h
Low position : 8 h
 $\downarrow$ 26 x 10 x 10 cm
 $\blacktriangle$ 2.3 kg
 $\boxtimes$ 23.5 x 12 x 69.5 cm
059962

UNDER BONNET LAMP 800 L
250-800 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h
operating time
High position : 3 h
Low position : 6 h
 $\blacktriangle$ 2 kg
 $\boxtimes$ 60.7 x 15 x 11.3 cm
058002

WORKLIGHT WITH TRIPOD - Projecteur sur trépied - Arbeitsleuchte mit Standfuß


TRIPOD LAMP 3000 L
3000 lumens

35 W COB LED
2 m power cord
IP 44
 $\blacktriangle$ 4.1 kg
 $\boxtimes$ 103 x 21.5 x 10 cm
059979

TRIPOD LAMP 4000 L
4000 lumens

3x 20 COB LED, total 60 LED
3 m power cord
 $\blacktriangle$ 6.4 kg
 $\boxtimes$ 22 x 16 x 116 cm
059986

DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung



5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K

500-1000-2000 lumens

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
 $\downarrow$ 7 x 23 x 20 cm / 1.2 kg
 $\boxtimes$ 9 x 25 x 24 cm / 1.9 kg
060876

5 COLORS
2500-3500-4500-5500-6500 K

50-200-500 lumens

SUNMATCH 4
COB LED, 96 CRI+, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time
High position : 2 h, Low position : 4 h
IP 65
 $\downarrow$ 4 x 6 x 19 cm / 0.3 kg
 $\boxtimes$ 8 x 9 x 21 cm / 0.5 kg
061651

ACCESSORIES & SANDING

FILM COATING THICKNESS GAUGE - Détecteur épaisseur de peinture

059856

Measurement range : 0 - 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm

4 MAGNETIC PANEL EDGE PROTECTIONS - 4 protections magnétiques de ponçage pour bord de panneau

082793

55.5 cm

ELECTRIC SANDER & POLISHER - Ponçeuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
 $\downarrow$ 27 x 15 x 10 cm / 1.5 kg
 $\boxtimes$ 37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/min
Drum capacity : 30 L
Drum material : stainless steel
 $\downarrow$ 33 x 33 x 63 cm / 4.9 kg
 $\boxtimes$ 38 x 38 x 67 cm / 7.8 kg

Manual or automatic

**AUTOMATIC
START SYSTEM**



Start/stop synchronized with the sander
- Marche/arrêt synchronisé avec la ponceuse


**INNOVATIVE
SUCTION SYSTEM**



High suction
Low air consumption



**MAINTENANCE FREE
Unique auto clean system**



ATEX norm
Group II - Category 3
EN 60335-2-69:2012


- ✓ **ROBUST**
- ✓ **QUICK & SAFE**
- ✓ **LOW AIR CONSUMPTION** (5 bar)
- ✓ **NO ELECTRIC MOTOR**
- ✓ **ENERGY SAVING**
- ✓ **VACUUMING ALL SURFACES**
(Steel, aluminium, putty)

Depression 1300 mm H2O
Air flow 650 l/min
Air consumption 250 l/min


Adjustable sander pressure
- Pression ponceuse ajustable
6 bar max

GYS DUST EXTRACTOR PRO 1

1 SUCTION PORT




or




GYS DUST EXTRACTOR PRO 2


2 SUCTION PORTS




or




SELF-SEALING SUCTION



COMPACT



LARGE STORAGE



OPTIMIZED STORAGE



EASY ACCESS



Consumables

Sac à poussières - Filter bag
Capacity 5 kg

Included x1



x5
058880

Options

Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV



Ø 150 mm
071346


Pneumatic Sander
- Ponceuse pneumatique
Made in China



Ø 150 mm
087897

NEW

Soft foam interface pads
- Tampons interface mousse souple
for pneumatic sander



Ø150 mm, 16 holes/ trous
091429

NEW

Vacuum sanding block
- Cale à poncer aspirante



70 x 200 mm
089082

NEW

Flexible vacuum sanding block
- Cale à poncer aspirante flexible



70 x 400 mm
089099

GYS DUST PRO 1 EXTRACTOR

088528

↳ 49 x 48 x 88 cm / 26 kg
⊗ 81 x 40 x 49 cm / 28.6 kg

Sander not included
- Ponceuse non fournie

NEW
01/2026



4 m
Ø 29 mm

GYS DUST PRO 2 EXTRACTOR

088535

↳ 49 x 48 x 88 cm / 26 kg
⊗ 81 x 40 x 49 cm / 28.6 kg

Sander and back not included
- Ponceuse et cale non fournie

NEW



4 m
Ø 29 mm

AIR OUTPUT 1/4" GAZ

for compressed air coupler




Connector not included
- Raccord non inclus

Included
Earth clamp safety




GYS DUST EXTRACTOR PRO 2 091436	Pneumatic Sander Ø 150 mm 087897	Vacuum sanding block 089082	Flexible vacuum sanding block 089099	Filter bag x5 058880


ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments
- Ergonomische Pro-Unterstützung für Malelemente



ROTARY ELEMENT SUPPORT - Support élément rotatif
- Lackierständer für Stoßstange, einstellbar




WHEELS PAINTING SUPPORT - Support de peinture
pour 2 jantes - Lackträger für 2 Felgen




FRAMES SUPPORT - Tréteaux - Klappböcke




ROTARY ELEMENT SUPPORT
- Support pare-chocs - Lackierständer für Stoßstange, einstellbar



TELESCOPIC FRAMES SUPPORT - Tréteaux télescopiques - Teleskopböcke



SUSPENSION RACK FOR CAR BODY PANELS -
Portant pour suspension d'éléments de carrosserie



MASKING MACHINE

- Chariot de marouflage - Abdeckpapier-Ständer




MASKING MACHINE

- Diable de marouflage - Abdeckpapier-Ständer




MOBILE RACKS FOR CAR BODY REPAIR - Racks mobiles pour éléments de carrosserie - Mobile Regale für Karosserieteile



GRATE LIFTER TROLLEY - Diable pour grilles de cabine de peinture



ROUND STOOL WITH TOOL STORAGE - Tabouret - Werkstatt-Rollhocker




PLASTIC STOOL WITH TOOL STORAGE - Tabouret en plastique avec rangements - Kunststoffhocker



STORAGE TROLLEYS - Chariots de stockage - Lagerrollwagen



WALL STORAGE - Stockage mural - Wandspeicher



3-DRAWER WORKSHOP STOOL - Tabouret d'atelier 3 tiroirs - Werkstatthocker 3 Schubladen



FOLDING STEP STOOLS - Marche pieds (Aluminium) - Arbeitspodest klappbar



MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege





UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer



FLAP LOCKS - Jeux de tiges de blocage




2 IN 1 MECHANICS CREEPER - Chariot de visite 2 en 1 - Werkstatt-Rollliege



WORKSTATION PREMIUM 5 DRAWERS

- Servante premium 5 tiroirs



PLASTIC TROLLEY 3 SHELVES

- Servante plastique 3 plateaux



WORKSTATION 3 SHELVES 1 DRAWER

- Servante d'atelier 3 plateaux 1 tiroir



HEAT COVER - Couverture anti-chaueur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



SET OF 2 MAGNETS

- Jeu de 2 aimants
 - Schweißmagnet



MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke



RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand




RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias



PROTECTION GOGGLES

- Lunettes de protection - Schutzbrillen



GLOVES - Gants - Handschuhe - Guantes



MULTI-USE LEATHER APRON

- Tablier cuir multi-usage
 - Delantal de cuero multi-uso
 - Mehrzweck-Lederschürze



1T MOBILE LIFTING TABLE WITH HYDROPNEUMATIC PUMP


- Table élévatrice mobile 1 tonne avec pompe hydropneumatique
- Mobilier 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe

083912
Weight : 385 kg



Hydropneumatic pump
- Pompe hydropneumatique

110 s
30 s
6-8 bar




Lifting table pins
- Piges pour table de levage
- Stangen für Hubtisch
085176




EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES -

Équipements pour opérations sur véhicules électriques & hybrides
- Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018



INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025



25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V
083837


7/8/10/12/14/16/17/19/21 mm sockets - Douilles 7/8/10/12/14/16/17/19/21 mm	x 9
175 mm long universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cliquet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Flat spanner 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
PhH1x80/PhH2x100 mm mm Phillips screw - Tournevis Phillips PhH1x80/PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2

Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "Danger, working area EHV" - Pancarte de signalisation "Danger, zone de travail VEH"	x 2




TROUSERS
- Pantalon - Hose



98% cotton, 2% antistatic	
S (40/42)	046368
M (44/46)	046375
L (48/50)	046382
XL (52/54)	046399
XXL (56/58)	046412

JACKET
- Veste - Jacke




98% cotton, 2% antistatic	
S (40/42)	046313
M (44/46)	046320
L (48/50)	046337
XL (52/54)	046344
XXL (56/58)	046351

MARKETING

ELECTRIC CARS MARKETING

Display stand
- Podium de présentation
- Podest



Retail display space with 2 shelves
- Linéaire de vente avec 2 étagères
- Lochwandregal mit 2 Böden
060784



Banner
- Oriflamme
3 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039



INVEST IN THE FUTURE

COLLISION REPAIR

2026

GYS France

Headquarters

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr



ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

Logistics centre

2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33

GYS Germany

Professor-Wieler
Straße 11
52070 Aachen
Deutschland
Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom
Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS Italia


Via Porta Est, 7
30020 Marcon - VE
Italia
Tel +39 041 53 21 565
E-mail italia@gys.fr

GYS Ibérica

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España
Tel +34 917 409 790
E-mail iberica@gys.fr

GYS China

Lot N°15 - 6666 bd Songze
201706 Qingpu
Shanghai - China
Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn



www.gys.fr



Distributed by

095106 • Document non contractuel. GYS se réserve le droit de modifier les spécifications et les tarifs de ses appareils, sans délai ni préavis, et en cas d'erreur typographique ou d'impression. • Non-contractual document. GYS reserves the right to modify the specifications and prices of its products without notice or delay, and in the event of typographical or printing errors. • Documento non contrattuale. GYS si riserva il diritto di modificare le specifiche e i prezzi dei suoi prodotti senza preavviso in caso di errori tipografici o di stampa. • Dieses Dokument ist nicht vertraglich bindend. GYS behält sich das Recht vor, Spezifikationen sowie Preise seiner Geräte jederzeit und ohne vorherige Ankündigung zu ändern. Dies gilt ebenso im Falle von Druck- oder Schreibfehlern. I.P. - 311 g • printed in January 2026